



Home Curfew RF Monitoring System 3000

Attenti's Home Curfew RF Monitoring System 3000 with voice communication utilizes our advanced monitoring technology as an effective curfew compliance tool. Participants are fitted with a 2-Way Bracelet, *capable of vibration upon non-compliance*, assigned a Base Unit 3000, and managed through Attenti's EM Manager software.

Our Radio Frequency technology tethers the Bracelet attached around the participant to a Base Unit 3000 installed in the participant's home. Through EM Manager, users establish and modify curfews, grace periods, officer contacts, and notification protocols. One of the benefits of using our system is that RF, GPS, and Alcohol participants are managed through the same simple web-based software.

Specifications

HOME CURFEW RF MONITORING SYSTEM 3000		
Base Unit 3000		
Dimensions	11.21L x 3.54H x 7.28W inches	
Weight	41.4 ounces	
FCC ID	LSQBU3000	
Backup Battery Life	45-hour backup battery	
Water Resistance	Splash resistant per Rain IPX2 standard	
Memory	> 30 days	
Operating Temperature Range	-20°C to +55°C	
Stored Temperature Range	-20°C to +50°C	
Humidity Range	98% at +20°C	
Communication	Voice and Data Transfer	
2-Way Bracelet		
Dimensions	2.95L x 0.97H x 1.91W inches	
Weight	1.7 ounces	
FCC ID	LSQTRX900F2	
Battery Life	12 months in operation; 3-year shelf life	
Water Resistance	Waterproof, per IP68 standard, to 66 ft	
Operating Temperature Range	-20°C to +71°C; -4°F to 160°F	
Stored Temperature Range	-40°C to +71°C; -40°F to 160°F	
Temperature cycling	-25°C to 40°C; -13°F to 104°F	
Humidity Range	95% from 25°C to 55°C (77°F to 131°F)	
Communication	Vibration	

attenti

When your solution works simply, your monitoring program does too.

Reliable hardware in a smart, cost-effective package. Attenti's Home Curfew RF Monitoring System (Base Unit 3000 LTE) gives you field-proven functionalities for low-risk participants.



Home Curfew Monitoring

Enabling communities to become safer and more secure.

Since 1994, Attenti has been trusted by government agencies and service providers worldwide by providing advanced technology, exceptional support, and industry expertise. Our field-proven solutions improve the security of communities by enhancing public safety, protecting agency budgets, and helping participants rebuild their lives.


attenti

Attenti US, Inc.

1838 Gunn Hwy.
Odessa, FL 33556 USA
Tel: 866.213.0240

Learn more:

www.attentigroup.com
@AttentiUS



©Attenti US, Inc., 2020. All rights reserved.

ATTENTI is the trademark of Attenti Electronic Monitoring Ltd.
Other trademarks are the property of their respective owner.



Key Features



Two-Way Voice Communication

The Base Unit allows outgoing calls to officers or the monitoring center and allows incoming calls from authorized users.



Base Unit GPS Point

System reports the Base Unit location on request and during scheduled calls.



Multiple Connection Methods

Connects via LTE cellular, Wi-Fi, or landline providing redundant communication. Provides peace of mind knowing participant data is delivered.



Two Way Bracelet (BTX)

Designed to encourage compliance, the BTX vibrates to notify the participant of a potential range violation. This optional feature can be customized to fit your program needs.



Patented Strap Design

Attenti has patented a light-focusing technology that maximizes our ability to detect strap tamperers. The strap contains an accurate fiber optic circuit; an internal copper wire aids in stretch resistance and durability.



Supporting Software

Attenti's EM Manager software provides integrated monitoring, case management, reporting, inventory management, and range testing. The Mobile EM Manager app, available in the Apple and Android stores, allows users to perform essential RF monitoring functions while in the field.

attenti