

Zetron Dispatch Equipment

Choose from the following Zetron dispatch equipment and accessories.

VENDOR	BRAND/MODEL	MSRP
	ZETRON MAX STANDARD DISPATCH SOLUTION	
Communications International	Zetron / 905-0380 - MAX Standard Workstation Bundle	\$11,475.00
Communications International	Zetron / 905-0520 - MAX Standard with Laptop	\$10,027.00
Communications International	Zetron / 905-0521 - MAX Standard Workstation Bundle without PC	\$9,572.00
Communications International	Zetron / 905-0523 - MAX Standard Laptop Bundle Without Laptop	\$5,138.00
Communications International	Zetron / 950-1349 - MAX Standard Software	\$4,867.00
Communications International	Zetron / 950-0569 - MAX Dispatch Global Workstation Touch Screen Laptop Bundle	\$10,527.00
	MAX Operator Workstation Software Licenses (per workstation)	
Communications International	Zetron / 930-0222 - Individual Call Software Feature Set	\$1,146.00
Communications International	Zetron / 930-0223 - Telephony Feature Set	\$1,720.00
Communications International	Zetron / 930-0224 - Tone Signaling/Paging Feature Set	\$1,720.00
Communications International	Zetron / 930-0225 - Event Replay	\$1,942.00
Communications International	Zetron / 930-0226 - Aux I/O Software Feature Set	\$1,720.00
	CommandIQ - MAX Compact Workstation	
Communications International	Zetron / 950-1387 - CommandIQ Compact Workstation	\$9,999.00
Communications International	Zetron / 905-0542 - CommandIQ, 2 Channel NXDN System	\$15,400.00
Communications International	Zetron / 905-0543 - CommandIQ, 2 Channel DMR System	\$15,900.00
Communications International	Zetron / 905-0544 - CommandIQ, 2 Channel DFSI System	\$16,400.00
Communications International	Zetron / 905-0545 - CommandIQ, 2 Channel VM5000 System	\$15,400.00
Communications International	Zetron / 905-0549 - CommandIQ, 2-Channel 4-Wire System	\$15,300.00
Communications International	Zetron / 930-0406 - CommandIQ Individual Call SW Feature Set License	\$530.00
Communications International	Zetron / 930-0407 - CommandIQ Telephony Feature Set License	\$795.00
Communications International	Zetron / 930-0408 - CommandIQ Signalling/Paging Feature Set License	\$795.00
Communications International	Zetron / 930-0409 - CommandIQ I/O SW Feature Set License	\$795.00
Communications International	Zetron / 950-1396 - CommandIQ Multi-Function Button Software Kit Licenses	\$795.00
	CommandIQ - Spares/Accessories	
Communications International	Zetron / 709-0002 - Handset Cable, Coiled	\$16.00
Communications International	Zetron / 802-0097 - Handset with PTT, 4-Wire	\$120.00
Communications International	Zetron / 802-0607 - USB Stereo Headset	\$135.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 901-9731- Desktop Microphone, with 6' RJ45 to RJ45 Cable	\$880.00
Communications International	Zetron / 950-9102- Footswitch, Single with 10' cable	\$139.00
Communications International	Zetron / 802-2427- CommandIQ Power Supply	\$59.00
Communications International	Zetron / 025-9716 - CommandIQ Manual	\$50.00
Communications International	Zetron / 027-0204 - CommandIQ Quick Start Card	\$10.00
Communications International	CommandIQ Wall Mounting Option Kit	\$123.00
	Workstation Hardware Options	
Communications International	Zetron / 950-0032 - Headset, 6-Wire with PTT, Noise Cancelling	\$436.00
Communications International	Zetron / 950-0033 - Headset, 4-Wire, Noise Cancelling	\$328.00
Communications International	Zetron / 950-0454 - Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries)	\$1,206.00
Communications International	Zetron / 802-0115 - Headset Top, Noise Cancelling	\$127.00
Communications International	Zetron / 950-1077 - Dual Prong Headset Jackbox Option; Dual Volume Control	\$968.00
Communications International	Zetron / 950-1082 - Dual Prong Headset Jackbox Option; Single Volume Control	\$776.00
Communications International	Zetron / 950-1175 - Dual Prong Headset Jackbox Option; No Volume Control Knobs	\$600.00
Communications International	Zetron / 950-1215 - MAX Call Taking to TRHI Cable	\$27.00
Communications International	Zetron / 901-9731 - Desktop Microphone, with 6' RJ45 to RJ45 Cable	\$880.00
Communications International	Zetron / 950-9102 - Footswitch, Single with 10' cable	\$139.00
Communications International	Zetron / 950-1198 - 19" 2U Rackmount Speaker Panel - 2 Speakers	\$1,049.00
Communications International	Zetron / 950-1413 - 2U Rackmount Gooseneck Microphone	\$613.00
Communications International	Zetron / 950-0884 - Speakers Single (cable separate)	\$619.00
Communications International	Zetron / 709-0170-10 - 10 ft Shielded Cat 5e Cable for Speakers	\$19.00
Communications International	Zetron / 905-0403 - Media Dock XS Kit	\$4,610.00
Communications International	Zetron / 950-1237 - Console Position Light Pole - Green-Yellow-Red	\$503.00
Communications International	Zetron / 950-1294 - 4-Port Keyboard, Mouse and Audio Switch, USB	\$1,128.00
Communications International	Zetron / 950-1295 - LED Light Module Kit	\$376.00
Communications International	Zetron / 802-1280 - Wireless Keyboard and Mouse Kit	\$90.00
	MAX Radio Gateway Interface & Options (DB15)	
Communications International	Zetron / 901-9675 - MAX Radio Gateway Conventional (DB15) Hardware	\$2,866.00
Communications International	Zetron / 709-7968-10 - MAX Radio Gateway to Tail Cable (10ft)	\$64.00
Communications International	Zetron / 709-7968-20 - MAX Radio Gateway to Tail Cable (20ft)	\$76.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 930-0228 - Conventional P25 DIU-3000 (decode only) Interface License	\$227.00
Communications International	Zetron / 709-7981-10 - MAX Radio Gateway to DIU-3000 Cable (10ft)	\$119.00
Communications International	Zetron / 709-7981-20 - MAX Radio Gateway to DIU-3000 Cable (20ft)	\$140.00
Communications International	Zetron / 930-0229 - Kenwood Interface License (Tk-x180, Tk-5x10, NX-x00, 820)	\$346.00
Communications International	Zetron / 709-7977-10 - MAX Radio Gateway to Kenwood Radios (TK-x180, TK-5x10, NX-700/800/900) Cable (10ft)	\$119.00
Communications International	Zetron / 709-7977-20 - MAX Radio Gateway to Kenwood Radios (TK-x180, TK-5x10, NX-700/800/900) Cable (20ft)	\$140.00
Communications International	Zetron / 709-8043-10 - MAX Radio Gateway to Kenwood NX-820/3820 Cable (10ft)	\$119.00
Communications International	Zetron / 709-8043-20 - MAX Radio Gateway to Kenwood NX-820/3820 Cable (20ft)	\$140.00
Communications International	Zetron / 709-7979-10 - MAX Radio Gateway Tone Remote Cable	\$64.00
Communications International	Zetron / 930-0269 - Sprint Direct Connect Interface License	\$346.00
Communications International	Zetron / 709-8024 - MAX Radio Gateway to Advantec Cable (Sprint Direct Connect) (6ft)	\$119.00
Communications International	Zetron / 709-8035 - MAX Radio Gateway to Advance Bridge Cable (Sprint Direct Connect)	\$119.00
Communications International	Zetron / 905-0347 - M250/251 Tone-to-DC Remote Base Station Adapter	\$3,686.00
Communications International	Zetron / 930-0227 - MDC-1200 (encode/decode) Signaling	\$227.00
Communications International	Zetron / 930-0242 - GE-Star Signaling	\$227.00
Communications International	Zetron / 930-0262 - 5/6 Tone Signaling	\$227.00
Communications International	Zetron / 930-0263 - Fleetsync Signaling	\$227.00
Communications International	Zetron / 709-8104-6 - Radio Gateway to EFJ VM5000 Cable (6ft)	\$119.00
Communications International	Zetron / 709-8104-10 - Radio Gateway to EFJ VM5000 Cable (10ft)	\$140.00
Communications International	Zetron / 930-0360 - Radio Gateway EF Johnson Interface License	\$243.00
Communications International	Zetron / 709-8122-10 - Tait TM9300/9400 Interface Cable (10ft)	\$119.00
Communications International	Zetron / 709-8122-20 - Tait TM9300/9400 Interface Cable (20ft)	\$140.00
	MAX CNB Radio Gateway Interface	
Communications International	Zetron / 901-9690 - MAX CNB Radio Gateway Hardware	\$2,866.00
Communications International	Zetron / 930-0260 - Harris Interface License (M7300)	\$346.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 709-8003-10 - MAX Radio Gateway to Harris M7300 Cable (10ft)	\$119.00
Communications International	Zetron / 709-8003-20 - MAX Radio Gateway to Harris M7300 Cable (20ft)	\$140.00
	MAX MSB Radio Gateway Interface	
Communications International	Zetron / 901-9693 - MAX MSB Radio Gateway Hardware	\$2,866.00
Communications International	Zetron / 930-0265 - Motorola XTL Interface License	\$352.00
Communications International	Zetron / 709-8005-10 - MAX Radio Gateway to XTL 5000 / APX 7500 Mobile Radio Rear Accessory Cable (10ft)	\$119.00
Communications International	Zetron / 709-8005-20 - MAX Radio Gateway to XTL 5000 / APX 7500 Mobile Radio Rear Accessory Cable (20ft)	\$140.00
Communications International	Zetron / 709-8065-10 - MAX Radio Gateway to XTL 5000 / APX 7500 TIB J600 Cable	\$119.00
Communications International	Zetron / 930-0278 - Motorola APX 7500 Interface License	\$352.00
	MAX Radio Gateway Interface & Options (RJ21)	
Communications International	Zetron / 901-9677 - MAX Radio Gateway Conventional (RJ21) Hardware	\$2,866.00
Communications International	Zetron / 930-0228 - Conventional P25 DIU-3000 (decode only) Interface License	\$352.00
Communications International	Zetron / 930-0229 - Kenwood Interface License (Tk-x180, Tk-5x10, NX-x00, 820)	\$119.00
Communications International	Zetron / 709-0167-10 - 25-pr Cable, M180-M90 (10 feet)	\$140.00
Communications International	Zetron / 709-0167-25 - 25-pr Cable, M180-M90 (25 feet)	\$119.00
Communications International	Zetron / 709-0167-50 - 25-pr Cable, M180-M90 (50 feet)	\$352.00
Communications International	Zetron / 905-0347 - M250/251 Tone-to-DC Remote Base Station Adapter	\$3,686.00
Communications International	Zetron / 930-0227 - MDC-1200 (encode/decode) Signaling	\$227.00
Communications International	Zetron / 930-0242 - GE-Star Signaling	\$227.00
Communications International	Zetron / 930-0262 - 5/6 Tone Signaling	\$227.00
Communications International	Zetron / 930-0263 - Fleetsync Signaling	\$227.00
Communications International	Zetron / 950-9351 - Connectorized Punch Down Block	\$101.00
Communications International	Zetron / 950-9199 - Connectorized Punch Down Block (Protected)	\$1,019.00
Communications International	Zetron / 930-0441 - MAX Radio Gateway TAIT CCDI License	\$352.00
	MAX Digital Radio Gateway Interface & Options	
	Part #	
Communications International	Zetron / 901-9725 - MAX Digital Radio Gateway	\$2,915.00
Communications International	Zetron / 930-0264 - NEXEDGE® Talkpath Interface (Trunking or Conventional Operation)	\$573.00
Communications International	Zetron / 930-0271 - DMR Talkpath License	\$968.00
Communications International	Zetron / 930-0270 - P25 DFSI Interface License	\$1,146.00
Communications International	Zetron / 930-0444 - DFSI 2-Tone Paging on P25 via the DRG	\$320.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

MAX System Hardware/Software		
	Part #	
Communications International	Zetron / 901-9715 - MAX Central	\$3,672.00
Communications International	Zetron / 930-0231 - Z-Node Manager	\$3,559.00
Communications International	Zetron / 930-0221 - Block of 10 Radio Channel Licenses	\$712.00
Communications International	Zetron / 930-0376 - Block of 2 Radio Channel Licenses	\$255.00
Communications International	Zetron / 930-0237 - IP Voice Logger Channel Block License	\$519.00
Communications International	Zetron / 930-0273 - MAX Dispatch Voice Logger License for Eventide NexLog™ Logging Recorders	\$0.00
Communications International	Zetron / 901-9718 - MAX Central Portal Host	\$3,672.00
Communications International	Zetron / 930-0233 - MAX Portal Remote Radio or Console License	\$227.00
Communications International	Zetron / 930-0234 - MAX Portal Z-Node License	\$4,456.00
Communications International	Zetron / 930-0239 - Aux I/O Port License - 48 Ports	\$1,006.00
Communications International	Zetron / 930-1214 - AUX I/O Port License - 16 Ports	\$443.00
Communications International	Zetron / 802-1111 - Acromag Ethernet I/O Unit	\$639.00
Communications International	Zetron / 901-9674 - Model 6080 Relay Module	\$1,059.00
Communications International	Zetron / 802-2117 - Acromag Ethernet I/O Unit	\$2,222.00
Communications International	Zetron / 950-1347 - Network Isolation Switch	\$211.00
Communications International	Zetron / 802-0255 - Power Supply for 802-2117 Acromag Ethernet Unit	\$27.00
Location Services		
	Part #	
Communications International	Zetron / 905-0507 - MAX Central Location Gateway Host	\$3,672.00
Communications International	Zetron / 930-0343 - Location Gateway Service (1 License per system)	\$2,596.00
Communications International	Zetron / 930-0344 - Location Services Map Feature Set	\$1,146.00
Communications International	Zetron / 950-1366 - Location Services CAD API Bundle	\$1,352.00
Paging Services		
	Part #	
Communications International	Zetron / 950-1365 - Paging CAD API Bundle	\$1,028.00
Special Export Controls		
	Part #	
Communications International	Zetron / 931-0001 - MAX Infrastructure Gateway - P25 CSSI License - Includes AES Encryption (1 per System)	\$3,028.00
Communications International	Zetron / 931-0002 - P25 TalkPath CSSI - AES Encryption License (per Talkpath)	\$1,947.00
Communications International	Zetron / 931-0003 - Digital Radio Gateway AES Encryption License (per Talkpath)	\$644.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

	MAX CSSI Interface	
	Part #	
Communications International	Zetron / 905-0508 - MAX Dispatch CSSI Infrastructure Gateway (US Only)	\$6,706.00
Communications International	Zetron / 905-0509 - MAX Dispatch CSSI Infrastructure Gateway, Redundant (US Only)	\$10,594.00
Communications International	Zetron / 905-0555 - MAX Dispatch CSSI Infrastructure Gateway [R440 Server] (US Only)	\$15,079.00
Communications International	Zetron / 905-0556 - MAX Dispatch CSSI Infrastructure Gateway [R440 Server] Redundant (US Only)	\$28,079.00
Communications International	Zetron / 930-0348 - MAX Dispatch P25 5 TalkPath CSSI License	\$12,168.00
Communications International	Zetron / 930-0349 - MAX Dispatch P25 10 TalkPath CSSI License	\$23,363.00
Communications International	Zetron / 930-0350 - MAX Dispatch P25 20 TalkPath CSSI License	\$44,389.00
Communications International	Zetron / 930-0351 - MAX Dispatch P25 30 TalkPath CSSI License	\$63,079.00
	MAX DMR Tier III Interface	
	Part #	
Communications International	Zetron / 905-0510 - MAX Dispatch DMR AIS Gateway Bundle	\$6,706.00
Communications International	Zetron / 905-0511 - MAX Dispatch DMR AIS Gateway Redundancy Bundle	\$10,594.00
Communications International	Zetron / 905-0560 - MAX Dispatch DMR AIS Gateway Bundle	\$14,499.00
Communications International	Zetron / 905-0561 - MAX Dispatch DMR AIS Gateway Redundancy Bundle	\$26,999.00
Communications International	Zetron / 930-0363 - MAX Dispatch DMR 5 TalkPath License	\$5,408.00
Communications International	Zetron / 930-0364 - MAX Dispatch DMR 10 TalkPath License	\$9,843.00
Communications International	Zetron / 930-0365 - MAX Dispatch DMR 20 TalkPath License	\$17,414.00
Communications International	Zetron / 930-0366 - MAX Dispatch DMR 30 TalkPath License	\$22,822.00
	MAX Broadband PTT Interface	
	Part #	
Communications International	Zetron / 930-0359 - Cellular PTT CSSI Talk Path License Add-On (1 per licensed Talk Path)	\$605.00
Communications International	Zetron / 907-0001 - MAX Broadband PTT Interface through CSSI - 5 Talkpaths	\$9,250.00
Communications International	Zetron / 907-0002 - MAX Broadband PTT Interface through CSSI (Redundant) - 5 Talkpaths.	\$12,475.00
Communications International	Zetron / 905-0557 - MAX Dispatch ESChat Gateway Bundle	\$6,706.00
Communications International	Zetron / 905-0558 - MAX Dispatch ESChat Gateway Redundancy Bundle	\$10,594.00
Communications International	Zetron / 930-0422 - MAX Dispatch ESChat Software License (1 per system)	\$605.00
Communications International	Zetron / 930-0423 - MAX Dispatch ESChat 5 Talkpath License	\$5,028.00

Communications International	Zetron / 930-0424 - MAX Dispatch ESChat 10 Talkpath License	\$9,154.00
Communications International	Zetron / 930-0425 - MAX Dispatch ESChat 20 Talkpath License	\$16,195.00
Communications International	Zetron / 930-0426 - MAX Dispatch ESChat 30 Talkpath License	\$21,224.00
	MAX Telephony Gateway Interface	
	Part #	
Communications International	Zetron / 930-0235 - Telephony Gateway Service (1 Per MAX Central)	\$2,293.00
Communications International	Zetron / 930-0236 - Telephony Port License (1 License per line connection)	\$71.00
Communications International	Zetron / 950-1130 - 2 Port FXS VoIP Gateway with 2 Port License	\$870.00
Communications International	Zetron / 950-1131 - 12 Port FXS VoIP Gateway with 12 Port License	\$2,650.00
Communications International	Zetron / 950-1138 - 2 Port FXO VoIP Gateway with 2 Port License	\$870.00
Communications International	Zetron / 950-1139 - 12 Port FXO VoIP Gateway with 12 Port License	\$2,650.00
	Rack Mounting & Power Equipment	
	Part #	
Communications International	Zetron / 950-1142 - Redundant 12VDC Power System - Up to 20 Devices	\$2,866.00
Communications International	Zetron / 950-1143 - Redundant 12VDC Power System - Up to 40 Devices	\$5,273.00
Communications International	Zetron / 950-1133 - Isolated 12VDC Power Supply System (non-redundant)	\$1,492.00
Communications International	Zetron / 950-1134 - 12VDC Power Distribution Panel	\$514.00
Communications International	Zetron / 416-0043 - Fuse, 3 Amp	\$6.00
Communications International	Zetron / 950-1135 - DIN Rail Mounting Kit	\$546.00
Communications International	Zetron / 950-0923 - Radio Gateway Power Supply Option	\$97.00
Communications International	Zetron / 950-0589 - Single Unit Rack Mount Option	\$139.00
Communications International	Zetron / 950-0588 - Dual Unit Rack Mount Option	\$194.00
Communications International	Zetron / 810-0142 - 19" Rack 2U Shelf	\$86.00
	Mains Power Options	
	Part #	
Communications International	Zetron / 416-0012 - AC Power Cord (North America)	\$12.00
Communications International	Zetron / 416-1592 - AC Power Cord (Australia)	\$12.00
Communications International	Zetron / 416-0020 - AC Power Cord (United Kingdom)	\$12.00
Communications International	Zetron / 416-1593 - AC Power Cord (Europe)	\$12.00
Communications International	Zetron / 416-1594 - AC Power Cord (Japan)	\$60.00
	Monitors & Network Equipment	
	Part #	
Communications International	Zetron / 802-2311 - 23" Widescreen LCD Monitor	\$309.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 802-2423 - 24" Widescreen Multi-touch Monitor, Tech Global	\$2,772.00
Communications International	Zetron / 802-2220 - 22" Widescreen Multi-touch LCD Monitor	\$613.00
Communications International	Zetron / 950-1275 - 1000BASE-T SFP Module (Copper)	\$892.00
Communications International	Zetron / 950-1276 - 1000BASE-SX SFP Module for Multi-Mode Fiber	\$1,141.00
Communications International	Zetron / 950-1281 - 24 Port Managed Gigabit Rack Mount Switch	\$2,228.00
Communications International	Zetron / 950-1280 - 48 Port Managed Gigabit Rack Mount Switch	\$3,889.00
Communications International	Zetron / 950-1287 - Cisco Management Cable	\$54.00
	System Documentation	
	Part #	
Communications International	Zetron / 395-0090 - MAX Dispatch Manual Set	\$25.00
Communications International	Zetron / 025-9638 - MAX System Overview	\$50.00
Communications International	Zetron / 025-9645 - MAX Dispatch System Installation Manual	\$50.00
Communications International	Zetron / 025-9654 - MAX Dispatch System Configuration Manual	\$50.00
Communications International	Zetron / 025-9624 - MAX Radio Gateway Conventional (RJ-21 and DB-15) Installation	\$50.00
Communications International	Zetron / 025-9649 - MAX Operation	\$50.00
Communications International	Zetron / 025-9647 - MAX Central Product Manual	\$50.00
Communications International	Zetron / 025-9650 - MAX Dispatch Console Design Manual	\$50.00
Communications International	Zetron / 025-9729 - MAX Dispatch and MAX FSA Action Stacks	\$50.00
Communications International	Zetron / 025-9630 - Model 6080 Manual	\$50.00
Communications International	Zetron / 025-9660 - MAX CNB Radio Gateway Product Manual	\$50.00
Communications International	Zetron / 025-9663 - MAX MSB Radio Gateway Hardware	\$50.00
Communications International	Zetron / 025-9625 - MAX Digital Radio Gateway Product Manual	\$50.00
Communications International	Zetron / 025-9658 - Media Dock XS	\$50.00
Communications International	Zetron / 025-9695 - MAX Infrastructure Gateway Installation and Configuration Guide	\$50.00
Communications International	Zetron / 025-9632 - Headset Jackbox Manual	\$50.00
Communications International	Zetron / 025-9585 - Amplified 5W Speaker manual	\$50.00
Communications International	Zetron / 025-9589 - Microphone Manual	\$50.00
	Customer Support Services (Non-Discountable)	
	Part #	
Communications International	Zetron / X99-M1344 - MAX Dispatch Project Management/Project Engineering - Call for Quote	\$0.00
Communications International	Zetron / X97-344F - MAX Dispatch Factory Technical Training, First Person	\$1,185.00

Communications International	Zetron / X97-344A - MAX Dispatch Factory Technical Training, Additional Person	\$590.00
Communications International	Zetron / XMP-0344-OWE - MAX-PSP Operator Web Training extension	\$1,560.00
	On-Site Operator Training (Non-Discountable)	
	Part #	
Communications International	Zetron / XMP-0344-OSO - MAX-PSP On-Site Operator Training, Per Day	\$2,600.00
	On-Site Technical Support (Non-Discountable)	
	Part #	
Communications International	Zetron / XMP-0344-OST - MAX-PSP On-Site Configuration Service, Per Day	\$2,600.00
	Upgrades	
	Part #	
Communications International	Zetron / 950-1228 - MAX Dispatch Software and Firmware Upgrade-PSP Required (P/N for delivery tracking only)	\$0.00
	MAX Dispatch Spares	
Communications International	Zetron / 950-1133 - Isolated 12VDC Power Supply System (non-redundant)	\$1,492.00
Communications International	Zetron / 901-9675 - MAX Radio Gateway Conventional (DB15) Hardware	\$2,866.00
Communications International	Zetron / 901-9677 - MAX Radio Gateway Conventional (RJ21) Hardware	\$2,866.00
Communications International	Zetron / 901-9690 - MAX CNB Radio Gateway Hardware	\$2,866.00
Communications International	Zetron / 901-9693 - MAX MSB Radio Gateway Hardware	\$2,866.00
Communications International	Zetron / 901-9725 - MAX Digital Radio Gateway	\$2,915.00
Communications International	Zetron / 950-1412 - MAX Dispatch CSSI Infrastructure Gateway Server (US Only)	\$6,706.00
Communications International	Zetron / 901-9715 - MAX Central	\$3,672.00
Communications International	Zetron / 950-1337 - MAX Solutions Win10 Workstation	\$2,336.00
Communications International	Zetron / 950-1394 - MAX Solutions Workstation Win10 Laptop	\$3,523.00
Communications International	Zetron / 901-9691 - Media Dock XS	\$4,479.00
Communications International	Zetron / 709-0163-15 - USB 2.0, Type A, Type B, Cable, 15ft	\$28.00
Communications International	Zetron / 416-0012 - AC Power Cord (North America)	\$12.00

Communications International	Zetron / 802-0692 - Power Supply, Desktop 60W	\$48.00
Communications International	Zetron / 802-0599 - Display Port to DVI-D Adapter	\$51.00
Communications International	Zetron / 802-0756 - Optical Mouse, Waterproof Antimicrobial	\$46.00
	Product Service Plans	
Communications International	Zetron / XMP-0344-EBS - MAX-PSP Extended Service Plan Price is for 11 workstation seats	\$1,750.00
Communications International	Zetron / XMP-0344-SSL - MAX-PSP Extended Service Plan Reinstatement Fee Price is for 11 workstation seats	\$1,924.00
Communications International	Zetron / XMP-0344-APM - MAX-PSP After hours phone support 1 time Price is for 11 workstation seats	\$104.00
Communications International	Zetron / XMP-0344-RCS - MAX-PSP Remote Configuration Services Systems & CSSI	\$4,680.00
Communications International	Zetron / XMP-0344-RCH - MAX-PSP Remote Configuration Services Features & Components	\$187.00
Communications International	Zetron / XMP-0344-MUG - MAX-PSP Zetron MAX Users Group	\$0.00
	Product Warranty Package	
Communications International	Zetron / XMP-0344-BAS - MAX-PSP Base Service Plan	\$0.00
	REACH Remote Solutions	
Communications International	Zetron / 950-1432 - REACH Remote VPN Connectivity	\$1,175.00
	HARDWARE – Fire Station	
Communications International	Zetron / 950-1420 - LED Firehouse Display - Monochrome 33" x 4"	\$2,880.00
Communications International	Zetron / 950-1421 - LED Firehouse Display - Color RGB 22" x 4"	\$2,491.00
Communications International	Zetron / 950-1424 - MAX FSA LED Firehouse Display Power Supply	\$38.00
Communications International	Zetron / 709-8117-10F - FSA Reader Board Serial Cable (CAT5 to RS485), 10 FT	\$12.00
Communications International	Zetron / 709-8117-20F - FSA Reader Board Serial Cable (CAT5 to RS485), 20 FT	\$24.00
Communications International	Zetron / 709-8117-30F - FSA Reader Board Serial Cable (CAT5 to RS485), 30 FT	\$36.00
Communications International	Zetron / 905-0536 - MAX Fire Station Gateway	\$2,860.00
Communications International	Zetron / 709-7968-10 - MAX Radio Gateway to Tail Cable (10ft)	\$64.00
Communications International	Zetron / 709-7968-20 - MAX Radio Gateway to Tail Cable (20ft)	\$76.00

Communications International	Zetron / 802-1111 - Acromag Ethernet I/O Unit	\$639.00
Communications International	Zetron / 901-9674 - Model 6080 Relay Module	\$1,059.00
Communications International	Zetron / 802-2117 - Acromag Ethernet I/O Unit	\$2,222.00
Communications International	Zetron / 950-1347 - Network Isolation Switch	\$211.00
Communications International	Zetron / 802-0255 - Power Supply for 802-2117 Acromag Ethernet Unit	\$27.00
Communications International	Zetron / 950-1281 - 24 Port Managed Gigabit Rack Mount Switch	\$2,228.00
Communications International	Zetron / 950-1287 - Cisco Management Cable	\$54.00
	HARDWARE - Dispatch Center	
	Part #	
Communications International	Zetron / 901-9725 - MAX Digital Radio Gateway	\$2,915.00
Communications International	Zetron / 950-1337 - MAX Solutions Win10 Workstation	\$2,336.00
Communications International	Zetron / 950-1394 - MAX Solutions Workstation Win10 Laptop	\$3,223.00
Communications International	Zetron / 901-9691 - Media Dock XS	\$4,479.00
Communications International	Zetron / 416-0012 - AC Power Cord (North America)	\$12.00
Communications International	Zetron / 802-0692 - Power Supply, Desktop 60W	\$48.00
Communications International	Zetron / 802-0756 - Optical Mouse, Waterproof Antimicrobial	\$46.00
Communications International	Zetron / 802-0599 - Display Port to DVI-D Adapter	\$51.00
Communications International	Zetron / 901-9715 - MAX Central	\$3,672.00
Communications International	Zetron / 901-9718 - MAX Central Portal Host	\$3,672.00
Communications International	Zetron / 802-2311 - 23" Widescreen LCD Monitor	\$309.00
Communications International	Zetron / 709-0163-15 - USB 2.0, Type A, Type B, Cable, 15ft	\$28.00
Communications International	Zetron / 950-1275 - 1000BASE-T SFP Module (Copper)	\$892.00
Communications International	Zetron / 950-1276 - 1000BASE-SX SFP Module for Multi-Mode Fiber	\$1,141.00
Communications International	Zetron / 950-1281 - 24 Port Managed Gigabit Rack Mount Switch	\$2,228.00
Communications International	Zetron / 950-1280 - 48 Port Managed Gigabit Rack Mount Switch	\$3,889.00
Communications International	Zetron / 950-1287 - Cisco Management Cable	\$54.00
Communications International	Zetron / 950-0884 - Speakers Single (cable separate)	\$619.00
Communications International	Zetron / 709-0170-10 - 10 ft Shielded Cat 5e Cable for Speakers	\$19.00
Communications International	Zetron / 950-1142 - Redundant 12VDC Power System - Up to 20 Devices	\$2,866.00
Communications International	Zetron / 950-1143 - Redundant 12VDC Power System - Up to 40 Devices	\$5,273.00

Communications International	Zetron / 950-1133 - Isolated 12VDC Power Supply System (non-redundant)	\$1,492.00
Communications International	Zetron / 950-1134 - 12VDC Power Distribution Panel	\$514.00
Communications International	Zetron / 416-0043 - Fuse, 3 Amp	\$6.00
Communications International	Zetron / 950-1135 - DIN Rail Mounting Kit	\$546.00
Communications International	Zetron / 802-1280 - Wireless Keyboard and Mouse Kit	\$90.00
	HARDWARE - Documentation	
	Part #	
Communications International	Zetron / 395-0156 - MAX FSA Manual Set on DVD	\$25.00
Communications International	Zetron / 025-9645-2 - MAX FSA System Installation Manual	\$50.00
Communications International	Zetron / 025-9654-2 - MAX FSA System Configuration Manual	\$50.00
Communications International	Zetron / 025-9649-2 - MAX FSA Operation Manual	\$50.00
Communications International	Zetron / 025-9650-2 - MAX FSA Console Design	\$50.00
Communications International	Zetron / 025-9625 - MAX Digital Radio Gateway Product Manual	\$50.00
Communications International	Zetron / 025-9624 - MAX Radio Gateway Conventional (RJ-21 and DB-15) Installation	\$50.00
Communications International	Zetron / 025-9647 - MAX Central Product Manual	\$50.00
Communications International	Zetron / 025-9695 - MAX Infrastructure Gateway Installation and Configuration Guide	\$50.00
Communications International	Zetron / 025-9729 - MAX Dispatch and MAX FSA Action Stacks	\$50.00
Communications International	Zetron / 025-9630 - Model 6080 Manual	\$50.00
Communications International	Zetron / 025-9658 - Media Dock XS	\$50.00
Communications International	Zetron / 025-9632 - Headset Jackbox Manual	\$50.00
Communications International	Zetron / 025-9585 - Amplified 5W Speaker manual	\$50.00
Communications International	Zetron / 025-9589 - Microphone Manual	\$50.00
	SOFTWARE	
	Part #	
Communications International	Zetron / 930-0411 - TTS - Text Gateway Basic License	\$3,500.00
Communications International	Zetron / 930-0412 - TTS - Text Gateway Premium License	\$9,500.00
Communications International	Zetron / 950-1363 - MAX Dispatch & MAX FSA Multi-Function Button Software Kit Licenses	\$1,622.00
Communications International	Zetron / 950-1396 - CommandIQ Multi-Function Button Software Kit Licenses	\$795.00
Communications International	Zetron / 950-1362 - Fire Station Alerting CAD API Bundle	\$3,422.00
Communications International	Zetron / 950-1422 - MAX FSA CAD API with Basic Text Gateway Bundle	\$6,933.00
Communications International	Zetron / 950-1423 - MAX FSA CAD API with Premium Text Gateway Bundle	\$12,278.00
Communications International	Zetron / 950-1435 - MAX FSA Standard Software	\$4,867.00
Communications International	Zetron / 930-0231 - Z-Node Manager	\$3,559.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 930-0233 - MAX Portal Remote Radio or Console License	\$227.00
Communications International	Zetron / 930-0222 - Individual Call Software Feature Set	\$1,146.00
Communications International	Zetron / 930-0223 - Telephony Feature Set	\$1,720.00
Communications International	Zetron / 930-0224 - Tone Signaling/Paging Feature Set	\$1,720.00
Communications International	Zetron / 930-0225 - Event Replay	\$1,942.00
Communications International	Zetron / 930-0226 - Aux I/O Software Feature Set	\$1,720.00
Communications International	Zetron / 930-0237 - IP Voice Logger Channel Block License	\$519.00
Communications International	Zetron / 930-0273 - MAX Dispatch Voice Logger License for Eventide NexLog™ Logging Recorders	\$0.00
Communications International	Zetron / 930-0234 - MAX Portal Z-Node License	\$4,456.00
Communications International	Zetron / 930-0239 - Aux I/O Port License - 48 Ports	\$1,006.00
Communications International	Zetron / 930-1214 - AUX I/O Port License - 16 Ports	\$443.00
Communications International	Zetron / 930-0235 - Telephony Gateway Service (1 Per MAX Central)	\$2,293.00
Communications International	Zetron / 930-0236 - Telephony Port License (1 License per line connection)	\$71.00
Communications International	Zetron / 950-1130 - 2 Port FXS VoIP Gateway with 2 Port License	\$870.00
Communications International	Zetron / 950-1131 - 12 Port FXS VoIP Gateway with 12 Port License	\$2,650.00
Communications International	Zetron / 950-1138 - 2 Port FXO VoIP Gateway with 2 Port License	\$870.00
Communications International	Zetron / 950-1139 - 12 Port FXO VoIP Gateway with 12 Port License	\$2,650.00
Communications International	Zetron / 950-1228 - MAX Dispatch Software and Firmware Upgrade-PSP Required (P/N for delivery tracking only)	\$0.00
	SPARES - MAX FSA Spares	
	Part #	
Communications International	Zetron / 802-0719 - MOXA Box Spare for LED Signage	\$380.00
Communications International	Zetron / 802-2311 - 23" Widescreen LCD Monitor	\$309.00
Communications International	Zetron / 416-0012 - AC Power Cord (North America)	\$12.00
Communications International	Zetron / 950-1432 - REACH Remote VPN Connectivity	\$1,175.00
	TRAINING	
	Part #	
Communications International	Zetron / X97-359F - MAX FSA Factory Technical Training, First Person	\$1,139.00
Communications International	Zetron / X97-359A - MAX FSA Factory Technical Training, Additional Person	\$567.00
Communications International	Zetron / XMP-0359-OWE - MAX-PSP Operator Web Training extension	\$1,500.00

	MAINTENANCE - Product Service Plans	
	Part #	
Communications International	Zetron / XMP-0344-BAS - MAX-PSP Base Service Plan	\$0.00
Communications International	Zetron / XMP-0344-EBS - MAX-PSP Extended Service Plan Price is for 3 workstation seats	\$1,750.00
Communications International	Zetron / XMP-0344-SSL - MAX-PSP Extended Service Plan Reinstatement Fee Price is for 3 workstation seats	\$1,924.00
	SERVICES	
	Part #	
Communications International	Zetron / XMP-0359-MUG - MAX-PSP Zetron MAX Users Group	\$0.00
Communications International	Zetron / XMP-0359-APM - MAX-PSP After hours phone support 1 time	\$100.00
Communications International	Zetron / X99-M1359 - 1MAX FSA Project Management/Project Engineering - Call for Quote	\$0.00
	SERVICES - Remote Services	
	Part #	
Communications International	Zetron / XMP-0344-RCS - MAX-PSP Remote Configuration Services Systems & CSSI	\$4,680.00
Communications International	Zetron / XMP-0344-RCH - MAX-PSP Remote Configuration Services Features & Components	\$187.00
	SERVICES - On-Site Services	
	Part #	
Communications International	Zetron / XMP-0344-OSO - MAX-PSP On-Site Operator Training, Per Day	\$2,600.00
Communications International	Zetron / XMP-0344-OST - MAX-PSP On-Site Configuration Service, Per Day	\$2,600.00
	OPTIONS - MAX Solutions Recommended Options	
	Part #	
Communications International	Zetron / 950-0032 - Headset, 6-Wire with PTT, Noise Cancelling	\$436.00
Communications International	Zetron / 950-0033 - Headset, 4-Wire, Noise Cancelling	\$328.00
Communications International	Zetron / 950-0454 - Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries)	\$1,206.00
Communications International	Zetron / 802-0115 - Headset Top, Noise Cancelling	\$127.00
Communications International	Zetron / 950-1077 - Dual Prong Headset Jackbox Option; Dual Volume Control	\$968.00
Communications International	Zetron / 950-1082 - Dual Prong Headset Jackbox Option; Single Volume Control	\$776.00
Communications International	Zetron / 802-2423 - 24" Widescreen Multi-touch Monitor, Tech Global	\$2,772.00
Communications International	Zetron / 802-2220 - 22" Widescreen Multi-touch LCD Monitor	\$613.00
Communications International	Zetron / 901-9731 - Desktop Microphone, with 6' RJ45 to RJ45 Cable	\$880.00

4450 US Highway 1
Vero Beach, FL 32967
888.275.4244 | ask4ci.com

Authorized Zetron Reseller

Communications International	Zetron / 950-9102 - Footswitch, Single with 10' cable	\$139.00
Communications International	Zetron / 950-1198 - 19" 2U Rackmount Speaker Panel - 2 Speakers	\$1,049.00
Communications International	Zetron / 950-0923 - Radio Gateway Power Supply Option	\$97.00
Communications International	Zetron / 950-0589 - Single Unit Rack Mount Option	\$139.00
Communications International	Zetron / 950-0588 - Dual Unit Rack Mount Option	\$194.00
Communications International	Zetron / 810-0142 - 19" Rack 2U Shelf	\$86.00
	OPTIONS - CommandIQ - MAX Compact Workstation	
	Part #	
Communications International	Zetron / 950-1387 - CommandIQ Compact Workstation	\$9,999.00
Communications International	Zetron / 905-0549 - CommandIQ, 2-Channel 4-Wire System	\$15,300.00
Communications International	Zetron / 930-0406 - CommandIQ Individual Call SW Feature Set License	\$530.00
Communications International	Zetron / 930-0407 - CommandIQ Telephony Feature Set License	\$795.00
Communications International	Zetron / 930-0408 - CommandIQ Signalling/Paging Feature Set License	\$795.00
Communications International	Zetron / 930-0409 - CommandIQ I/O SW Feature Set License	\$795.00
	OPTIONS - CommandIQ - Spares/Accessories	
	Part #	
Communications International	Zetron / 709-0002 - Handset Cable, Coiled	\$16.00
Communications International	Zetron / 802-0097 - Handset with PTT, 4-Wire	\$120.00
Communications International	Zetron / 802-0607 - USB Stereo Headset	\$135.00
Communications International	Zetron / 901-9731 - Desktop Microphone, with 6' RJ45 to RJ45 Cable	\$880.00
Communications International	Zetron / 950-9102 - Footswitch, Single with 10' cable	\$139.00
Communications International	Zetron / 802-2427 - CommandIQ Power Supply	\$59.00
Communications International	Zetron / 025-9716 - CommandIQ Manual	\$50.00
Communications International	Zetron / 027-0204 - CommandIQ Quick Start Card	\$10.00
Communications International	Zetron / 950-1402 - CommandIQ Wall Mounting Option Kit	\$123.00

MAX Dispatch

Zetron's IP-based MAX Dispatch console system is designed to meet the varying needs of the dispatch community while providing a low cost of ownership to the customer. Whether it is expanding the positions and interfaces of one system, sharing resources across multiple systems, increasing mobility options for staff or ensuring your control room can interface to legacy and emerging technologies, the MAX Dispatch radio dispatch console provides the customer an easy path on which to move forward.

Features

- **Simpler Operation, Lower Training Cost:** The user interface is designed to focus attention on the incident by reducing screen clutter, improving response times, and therefore reducing user stress. MAX Dispatch requires minimal training and fewer steps to perform tasks and access information.
- **Three workstations** supports standard PC with Media Dock, laptop version, and CommandIQ complete desktop station.
- **Map-based dispatching:** Available for systems that support location services.
- **High reliability:** End-to-end network redundancy keeps the system up and running even if the IP network goes down.
- **Minimize Maintenance Time and Cost:** Configure, troubleshoot and maintain the system from the convenience of the office.
- **Scalable Operations:** The architecture provides scalability for system designs ranging from dedicated LAN network to multi-node, geographically diverse WAN applications.
- Support for PTTtoC applications.

MAX Dispatch Standard Console with Media Dock:

The MAX Dispatch console is the system element that provides the critical user interface to dispatchers. Each console consists of a Windows®-based client running the MAX Dispatch application software and the optional Media Dock. The console PC is equipped with two, full-duplex Ethernet ports for full network redundancy. If your system has a Media Dock it provides additional audio interfaces and connection points for accessories.

Media Dock Interfaces Support:

- Up to eight speakers
- Desktop microphone
- 4-wire or 6-wire headset jackbox
- PTT and monitor footswitches
- Four local binary inputs and output that can be used for workstation status
- Four local relay contact closure outputs


Workstation Requirements:

Operating System:	Windows based
Video Monitor(s):	1680 x resolution or larger; 1920 x 108 recommended
	DirectX 10-compatible graphics processor with a Windows Display Drive Model (WDDM) 1.1 driver, pixel shader 3.0 in hardware, and a minimum of 512MB of video RAM
	Touchscreen operation requires a monitor that supports multi-touch
Processor:	Quad Core i5 3.0 GHz or better processor
Memory:	8GB
Drive:	500GB or larger
Network:	100/100 Ethernet Connection Dual connections required for link redundancy

options.

MAX Dispatch Laptop WorkStation:

The MAX Dispatch Laptop provides the same critical user interface on a Laptop computer running Windows 7 or 10. The application uses the internal speakers and microphone of the laptop. With the laptop you retain full access to your radio, telephone, aux I/O, and paging networks.



CommandIQ for MAX Dispatch

The CommandIQ workstation is a compact, fully functional hardware console option for MAX Dispatch with an embedded PC, internal speaker and microphone, 10.1" touchscreen display, handset, and supports external accessories (e.g., additional speakers, headsets, microphones, footswitches, etc.). Its efficient 15" X 10" x 4.5" footprint saves space on desks, enables it to be stored easily, and is configured to easily wall mount. The CommandIQ workstation provides mobility, flexibility, and adaptability to meet any command center, office, or field work environment while maintaining full access to radio, telephone, auxiliary I/O, and paging networks.

MAX Radio Gateway:

The Radio Gateway serves as the interface point between a radio or base station and the rest of the MAX system. Radio Gateways are available in both analog and digital forms depending on the radio interface requirement.

Supported Features:

- Analog gateways support up to two radio connections.
- Digital gateway supports Ethernet connection to digital base station infrastructure.
- Dual Ethernet ports for network redundancy.
- Analog voice logger output.
- Four binary inputs and outputs for generic site monitoring and control use (analog gateways only). Relay closures available via optional Zetron Model 6080.

Supported Radio Interfaces (Inquire for additional radios supported):

- 2-wire, 4-wire local (PTT/COR).
- Tone Remote Control (per TIA102.BAHA Section 7).
- Analog/conventional radios: Kenwood TK-x180, Motorola XTL 5000 (O5), Harris M7300/XG75, & XG100.
- P25 conventional/trunking radios: Kenwood TK-5x10, Motorola APX 7500 (O5 Mobile), Motorola XTL 5000 (O5 Mobile), Motorola Quantar with DIU-3000 (conventional only), Harris M7300/XG75 & XG100, Viking VM5000.
- Smartnet/SMARTZONE radios: Motorola APX 7500 (O5 Mobile), Motorola XTL 5000 (O5 Mobile), EFJ VM400/600/900.

- EDACS radios: Harris M7300/XG75 & XG100.
- P25 Digital Fixed Station Interface (DFSI) per TIA102.BAHA.
- Kenwood NEXEDGE radios: NX-700/800/900, NX-720/820
- Kenwood NEXEDGE NXR-700/800 Conventional and Trunking Repeaters.
- DMR AIS Tier II and Tier III, Hytera, Tait and JVCKenwood
- MotoTRBO

MAX Infrastructure Gateway (IG):

The IG serves as the interface point between the radio system and the rest of the MAX system. It is server-based and supports both CSSI and DMR Tier III.

Supported Features

- Unit ID Display
- Talkgroup selection
- Group calls (inbound/outbound)
- Inbound emergency group call
- Individual calls (inbound/outbound)
- Inbound emergency alert
- Inbound call alert
- Encryption (non-FIPS, not to console position)
- Manual encryption key load
- KVL encryption key load support
- Static talkpath to talkgroup mapping through console system acceptable
- Long term voice logging support for voice
- Long Term Logging support for Group call source id
- Patching of talkgroups by operator
- Console behavior same as with current radio interfaces providing consistent visual indications for transmit, receive, audio routing, call state
- Console Pre-emption of inbound calls

MAX Central:

The Central is the hardware platform that hosts several software services used in the MAX Dispatch system. These software services provide essential management and control to the system as well as act as a gateway to various third party devices for additional functionality such as telephony gateways, IP voice loggers, MODBUS IP auxiliary I/O devices and Location Services (AVL). It also hosts the service that provides remote console, remote radio gateway and multiple MAX Dispatch site linkage.

Supported Features:

- Dual network connections
- Dual power connections
- Hot standby capability for Z-Node Manager, Telephony Gateway, Portal services and Location Gateway service.
- Long term IP voice loggers supported: Eventide, Exacom, Stancil, CVDS, REVCORD, Higher Ground, NICE, Verint, DSS Corporation.

Specifications:

Hardware

Dimensions (HxWxD)

Media Dock XS: 2.5 x 7.5 x 10 in. (64 x 192 x 254mm)
 Central: 1.25 x 7.5 x 10 in. (31.75 x 191 x 254mm)
 Radio Gateway: 1.25 x 7.5 x 10 in. (31.75 x 191 x 254mm)

Weight

Media Dock XS: 2.6 lbs (1.2 kg)
 Central: 2.5 lbs (1.13 kg)
 Radio Gateway: 2 lbs (0.91 kg)

Operating Temperature

Media Dock XS: 0 to 60 ° C
 Central: 0 to 50 ° C
 Radio Gateway: 0 to 50 ° C

Maximum Power Draw

Media Dock XS: 3W, 200mA (no speakers), 21W (with speakers)
 Central: 1.8A @ 10.5 VDC
 Radio Gateway: 1A @ 10.5 VDC

Network

Radio Gateway
 Payload (per radio): 168 kbps active. Less than 5kbps idle
 Console Workstation
 Payload: 84 kbps maximum for each active audio stream (Tx or Rx)
 N*84 kbps for simultaneous Tx on N channels.
 Packet Loss: < 0.1% (< for non-mission critical)
 Packet Delay: < 40 ms for LAN environments; up to 2 seconds for longhaul (long delay) environments.
 Packet Jitter: < 20 ms (< 40 ms for non mission critical)
 Network Infrastructure: 100 Mbps minimum, full-duplex Ethernet
 Switches and routers must be multicast aware.
 Mission-critical applications should use a dedicated network



ZETRON AMERICAS
 PO Box 97004,
 Redmond, WA USA
 98073-9704
 (P) +1 425 820 6
 (F) +1 425 820
 (E) zetron@zetron.com

ZETRON EMEA
 27-29 Campbell Court,
 Bramley, Hampshire RG26 5EG,
 United Kingdom
 (P) +44 1256 8806
 (F) +44 1256 880
 (E) uk@zetron.com

ZETRON AUSTRALASIA
 PO Box 3045, Stafford Mail
 Centre, Stafford QLD 4053,
 Australia
 (P) +61 7 3856 48
 (F) +61 7 3356
 (E) au@zetron.com




The Power to Respond

©Zetron, Inc. All rights reserved. Zetron® and Zetron and Design® are registered trademarks of Zetron, Inc. All other trademarks are properties of their respective owners.

See Zetron price list for option pricing. Specifications subject to change without notice.

MAX Fire Station Alerting



Zetron's MAX Fire Station Alerting is a purpose-built communications and operational automation solution that can be deployed either standalone or as a component of a fully integrated MAX Systems mission critical communications platform. MAX Fire Station Alerting is IP-based, making it compatible with new construction building management technology systems, yet is equally capable of integrating with existing fire station Auxiliary Input/Output (Aux I/O) infrastructure.

MAX Fire Station Alerting delivers communications from a central site and is designed to support simultaneous multi-station alerting when integrated with any modern CAD system. It supports various communications and control capabilities within individual stations, including:

- Sensing alarm inputs
- Monitoring vehicle status
- Turning lights on/off
- Opening/closing/locking doors
- Turning fans, stoves, and other appliances on/off
- Sending alert tones and broadcasting dispatch messages over public address (PA)

MAX Fire Station Alerting is an innovative and highly configurable solution. With robust functionality and scalability necessary to meet the most complex requirements of metropolitan departments, its affordability and ease of use also make MAX Fire Station Alerting ideally suited for even the smallest single-station rural department applications.

Whether as a standalone alerting and automation solution, or as an integrated component of a full mission critical communications platform, MAX Fire Station Alerting has functionality and power to help emergency services personnel respond faster and arrive smarter.

CAD Integration

Dispatchers can easily utilize new or existing CAD systems to activate MAX Fire Station Alerting functions. The MAX Fire Station Alerting CAD API makes it possible for users to control alerting functionality automatically and manage station apparatus availability from the same CAD system they're accustomed to navigating. For example, with station input, the CAD system will "know" a truck is out of service and automatically assign an available engine for deployment, freeing the dispatcher to handle other tasks. In addition, the MAX Fire Station Alerting CAD API enables CAD systems to automatically activate schemes based on the time of day or size of the incident.

Multiple Audio Paths

MAX FSA can alert single or multiple fire stations simultaneously through either VoIP, radio, or both, which speeds up the process of getting alerts and important dispatch and situational information out to stations and the first responders being deployed. Flexibility in how critical incident information is disseminated eliminates potential points of communication failure and lessens the impacts of system or device downtime.

Combined Dispatch and Fire Station Alerting

While MAX Fire Station Alerting can be deployed standalone and/or in conjunction with third party dispatch systems, its seamless integration with other MAX solutions is evidenced in the common user interface and functionality that MAX Dispatch users are already familiar with. Integrating MAX Fire Station Alerting with other MAX Systems saves space and promotes ease of access/use for dispatchers.

Multiple Levels of Redundancy

MAX Fire Station Alerting has dual network connections throughout the system and hot standby capability, providing automatic failover in the event of a hardware failure. Any single point of failure can be eliminated with redundant MAX Central, MAX Radio Gateways (MRGs), and power supplies. MAX Fire Station Alerting can be configured with various levels of redundancy to meet the specific needs of each customer.

Secure Two-way Audio

Using the intercom support option, fire station personnel have a direct two-way audio option with dispatchers. Additional advanced communications capabilities between dispatch and field teams are also available when MAX Fire Station Alerting is used in conjunction with the Zetron CommandIQ™ mobile dispatch unit, which can provide up to full dispatch console functionality with a small portable footprint at stations and enable local control of the station's own Aux I/O controllers for bay doors, fans, lights, etc.

Control and Manage Fire Station Peripherals

Using remote Aux I/O devices with MAX Fire Station Alerting enables dispatch to monitor and poll the status of fire station units and facility controls, including station lighting, doors, appliances and alarm sensor inputs. MAX Fire Station Alerting supports monitoring and control of hundreds of types of I/O devices. In addition, MAX Fire Station Alerting's "Multi-Function Button" permits console positions to create complex Stacked

Actions that automatically trigger and execute multiple consecutive commands as part of a standard/routine emergency alert and action sequence. For example, ordering I/O activation, pages, channel selection and channel keying can all be part of a stacked or timed sequence triggered from the MAX Fire Station Alerting console position. This enables fire personnel to get in route faster, and not have to worry about, "Who turned off the stove?"

Voice Logger Interface

The voice logger gateway outputs all activity from MAX Fire Station Alerting into a third party logging recorder for extraction to recreate the event communications later as/when needed. This also permits the auditing of response times as needed for compliance or certification purposes.

Modern User Interface

MAX Fire Station Alerting shares the same ergonomic, intuitive, and user friendly graphical user interface (GUI) as other MAX solutions. Designed specifically for busy multi-tasking communications center personnel, the MAX Systems shared GUI sets the industry standard for dispatcher ease of use and efficiency.

Zone Alerting and Lighting

The zone alerting capability in MAX Fire Station Alerting enables different notifications and information to be communicated to different sections of stations, so especially within large multi-team and/or multi-discipline stations, alerts can be tailored to specific personnel groups. For example, if a nighttime incident requires only EMTs, the dispatcher can notify only the EMT area within the station without disturbing resting personnel in other sections.

Radio Interface Integration

MAX Fire Station Alerting seamlessly interfaces with MAX Dispatch, so communications can occur through any of the major radio interfaces supported, including DMR Tier 2 & 3, P25 Trunked, and conventional. Additionally, linking to Kodiak and ESChat broadband PTT over Cellular applications is supported through the console interfaces of each solution. Many IP-based systems don't have the same ability to communicate over multiple or heterogeneous radio systems. When connected with third party dispatch console systems, MAX Fire Station Alerting has the radio network interface option for basic LMR call functions.

MAX Fire Station Alerting Core Features Include:

- Redundancy – hot standby, dual network connections
- Voice logger interface
- Multiple audio streams
- Programmatic scripting to automate preset sequential alerts as “stacked actions”
- CAD API available for seamless workflows
- Full-featured fire station alerting without CAD option
- Multi-function buttons available to activate fire station remote sensors
- Multiple alerting method options, including tones, pages, radio, prerecorded voice, and live dispatcher instruction
- Ability to connect dispatch center and fire station telephony via VoIP

CAD Interactions

- Support for CAD-controlled operations
- Natural language Text-To-Speech with multiple voice font choices
- Pre-recorded voice announcements
- CAD to station PA via Text-To-Speech CAD API
- CAD API option for CAD-initiated alerting preference
- Third party console audio input via the optional CAD API

MAX Dispatch Customer Benefits

- Guaranteed interoperability
- Available as an add-on feature of MAX Dispatch systems, expanding into full radio system controls

At the Fire Station

- Multiple zone lighting control (fade-in and multiple colors available where supported by lighting controller)
- Alerts with ramp-up tones (sourced from customer WAV files)
- LED reader board displays tones address
- Live voice announcements
- Multiple audio zones
- Garage bay and entry doors control and sensors
- Power controls for appliances
- Additional relay controls available for unique functions (e.g., sensor inputs)
- Day/night operations
- Field configurable with new construction or existing infrastructure
- Emergency notification from fire station occupants directly to dispatchers
- Supports Push-To-Talk (PTT) to station door intercoms and desktop option for self-dispatch of still alarms

MAX Fire Station Alerting is purpose-built on 40 years of Zetron’s trusted and proven history as a mission critical solutions leader and is designed specifically to meet the extraordinary demands of modern fire departments of all types and sizes. MAX Fire Station Alerting extends Zetron’s robust dispatching and communications capabilities into the fire station with additional alerting, acknowledgement, automation, and auxiliary I/O capabilities and features. Zetron is committed to providing cost effective fire station alerting and dispatching as an integrated, efficient, and interoperable solution.

For more information and to see how MAX Fire Station Alerting helps public safety agencies respond faster and arrive smarter, visit <https://www.zetron.com/mission-critical-solutions/max/fire-station-alerting/>.



ZETRON AMERICAS
PO Box 97004,
Redmond, WA USA
98073-9704
(P) +1 425 820 6363
(F) +1 425 820 7031
(E) zetron@zetron.com

ZETRON EMEA
27-29 Campbell Court,
Bramley, Hampshire RG26
5EG, United Kingdom
(P) +44 1256 880663
(F) +44 1256 880491
(E) uk@zetron.com

ZETRON AUSTRALASIA
PO Box 3045, Stafford Mail
Centre, Stafford QLD 4053,
Australia
(P) +61 7 3856 4888
(F) +61 7 3356 6877
(E) au@zetron.com



The Power to Respond™

©Zetron, Inc. All rights reserved. Zetron® and Zetron and Design® are registered trademarks of Zetron, Inc. All other trademarks are properties of their respective owners.

See Zetron price list for option pricing. Specifications subject to change without notice.