



Part Number	Product Type	Product Line	MSRP	Short Description
CLTM302-9C9C-WHT-120	Antennas	LTM Series	\$ 227.20	Cable 1: LTE - 694-960/1710-3700 MHz = 10 feet LMR-195FR with SMA-plug Cable 1: LTE - 694-960/1710-3700 MHz = 10 feet LMR-195FR with SMA-plug (White)
CM2-2400/5500-9J-WHT-180	Antennas	CMD Series	\$ 144.20	2.4-2.485/5-6GHz=15 Feet LMR195FR fire retardant cable with Rev Pol SMA
CMD-W-3J3J-WHT-60	Antennas	CMD Series	\$ 130.30	Ceiling mount Wi-Fi MIMO antenna, 2 cables (Multiple-Input-Multiple-Output) 2.4-2.5/4.9-6GHz 2 Cables 5 Feet RF-195 with Rev Pol SMA Plug White Housing, Long Throw Bolt Mount
CMD-W-9J9J-WHT-120	Antennas	CMD Series	\$ 244.70	2.4-2.5/4.9-6GHz=10 Feet LMR195FR fire retardant cable with Rev Pol SMA
CMD-W-9J9J-WHT-180	Antennas	CMD Series	\$ 244.70	2.4-2.5/4.9-6GHz=15 Feet LMR195FR fire retardant cable with Rev Pol SMA
CMD-W-9J9J-WHT-72	Antennas	CMD Series	\$ 244.70	2.4-2.5/4.9-6GHz=6 Feet LMR195FR fire retardant cable with Rev Pol SMA
CVL-2400/5500-2J-BLK-120	Antennas	CVL-WLF	\$ 40.95	WiFi Covert Antenna 2.4-2.5/4.9-6 GHz = 10 feet RG-174 with Reverse Pol. SMA-plug
CVL-WLF-2B-BLK-48	Antennas	CVL-WLF	\$ 43.00	Antenna 694-960/1700-2700MHZ=4 Feet RG-174 with Mini-UHF Plug
CVL-WLF-2C-BLK-144	Antennas	CVL-WLF	\$ 41.40	Multiband LTE covert antenna, 694-960 & 1700-2700 MHz, Black with 12' RG-174 cable with SMA plug.
CVL-WLF-2C-BLK-18	Antennas	CVL-WLF	\$ 36.20	Covert Antenna, LTE Broadband 694-2700 MHz CVL-WLF-2C-BLK-18 694-960/1700-2700MHz=18in RG-174 with SMA Plug â€¢ Global LTE coverage for worldwide projects â€¢ Broadband coverage: 694-960 & 1700- 2700 MHz â€¢ Extremely slim profile for tight installations â€¢ Built-in mounting holes for easy installation Mobile Mark's new CVL-WLF Series Covert Antenna covers all Cellular & LTE networks from the 694 MHz to 2.7 GHz, including 3G/4G, AWS, UMTS and LTE. This antenna is ideal for modems with high data throughput that are designed to operate on multiple networks worldwide.
CVL-WLF-2C-BLK-36	Antennas	CVL-WLF	\$ 36.00	Covert Antenna, LTE Broadband 694-2700 MHz CVL-WLF-2C-BLK-36 694-960/1700-2700MHz= 36in RG-174 with SMA Plug â€¢ Global LTE coverage for worldwide projects â€¢ Broadband coverage: 694-960 & 1700- 2700 MHz â€¢ Extremely slim profile for tight installations â€¢ Built-in mounting holes for easy installation Mobile Mark's new CVL-WLF Series Covert Antenna covers all Cellular & LTE networks from the 694 MHz to 2.7 GHz, including 3G/4G, AWS, UMTS and LTE. This antenna is ideal for modems with high data throughput that are designed to operate on multiple networks worldwide.
CVL-WLF-2C-BLK-48	Antennas	CVL-WLF	\$ 37.40	MULTI-Band Covert 4G-LTE Strip Antenna, 694-960/1700-2700, 4 feet RG-174 with SMA-plug.
CVL-WLF-2C-BLK-96	Antennas	CVL-WLF	\$ 39.60	MULTI-Band Covert 4G-LTE Strip Antenna, 694-960/1700-2700, 8 feet RG-174 with SMA-plug
CVL-WLF-2S-BLK-12	Antennas	CVL-WLF	\$ 31.10	Covert Antenna, LTE Broadband 694-2700 MHz CVL-WLF-2S-BLK-12: 694-960/1700-2700MHz=12in RG-174 with Right Angle SMA Plug â€¢ Global LTE coverage for worldwide projects â€¢ Broadband coverage: 694-960 & 1700- 2700 MHz â€¢ Extremely slim profile for tight installations â€¢ Built-in mounting holes for easy installation Mobile Mark's new CVL-WLF Series Covert Antenna covers all Cellular & LTE networks from the 694 MHz to 2.7 GHz, including 3G/4G, AWS, UMTS and LTE. This antenna is ideal for modems with high data throughput that are designed to operate on multiple networks worldwide.
CVL-WLF-2S-BLK-12	Antennas	CVL-WLF	\$ 31.10	Covert Antenna, LTE Broadband 694-2700 MHz CVL-WLF-2S-BLK-6: 694-960/1700-2700MHz=6in RG-174 with Right Angle SMA Plug 694-960/1700-2700MHz=6in RG-174 with Right Angle SMA Plug â€¢ Global LTE coverage for worldwide projects â€¢ Broadband coverage: 694-960 & 1700- 2700 MHz â€¢ Extremely slim profile for tight installations â€¢ Built-in mounting holes for easy installation Mobile Mark's new CVL-WLF Series Covert Antenna covers all Cellular & LTE networks from the 694 MHz to 2.7 GHz, including 3G/4G, AWS, UMTS and LTE. This antenna is ideal for modems with high data throughput that are designed to operate on multiple networks worldwide.
CVL-WLF-2S-BLK-15	Antennas	CVL-WLF	\$ 34.65	Covert Antenna, LTE Broadband 694-2700 MHz CVL-WLF-2S-BLK-15: 694-960/1700-2700MHz=15in RG-174 with Right Angle SMA Plug â€¢ Global LTE coverage for worldwide projects â€¢ Broadband coverage: 694-960 & 1700- 2700 MHz â€¢ Extremely slim profile for tight installations â€¢ Built-in mounting holes for easy installation Mobile Mark's new CVL-WLF Series Covert Antenna covers all Cellular & LTE networks from the 694 MHz to 2.7 GHz, including 3G/4G, AWS, UMTS and LTE. This antenna is ideal for modems with high data throughput that are designed to operate on multiple networks worldwide.

CVW302-2A2A00-BLK-120	Antennas	CVW Series	\$ 91.75	Covert 2xLTE, NO GPS " Can be mounted on the window or on dash of vehicle LTE 694-960/1710-2750 MHz = 10 feet RG-174 with TNC-plug LTE 694-960/1710-2750 MHz = 10 feet RG-174 with TNC-plug
CVW402-2C2C2J2C-BLK-120	Antennas	CVW Series	\$ 138.20	Covert Multiband MIMO antenna contains four separate antennas, all in one compact antenna housing: two broadband LTE/Cellular antennas, one dual-band Wi-Fi antenna, and one GPS antenna.
CVWG502-2C2C2J2C-BLK-120	Antennas	CVW Series	\$ 161.80	Global CVW MultiBand MIMO Covert Antenna (5 cables) Cable 1 - LTE 1: 694-960/1710-2700 MHz = 10 feet RG-174 with SMA-plug Cable 2 - LTE 2: 694-960/1710-2700 MHz = 10 feet RG-174 with SMA-plug Cable 3 - WiFi 1: 2.4-2.5/4.9-6 GHz = 10 feet RG-174 with Reverse Pol. SMA-plug Cable 4 - WiFi 2: 2.4-2.5/4.9-6 GHz = 10 feet RG-174 with Reverse Pol. SMA-plug Cable 5 - GNSS: GLONASS/GPS = 10 feet RG-174 with SMA-plug
CVW-LTE-2C2C-BLK-120	Antennas	CVW Series	\$ 59.40	10 feet Dual Bonded RG-174; LTE 694-960/1700-2200 MHz = SMA-plug GPS = SMA-plug
CVW-LTE-2J2C-BLK-120	Antennas	CVW Series	\$ 56.70	10 feet Dual Bonded RG-174; LTE 694-960/1700-2200 MHz = RP SMA-plug GPS = SMA-plug
CVW-LTE-2U2C-BLK-120	Antennas	CVW Series	\$ 60.30	CVW-LTE-2U2C-BLK-120 Dual Bonded RG-174; 694-960/1700-2700MHz=10 Feet RG-174 with FME Jack GPS=10 Feet RG-174 with SMA Plug
EDN238-7700	Antennas	EDN Series	\$ 386.10	MLTMG602-3C3C3J3J2C-BLK-180 694-960/1710-3700 MHz = 15 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 15 Feet LL-195 with Rev Pol SMA Plug (x3) GPS/GLONASS = 15 Feet RG-174 with SMA Plug
EDN-238-7700	Antennas	EDN Series	\$ 348.70	694-960/1700-3700MHz=15 Feet RF-195 with SMA Plug 694-960/1700-3700MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GLONASS/GPS=15 Feet RG-174 with SMA Plug Magnet Mount
EDN334-1300-120	Antennas	EDN Series	\$ 235.20	EDN320-400 (LTB302 TENTATIVE) LTE 694-960/1700-3700 MHz= 18 IN LL-195 WITH SMA PLUG LTE 694-960/1700-3700 MHz= 18 IN LL-195 WITH SMA PLUG GPS=18 IN RG-174 WITH SMA PLUG
LLP202-3C3C-BLK-120	Antennas	LLP Series	\$ 160.00	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug (Black)
LLP202-3C3C-BLK-180	Antennas	LLP Series	\$ 191.85	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug (Black)
LLP202-3C3C-BLK-24	Antennas	LLP Series	\$ 142.20	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 2 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 2 feet LL-195 with SMA-plug (Black)
LLP202-3C3C-BLK-300	Antennas	LLP Series	\$ 217.05	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 25 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 25 feet LL-195 with SMA-plug (Black)
LLP202-3C3C-BLK-36	Antennas	LLP Series	\$ 148.00	695-960/1710-3700MHz=3Ft Low Loss 195 with SMA Plug 695-960/1710-3700MHz=3Ft Low Loss 195 with SMA Plug
LLP202-3C3C-BLK-72	Antennas	LLP Series	\$ 154.00	695-960/1710-3700MHz=6Ft Low Loss 195 with SMA Plug 695-960/1710-3700MHz=6Ft Low Loss 195 with SMA Plug
LLP302-3C3C2C-BLK-180	Antennas	LLP Series	\$ 218.10	Multiband Diversity/MIMO antenna consisting of two cellular antennas (694-960 MHz, 3 dBi & 1710-3700 MHz, 4 dBi) and one GPS antenna. 15" cable length with SMA connectors.
LLP302-3C3C2C-BLK-36	Antennas	LLP Series	\$ 178.60	Multiband Diversity/MIMO antenna consisting of two cellular antennas (694-960 MHz, 3 dBi & 1710-3700 MHz, 4 dBi) and one GPS antenna. 3' cable length with SMA connectors.
LLP302-3C3C2C-WHT-36	Antennas	LLP Series	\$ 194.50	Multiband Diversity/MIMO antenna consisting of two cellular antennas (694-960 MHz, 3 dBi & 1710-3700 MHz, 4 dBi) and one GPS antenna. 3' cable length with SMA connectors.
LLP302-3C3C2C-WHT-72	Antennas	LLP Series	\$ 189.85	Mobile Mark, omni-directional, white dual cellular antenna (MIMO) in one low profile, dome style housing with drilled mount. 4dB gain. Uses two SMA male LTE, no WiFi WiFi, and SMA GPS connectors. 06 feet of cable included
LLP402-3C3C2C-BLK-180	Antennas	LLP Series	\$ 238.90	LTE: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug LTE: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug WIFI: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with SMA-plug NO GPS (Black)
LLP502-3C3C3J3J2C-WHT-180	Antennas	LLP Series	\$ 296.20	694-960/1700-3700MHz=15 Feet Low Loss 195 with SMA Plug 694-960/1700-3700MHz=15 Feet Low Loss 195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet Low Loss 195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet Low Loss 195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug
LLPG402-3C3C2C-BLK-180	Antennas	LLP Series	\$ 248.50	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 04dB gain. Uses two SMA male LTE, one RP-SMA WiFi, and one SMA GPS connectors. 15 feet of cable included.
LLPG502-3C3C3J3J2C-BLK-180	Antennas	LLP Series	\$ 289.30	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 04dB gain. Uses two SMA male LTE, two RP-SMA WiFi, and one SMA GPS connectors. 15 feet of cable included.

LMW202-3C2C-BLK-180	Antennas	LMW Series	\$ 142.80	695-960/1710-3700MHz=15 Feet Low Loss 195 with SMA Plug GPS=15 Feet RG-174 with SMA Plug
LMW-202-7C2C-WHT-120	Antennas	LMW Series	\$ 149.70	695-960/1710-2700MHz=10 Feet LMR-100 with SMA Plug GPS=10 feet RG-174 with SMA Plug
LMW-202-7C2C-WHT-24	Antennas	LMW Series	\$ 133.00	695-960/1710-2700MHz=2 Feet LMR-100 with SMA Plug GPS=2 feet RG-174 with SMA Plug
LMW-202-7C2C-WHT-48	Antennas	LMW Series	\$ 133.00	695-960/1710-2700MHz=4 Feet LMR-100 with SMA Plug GPS=4 feet RG-174 with SMA Plug
LMW302-3C3C00-BLK-180	Antennas	LMW Series	\$ 192.50	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 5dB gain. Uses two SMA male LTE connectors. 15 feet of LL-195 cable included
LMW302-3C3C00-BLK-240	Antennas	LMW Series	\$ 203.50	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 5dB gain. Uses two SMA male LTE connectors. 20 feet of LL-195 cable included
LMW302-3C3C00-WHT-120	Antennas	LMW Series	\$ 185.20	Cable 1 - LTE 1 - 694-960/1710-3700 MHz = 10 feet Low Loss 195 cable with SMA-plug Cable 2 - LTE 2 - 694-960/1710-3700 MHz = 10 feet Low Loss 195 cable with SMA-plug White
LMW302-3C3C00-WHT-24	Antennas	LMW Series	\$ 167.20	Mobile Mark, omni-directional, white dual cellular antenna (MIMO) in one dome style housing with drilled mount. 5dB gain. Uses two SMA male LTE connectors. 2 feet of LL-195 cable included
LMW302-3C3C2C-WHT-360	Antennas	LMW Series	\$ 271.15	Dual LTE: 695-960/1710-3700 MHz = 30 feet LL-195 with SMA-plug 695-960/1710-3700 MHz = 30 feet LL-195 with SMA-plug GPS = 30 feet RG-174 with SMA-plug White.
LMW302-7C7C00-BLK-18	Antennas	LMW Series	\$ 172.05	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 5dB gain. Uses two SMA male LTE connectors. 1.5 feet of LMR-100 cable included
LMW302-7C7C2C-WHT-120	Antennas	LMW Series	\$ 225.70	Dual LTE: 695-960/1710-3700MHz=10 Ft LMR-100 with SMA Plug 695-960/1710-3700MHz=10 Ft LMR-100 with SMA Plug GPS=10 Ft RG-174 with SMA Plug
LMW302-7C7C2C-WHT-180	Antennas	LMW Series	\$ 249.20	Dual LTE: 695-960/1710-3700MHz=15 Ft LMR-100 with SMA Plug 695-960/1710-3700MHz=15 Ft LMR-100 with SMA Plug GPS=15 Ft RG-174 with SMA Plug ***Minimum order qty. 100
LMW302-7C7C2C-WHT-24	Antennas	LMW Series	\$ 205.20	695-960/1710-3700MHz=2 Ft LMR-100 with SMA Plug 695-960/1710-3700MHz=2 Ft LMR-100 with SMA Plug GPS=2 Ft RG-174 with SMA Plug
LMW302-7C7C2C-WHT-60	Antennas	LMW Series	\$ 222.70	MIMO LTE Global Low Profile Antenna with GPS Cable 1: LTE 1 - 695-960/1710-3700 MHz = 5 feet LMR-100 with SMA-plug Cable 2: LTE 2 - 695-960/1710-3700 MHz = 5 feet LMR-100 with SMA-plug Cable 3: GPS = 5 feet RG-174 with SMA-plug
LMWG302-3C3C2C-WHT-72	Antennas	LMW Series	\$ 179.80	Cable 1: LTE - 695-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug Cable 2: LTE - 695-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug Cable 3: GNSS �� GLONASS/GPS = 6 feet RG-174 with SMA-plug (White)
LTB301-3C3C00-GRY-18	Antennas	LTB Series	\$ 203.00	Narrow form factor low profile antenna designed to fit on utility cabinet. Color is gray. 2 LTE cables 3dB gain (MIMO). 694-960/1710-2700MHz=18in RF-195 with SMA Plug 694-960/1710-2700MHz=18in RF-195 with SMA Plug NO GPS. Hard, drilled mount.
LTB301-3C3C00-GRY-60	Antennas	LTB Series	\$ 193.10	Narrow form factor low profile antenna designed to fit on utility cabinet. Color is gray. 2 LTE cables 3dB gain (MIMO). 694-960/1710-2700MHz=60in RF-195 with SMA Plug 694-960/1710-2700MHz=60in RF-195 with SMA Plug NO GPS. Hard, drilled mount.
LTB301-3C3C2C-GRY-12	Antennas	LTB Series	\$ 202.90	694-960/1710-2700MHz=12in RF-195 with SMA Plug 694-960/1710-2700MHz=12in RF-195 with SMA Plug GPS=12in RG-174 with SMA Plug
LTB301-3C3C2C-GRY-18	Antennas	LTB Series	\$ 197.70	694-960/1710-2170MHz=18in RF-195 with SMA Plug 694-960/1710-2170MHz=18in RF-195 with SMA Plug GPS=18in RG-174 with SMA Plug
LTB301-3C3C2C-GRY-180	Antennas	LTB Series	\$ 251.90	694-960/1710-2170MHz=15 Feet Low Loss 195 with SMA Plug (x2) GPS=15 Feet RG-174 with SMA Plug
LTB301-3C3C2C-GRY-24	Antennas	LTB Series	\$ 202.30	694-960/1710-2170MHz=24in RF-195 with SMA Plug 694-960/1710-2170MHz=24in RF-195 with SMA Plug GPS=24in RG-174 with SMA Plug
LTB301-3C3C2C-GRY-48	Antennas	LTB Series	\$ 211.80	694-960/1710-2170MHz=24in RF-195 with SMA Plug 694-960/1710-2170MHz=24in RF-195 with SMA Plug GPS=48in RG-174 with SMA Plug
LTB301-3C3C2C-GRY-72	Antennas	LTB Series	\$ 219.40	694-960/1710-2170MHz=72in RF-195 with SMA Plug 694-960/1710-2170MHz=72in RF-195 with SMA Plug GPS=72in RG-174 with SMA Plug
LTB301-7C7C2C-GRY-18-SP525	Antennas	LTB Series	\$ 197.70	694-960/1710-2700 MHz = 18 inches LMR-100 with SMA-plug 694-960/1710-2700 MHz = 18 inches LMR-100 with SMA-plug GPS = 18 inches RG-174 with SMA-plug (YELLOW) -SP525 indicates �� inch long threaded base bolt and yellow heat shrink on the GPS; and label the GPS cable as well.
LTB302-3C3C00-GRY-180	Antennas	LTB Series	\$ 221.90	694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug NO GPS (GRAY)
LTB302-3C3C2C-GRY-18	Antennas	LTB Series	\$ 197.70	694-960/1710-3700MHz=18in RF-195 with SMA Plug 694-960/1710-3700MHz=18in RF-195 with SMA Plug GPS=18in RG-174 with SMA Plug (Gray)
LTB302-3C3C2C-GRY-48	Antennas	LTB Series	\$ 224.90	694-960/1710-3700MHz=24in RF-195 with SMA Plug 694-960/1710-3700MHz=24in RF-195 with SMA Plug GLONASS/GPS=48in RG-174 with SMA Plug

LTB302-7C7C2C-GRY-18-SP525	Antennas	LTB Series	\$ 197.70	694-960/1710-4200 MHz = 18 inches LMR-100 with SMA-plug 694-960/1710-4200 MHz = 18 inches LMR-100 with SMA-plug GPS = 18 inches RG-174 with SMA-plug (YELLOW) -SP525 indicates ½ inch long threaded base bolt and yellow heat shrink on the GPS; and label the GPS cable as well (Gray)
LTBG302-3C3C2C-GRY-18	Antennas	LTB Series	\$ 197.70	694-960/1710-3700MHz=18in RF-195 with SMA Plug 694-960/1710-3700MHz=18in RF-195 with SMA Plug GLONASS/GPS=18in RG-174 with SMA Plug
LTBG302-3C3C2C-GRY-24	Antennas	LTB Series	\$ 204.90	694-960/1710-3700MHz=24in RF-195 with SMA Plug 694-960/1710-3700MHz=24in RF-195 with SMA Plug GLONASS/GPS=24in RG-174 with SMA Plug
LTBG302-3C3C2C-GRY-72	Antennas	LTB Series	\$ 210.90	694-960/1710-3700MHz=72in RF-195 with SMA Plug 694-960/1710-3700MHz=72in RF-195 with SMA Plug GLONASS/GPS=72in RG-174 with SMA Plug
LTBG302-7C7C2C-GRY-18-SP525	Antennas	LTB Series	\$ 187.40	694-960/1710-3700 MHz = 18 inches LMR-100 with SMA-plug 694-960/1710-3700 MHz = 18 inches LMR-100 with SMA-plug GPS = 18 inches RG-174 with SMA-plug (YELLOW) -SP525 indicates ½ inch long threaded base bolt and yellow heat shrink on the GPS; and label the GPS cable as well. GLONASS/GPS = 18 inches RG-174 with SMA-plug
LTM301-3A3A00-WHT-180	Antennas	LTM Series	\$ 189.50	LTE 694-960/1710-2170 MHz = 15 feet RF-195 with TNC-plug LTE 694-960/1710-2170 MHz = 15 feet RF-195 with TNC-plug, no GPS
LTM301-3A3A2C-BLK-180	Antennas	LTM Series	\$ 213.70	LTM301 antenna in Black with: 694-960/1710-2170MHz=15 Feet RF-195 with TNC Plug 694-960/1710-2170MHz=15 Feet RF-195 with TNC Plug GPS=15 Feet RG-174 with SMA Plug
LTM301-3A3A2C-WHT-180	Antennas	LTM Series	\$ 196.60	694-960/1710-2170MHz=15 Feet RF-195 with TNC Plug 694-960/1710-2170MHz=15 Feet RF-195 with TNC Plug GPS=15 Feet RG-174 with SMA Plug
LTM301-3A3A2C-WHT-300	Antennas	LTM Series	\$ 239.40	694-960/1710-2170MHz=25 Feet RF-195 with TNC Plug 694-960/1710-2170MHz=25 Feet RF-195 with TNC Plug GPS=25 Feet RG-174 with SMA Plug
LTM301-3A3C2C-BLK-300	Antennas	LTM Series	\$ 248.70	694-960/1710-2170MHz=25 Feet RF-195 with TNC Plug 694-960/1710-2170MHz=25 Feet RF-195 with SMA Plug GPS=25 Feet RG-174 with SMA Plug
LTM301-3C002C-BLK-60	Antennas	LTM Series	\$ 175.80	694-960/1710-2170MHz=5 Feet Low Loss 195 with SMA Plug GPS=5 Feet RG-174 with SMA Plug
LTM301-3C3C00-BLK-180	Antennas	LTM Series	\$ 189.50	Dual LTE combo antenna LTE/LTE (2 cables), 3/4 inch threaded base bolt 694-960/1710-2170 MHz (x2): 15 ft RF-195 SMA (P) Black dome. 3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug 3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug NO GPS - Black
LTM301-3C3C00-BLK-60	Antennas	LTM Series	\$ 169.20	LTE/LTE (2 cables) - ALL SMA-Plug LTE 3dBi Gain, 5 feet.
LTM301-3C3C00-WHT-12	Antennas	LTM Series	\$ 157.10	LTE/LTE (2 cables) - ALL SMA-Plug LTE 3dBi Gain, 1 foot.
LTM301-3C3C00-WHT-240	Antennas	LTM Series	\$ 205.10	694-960/1710-2170MHz=20 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=20 Feet RF-195 with SMA Plug No GPS
LTM301-3C3C00-WHT-60	Antennas	LTM Series	\$ 166.00	LTE/LTE (2 cables) - ALL SMA-Plug LTE 3dBi Gain, 5 feet. Color: White
LTM301-3C3C2C-BLK-180	Antennas	LTM Series	\$ 196.60	LTE/LTE/GPS (3 cables) - ALL SMA-Plug LTE 3dBi Gain, GPS 5 dBi Gain
LTM301-3C3C2C-BLK-24	Antennas	LTM Series	\$ 180.30	LTE 694-960/1710-2170 MHz = 2 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 2 feet RF-195 with SMA-plug GPS = 2 feet RG-174 with SMA-plug
LTM301-3C3C2C-BLK-300	Antennas	LTM Series	\$ 252.80	Mobile 3-in-1 antenna, providing LTE, LTE and GPS in a single rugged radome; black. LTE 694-960/1710-2170 MHz = 25 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 25 feet RF-195 with SMA-plug GPS = 25 feet RG-174 with SMA-plug
LTM301-3C3C2C-BLK-36	Antennas	LTM Series	\$ 184.30	LTE 694-960/1710-2170 MHz = 3 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 3 feet RF-195 with SMA-plug GPS = 3 feet RG-174 with SMA-plug
LTM301-3C3C2C-BLK-360	Antennas	LTM Series	\$ 276.10	LTE 694-960/1710-2170 MHz = 30 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 30 feet RF-195 with SMA-plug GPS = 30 feet RG-174 with SMA-plug
LTM301-3C3C2C-WHT-12	Antennas	LTM Series	\$ 157.10	694-960/1710-2170MHz=12in RF-195 with SMA Plug 694-960/1710-2170MHz=12in RF-195 with SMA Plug GPS=12in RG-174 with SMA Plug
LTM301-3C3C2C-WHT-120	Antennas	LTM Series	\$ 186.50	694-960/1710-2170MHz(x2) 10 feet LMR-195 with SMA Plug; GPS=10 Feet RG-174 with SMA Plug *White*
LTM301-3C3C2C-WHT-120 SP390	Antennas	LTM Series	\$ 202.90	694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug GPS=10 Feet RG-174 with SMA Plug SP390= 5/8" base bolt
LTM301-3C3C2C-WHT-120-SP379	Antennas	LTM Series	\$ 188.30	10 foot cables; 3x SMA-plug connectors -SP379 indicates colored heat shrink; Blue for 2x LTE & Yellow for 1x GPS
LTM301-3C3C2C-WHT-144	Antennas	LTM Series	\$ 196.05	12 foot cables; 3x SMA-plug connectors
LTM301-3C3C2C-WHT-144-SP379	Antennas	LTM Series	\$ 197.70	12 foot cables; 3x SMA-plug connectors -SP379 indicates colored heat shrink; Blue for 2x LTE & Yellow for 1x GPS
LTM301-3C3C2C-WHT-24	Antennas	LTM Series	\$ 261.80	LTE 694-960/1710-2170 MHz = 24 in. RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 24in. RF-195 with SMA-plug GPS = 24 in. RG-174 with SMA-plug
LTM301-3C3C2C-WHT-24-SP-390	Antennas	LTM Series	\$ 190.10	2 foot cables; 3x SMA-plug connectors -SP390 indicates 5/8" Threaded Base Bolt

LTM301-3C3C2C-WHT-300	Antennas	LTM Series	\$ 252.80	LTE 694-960/1710-2170 MHz = 25 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 25 feet RF-195 with SMA-plug GPS = 25 feet RG-174 with SMA-plug
LTM301-3C3C2C-WHT-60	Antennas	LTM Series	\$ 186.50	LTE/LTE/GPS (3 cables) - ALL SMA-Plug LTE 3dBi Gain, GPS 5 dBi Gain, 5 feet, threaded bolt, white.
LTM301-3C3C2C-WHT-72	Antennas	LTM Series	\$ 179.80	LTE 694-960/1710-2170 MHz = 6 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 6 feet RF-195 with SMA-plug GPS = 6 feet RG-174 with SMA-plug
LTM301-5C5C2C-WHT-480	Antennas	LTM Series	\$ 465.80	694-960/1710-2170MHz=40 Feet LMR-240 with SMA Plug 694-960/1710-2170MHz=40 Feet LMR-240 with SMA Plug GPS=35 Feet RG-174 with SMA Plug
LTM302-3A3A2C-WHT-180	Antennas	LTM Series	\$ 196.60	694-960/1710-3700MHz=15 Feet RF-195 with TNC Plug 694-960/1710-3700MHz=15 Feet RF-195 with TNC Plug GPS=15 Feet RG-174 with SMA Plug
LTM302-3C3C00-BLK-180	Antennas	LTM Series	\$ 189.50	LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, (No GNSS), Black radome
LTM302-3C3C00-BLK-240	Antennas	LTM Series	\$ 188.80	LTE 694-960/1710-3700MHz = 20-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 20-feet RF-195 with SMA-Male, (No GNSS), Black radome
LTM302-3C3C00-BLK-300	Antennas	LTM Series	\$ 211.80	LTE 694-960/1710-3700MHz = 25-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 25-feet RF-195 with SMA-Male, (No GNSS), Black radome
LTM302-3C3C00-BLK-72	Antennas	LTM Series	\$ 169.95	2xLTE - NO GPS LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug NO GPS (Black)
LTM302-3C3C00-WHT-12	Antennas	LTM Series	\$ 158.95	LTE 694-960/1710 = 1 foot LL-195 with SMA-plug LTE 694-960/1710 = 1 foot LL-195 with SMA-plug NO GPS (white)
LTM302-3C3C00-WHT-180	Antennas	LTM Series	\$ 189.70	LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, (No GNSS), White radome
LTM302-3C3C00-WHT-24	Antennas	LTM Series	\$ 160.30	LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 2-feet RF-195 with SMA-Male, (No GNSS), White radome
LTM302-3C3C00-WHT-240	Antennas	LTM Series	\$ 188.80	LTE 694-960/1710-3700MHz = 20-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 20-feet RF-195 with SMA-Male, (No GNSS), White radome
LTM302-3C3C00-WHT-72	Antennas	LTM Series	\$ 169.95	2xLTE - NO GPS LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug NO GPS (White)
LTM302-3C3C2C-BLK-72	Antennas	LTM Series	\$ 198.70	2xLTE + GPS LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug LTE: 694-960/1710-3700 MHz = 6 feet LL-195 with SMA-plug GPS = 6 feet RG-174 with SMA-plug (Black)
LTM302-3C3C2C-WHT-120-sp-390	Antennas	LTM Series	\$ 202.90	694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug GPS=10 Feet RG-174 with SMA Plug SP390= 5/8" base bolt
LTM302-3C3C2C-WHT-144	Antennas	LTM Series	\$ 200.00	12 foot cables; 3x SMA-plug connectors GPS = 12 foot RG-174 with SMA-plug
LTM302-3C3C2C-WHT-180	Antennas	LTM Series	\$ 196.60	694-960/1700-3700MHz=15 Feet RF-195 with SMA Plug (x2) GPS=15 Feet RF-195 with SMA Plug (x2)
LTM302-3C3C2C-WHT-36	Antennas	LTM Series	\$ 192.40	694-960/1710-3700 MHz = 3 feet LL-195 with SMA-plug 694-960/1710-3700 MHz = 3 feet LL-195 with SMA-plug GPS = 3 feet RG-174 with SMA-plug (White)
LTM302-3C3C2C-WHT-72	Antennas	LTM Series	\$ 179.80	694-960/1710-3700 MHz = 6 Feet LL-195 with SMA Plug (x2) GPS = 6 Feet RG-174 with SMA Plug
LTM308-3C3C00-BLK-36	Antennas	LTM Series	\$ 187.10	Cable 1: LTE 1 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug Cable 2: LTE 2 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug NO GPS (Black - 3 foot direct RF-195 cables)
LTM401-31C31C31C00-BLK-12	Antennas	LTM Series	\$ 208.10	694-960/1710-2170MHz=12in DAS195P NFPA130 with SMA Plug 694-960/1710-2170MHz=12in DAS195P NFPA130 with SMA Plug 2.4-2.5/4.9-6GHz=12in DAS195P NFPA130 with SMA Plug No GPS Fire targent LMR-195
LTM401-3C3C3C00-BLK-12	Antennas	LTM Series	\$ 200.00	694-960/1710-2170MHz=12in DAS195P NFPA130 with SMA Plug 694-960/1710-2170MHz=12in DAS195P NFPA130 with SMA Plug 2.4-2.5/4.9-6GHz=12in DAS195P NFPA130 with SMA Plug No GPS
LTM401-3C3C3J00-WHT-180	Antennas	LTM Series	\$ 231.00	LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug WIFI 2.4-2.5/4.9-6 GHz = 15 feet RF-195 with Reverse Pol. SMA-plug NO GPS
LTM401-3C3C3J2C-BLK-180	Antennas	LTM Series	\$ 248.30	LTM401 Series antenna contains four separate antennas, all in one compact antenna housing: two identical MIMO LTE 700 MHz & Cellular antennas, one 2.4/5 GHz dual-band WiFi antenna, and one GPS antenna.
LTM401-3C3C3J2C-BLK-180-SP424	Antennas	LTM Series	\$ 231.20	694-960/1710-2170MHz=10in RF-195 with SMA Plug 694-960/1710-2170MHz=10in RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=18in RF-195 with Rev Pol SMA Plug GPS=10in RG-174 with SMA Plug SP424=10in lead on Cell/Cell/GPS, 18in lead on WiFi

LTM402-3C3C3J00-WHT-60	Antennas	LTM Series	\$ 206.10	694-960/1710-3700 MHz = 5 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 5 Feet LL-195 with Rev Pol SMA Plug NO GPS
LTM404-3C3C3C3C-BLK-60	Antennas	LTM Series	\$ 192.50	MobileMark Wi-Fi 4-in-1 Antenna, bolt mount, with black housing 2.4-2.5/4.9-6 GHz = 5 feet LL-195 with Reverse Polarized SMA-plug 2.4-2.5/4.9-6 GHz = 5 feet LL-195 with Reverse Polarized SMA-plug 2.4-2.5/4.9-6 GHz = 5 feet LL-195 with Reverse Polarized SMA-plug 2.4-2.5/4.9-6 GHz = 5 feet LL-195 with Reverse Polarized SMA-plug
LTM404-3J3J3J3J-WHT-60	Antennas	LTM Series	\$ 213.00	MIMO Mobile, 4 x (2.4-2.5/4.9-6 GHz), 4 x 5 feet LL-195 with Reverse Polarized SMA-plug WHITE
LTM501-3C3C3J3J00-BLK-180	Antennas	LTM Series	\$ 292.40	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug No GPS
LTM501-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 295.20	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2) RP SMA, 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug
LTM501-3C3C3J3J2C-BLK-180 SP352	Antennas	LTM Series	\$ 332.30	LTE/LTE/WIFI/WIFI/GPS (5 cables) - Long Thread 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug SP352=2" Base bolt
LTM501-3C3C3J3J2C-BLK-360	Antennas	LTM Series	\$ 416.20	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 30 ft 694-960/1710-2170 MHz (x2), 30 ft 2.4-2.5/4.9-6 GHz RP SMA (x2), 30 ft RF-195 SMA-plug, GPS 30 ft RG-174 SMA-plug *Black*
LTM501-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 282.20	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2) RP SMA, 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug *White*
LTM501-3J3J3J3J2C-WHT-180	Antennas	LTM Series	\$ 310.20	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft RF-195 Rev Pol SMA-plug, GPS 15 ft RG-174 SMA-plug
LTM501-3J3J3J3J2C-WHT-180-SP-379	Antennas	LTM Series	\$ 317.87	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft RF-195 Rev Pol SMA-plug, GPS 15 ft RG-174 SMA-plug
LTM502-3C3C3J3J00-WHT-60	Antennas	LTM Series	\$ 229.05	694-960/1710-3700 MHz = 5 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 5 Feet LL-195 with Rev Pol SMA Plug (x2) NO GPS
LTM502-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 282.20	LTM502 multi-band 5-cable Cellular/LTE MIMO & GPS, in rugged black Radome enclosure. 694-960/1700-3700MHz=15 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug (x2) GPS=15 Feet RG-174 with SMA Plug
LTM502-3C3C3J3J2C-WHT-36	Antennas	LTM Series	\$ 249.00	694-960/1710-3700 MHz = 3 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 3 Feet LL-195 with Rev Pol SMA Plug (x2) WITH GPS White
LTM601-3C3C3J3J3J2C-BLK-120	Antennas	LTM Series	\$ 322.00	694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=10 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=10 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=10 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=10 Feet RF-195 with Rev Pol SMA Plug GPS=10 Feet RG-174 with SMA Plug Black Radome, White also available.
LTM601-3C3C3J3J3J2C-BLK-180	Antennas	LTM Series	\$ 336.70	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug Black Radome, White also available.
LTM601-3C3C3J3J3J2C-WHT-180	Antennas	LTM Series	\$ 336.70	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug White Radome, Black also available.
LTM602-3C3C3J3J3J00-WHT-240	Antennas	LTM Series	\$ 354.50	Dual LTE with 3xWiFi: 694-960/1700-3700MHz=20 Feet Low Loss 195 with SMA Plug 694-960/1700-3700MHz=20 Feet Low Loss 195 with SMA Plug 2.4-2.5/4.9-6GHz=20 Feet Low Loss 195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=20 Feet Low Loss 195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=20 Feet Low Loss 195 with Rev Pol SMA Plug NO GPS
LTM602-3C3C3J3J3J2C-BLK-180	Antennas	LTM Series	\$ 336.70	694-960/1710-3700MHz=15 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug (x3) GPS=15 Feet RG-174 with SMA Plug Black Housing
LTM602-3C3C3J3J3J2C-BLK-300	Antennas	LTM Series	\$ 403.50	694-960/1710-3700MHz=25 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=25 Feet RF-195 with Rev Pol SMA Plug (x3) GPS=25 Feet RG-174 with SMA Plug Black Housing
LTM602-3C3C3J3J3J2C-WHT-180	Antennas	LTM Series	\$ 336.70	694-960/1710-3700MHz=15 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug (x3) GPS=15 Feet RG-174 with SMA Plug White Housing
LTM702-3C3C3J3J3J3J2C-WHT-180	Antennas	LTM Series	\$ 361.90	White multi-band hard mount antenna with 15' leads. Antenna Global LTM Series (7 cables) - 694-960/1710-3700 MHz (x2), 2.4-2.5/4.9-6 GHz (x4), 15 ft LL-195 Rev Pol SMA-plug, GPS 15 ft RG-174 SMA-plug

LTM940-A3CB3C0000-BLK-36-SP529	Antennas	LTM Series	\$ 317.85	Cable 1: LTE 1 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug Cable 2: LTE 2 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug Cable 3: LTE 2 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug Cable 4: LTE 2 - 617-9601710-6000 MHz = 3 feet LMR-100 with SMA-plug NO WIFI NO GPS (Black - 3 foot direct LMR-100 cables)
LTM940-A3CB3C0000-WHT-180	Antennas	LTM Series	\$ 365.85	4xLTE (4 cables) - 698-960/1710-3700 MHz 15 foot cables (includes jumpers) with 4x SMA-plug White
LTMG301-3C3C2C-BLK-180	Antennas	LTM Series	\$ 200.00	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug GLONASS/GPS=15 Feet RG-174 with SMA Plug
LTMG301-3C3C2C-WHT-180	Antennas	LTM Series	\$ 200.00	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug GLONASS/GPS=15 Feet RG-174 with SMA Plug
LTMG302-3A3A2C-BLK-180	Antennas	LTM Series	\$ 209.45	694.960/1710-3700 MHz = 15 feet LL-195 with TNC-plug 694.960/1710-3700 MHz = 15 feet LL-195 with TNC-plug GLONASS/GPS = 15 feet RG-174 with SMA-plug Black radome
LTMG302-3A3A2C-BLK-360	Antennas	LTM Series	\$ 266.10	694.960/1710-3700 MHz = 30 feet LL-195 with TNC-plug 694.960/1710-3700 MHz = 30 feet LL-195 with TNC-plug GLONASS/GPS = 30 feet RG-174 with SMA-plug Black radome
LTMG302-3A3A2C-WHT-180	Antennas	LTM Series	\$ 213.70	694-960/1710-3700MHz=15 Feet RF-195 with TNC Plug 694-960/1710-3700MHz=15 Feet RF-195 with TNC Plug GPS=15 Feet RG-174 with SMA Plug GLONASS/GPS = 15 feet RG-174 with SMA-plug
LTMG302-3C3C2C-BLK-108	Antennas	LTM Series	\$ 194.20	694-960/1700-3700MHz=9Ft Low Loss 195 with SMA Plug 694-960/1700-3700MHz=9Ft Low Loss 195 with SMA Plug GLONASS/GPS=9Ft RG-174 with SMA Plug
LTMG302-3C3C2C-BLK-180	Antennas	LTM Series	\$ 200.00	LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, GNSS = 15 feet RG-174 with SMA-Male Black radome
LTMG302-3C3C2C-BLK-300	Antennas	LTM Series	\$ 238.20	Black radome 3-in-1 antenna: LTEMHz = 25 feet RF-195 with SMA-plug; LTEMHz = 25 feet RF-195 with SMA-plug; GLONASS/GPS = 25 feet RG-174 with SMA-plug
LTMG302-3C3C2C-BLK-360	Antennas	LTM Series	\$ 257.30	LTE 694-960/1710-3700MHz = 30-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 30-feet RF-195 with SMA-Male, GNSS = 30 feet RG-174 with SMA-Male Black radome
LTMG302-3C3C2C-BLK-72	Antennas	LTM Series	\$ 184.60	LTE 694-960/1710-3700 MHz = 6 feet RF-195 with SMA-plug LTE 694-960/1710-3700 MHz = 6 feet RF-195 with SMA-plug GLONASS/GPS = 6 feet RG-174 with SMA-plug
LTMG302-3C3C2C-BLK-96	Antennas	LTM Series	\$ 203.40	LTE 1: 694-960/1710-3700 MHz = 8 feet LL-195 with SMA-plug LTE 1: 694-960/1710-3700 MHz = 8 feet LL-195 with SMA-plug GNSS: GLONASS/GPS = 8 feet RG-174 with SMA-plug BLACK
LTMG302-3C3C2C-WHT-120	Antennas	LTM Series	\$ 198.30	694-960/1710-3700MHz(x2) 10 feet LMR-195 with SMA Plug; GPS=10 Feet RG-174 with SMA Plug *White* GLONASS/GPS = 10 feet RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-120-SP379	Antennas	LTM Series	\$ 184.50	10 foot cables; 3x SMA-plug connectors -SP379 indicates colored heat shrink; Blue for 2x LTE & Yellow for 1x GPS GLONASS/GPS = 10 foot RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-120-SP-390	Antennas	LTM Series	\$ 202.90	694-960/1710-3700MHz=10 Feet RF-195 with SMA Plug 694-960/1710-3700MHz=10 Feet RF-195 with SMA Plug GLONASS/GPS=10 Feet RG-174 with SMA Plug SP390= 5/8" base bolt
LTMG302-3C3C2C-WHT-144	Antennas	LTM Series	\$ 200.00	12 foot cables; 3x SMA-plug connectors GLONASS/GPS = 12 foot RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-144-SP379	Antennas	LTM Series	\$ 197.70	12 foot cables; 3x SMA-plug connectors -SP379 indicates colored heat shrink; Blue for 2x LTE & Yellow for 1x GPS GLONASS/GPS = 12 foot RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-180	Antennas	LTM Series	\$ 196.60	LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-feet RF-195 with SMA-Male, GNSS = 15 feet RG-174 with SMA-Male White radome
LTMG302-3C3C2C-WHT-240	Antennas	LTM Series	\$ 235.35	694-960/1710-3700 MHz = 20 feet LL-195 with SMA-plug 694-960/1710-3700 MHz = 20 feet LL-195 with SMA-plug GNSS = 20 feet RG-174 with SMA-plug White radome
LTMG302-3C3C2C-WHT-24-SP-390	Antennas	LTM Series	\$ 194.00	2 foot cables; 3x SMA-plug connectors -SP390 indicates 5/8" Threaded Base Bolt GLONASS/GPS = 2 feet RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-300	Antennas	LTM Series	\$ 238.20	LTE 694-960/1710-3700 MHz = 25 feet RF-195 with SMA-plug LTE 694-960/1710-3700 MHz = 25 feet RF-195 with SMA-plug GLONASS/GPS = 25 feet RG-174 with SMA-plug
LTMG302-3C3C2C-WHT-360	Antennas	LTM Series	\$ 268.40	694-960/1710-3700 MHz = 30 feet LL-195 with SMA-plug 694-960/1710-3700 MHz = 30 feet LL-195 with SMA-plug GNSS = 30 feet RG-174 with SMA-plug White radome
LTMG302-3C3C2C-WHT-72	Antennas	LTM Series	\$ 179.80	LTE 694-960/1710-3700 MHz = 6 feet RF-195 with SMA-plug LTE 694-960/1710-3700 MHz = 6 feet RF-195 with SMA-plug GLONASS/GPS = 6 feet RG-174 with SMA-plug
LTMG302-3X3X2X-BLK-180	Antennas	LTM Series	\$ 221.50	LTE 694-960/1710-3700MHz = 15-feet RF-195 with N-Male, LTE 694-960/1710-3700MHz = 15-feet RF-195 with N-Male, GNSS = 15 feet RG-174 with N-Male Black radome

LTMG302-3X3X2X-BLK-360	Antennas	LTM Series	\$ 272.10	LTE 694-960/1710-3700MHz = 30-foot RF-195 with N-Male, LTE 694-960/1710-3700MHz = 30-foot RF-195 with N-Male, GNSS = 30 feet RG-174 with N-Male Black radome
LTMG401-3C3C3J2C-WHT-180	Antennas	LTM Series	\$ 252.70	694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet RF-195 Rev Pol SMA Plug GLONASS/GPS=15 Feet RG-174 with SMA Plug
LTMG402-3C3C002C-BLK-72	Antennas	LTM Series	\$ 195.70	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug BLACK
LTMG402-3C3C002C-WHT-72	Antennas	LTM Series	\$ 199.70	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug WHITE
LTMG402-3C3C3J2C-BLK-180	Antennas	LTM Series	\$ 253.50	LTE 694-960/1710-3700MHz = 15-foot RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-foot RF-195 with SMA-Male, Wi-Fi 2.4-2.5/4.9-6GHz = 15-foot RF-195 with RP-SMA Male, GNSS = 15-foot RG-174 with SMA-Male Black radome
LTMG402-3C3C3J2C-BLK-72	Antennas	LTM Series	\$ 227.50	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 6 feet LL-195 with Reverse Pol. SMA-plug Cable 4: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug BLACK
LTMG402-3C3C3J2C-WHT-180	Antennas	LTM Series	\$ 253.50	LTE 694-960/1710-3700MHz = 15-foot RF-195 with SMA-Male, LTE 694-960/1710-3700MHz = 15-foot RF-195 with SMA-Male, Wi-Fi 2.4-2.5/4.9-6GHz = 15-foot RF-195 with RP-SMA Male, GNSS = 15-foot RG-174 with SMA-Male White radome
LTMG402-3C3C3J2C-WHT-72	Antennas	LTM Series	\$ 232.10	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 6 feet LL-195 with Reverse Pol. SMA-plug Cable 4: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug WHITE
LTMG501-3C3C3J3J2C-BLK-300	Antennas	LTM Series	\$ 357.25	694-960/1710-2170MHz=25 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=25 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=25 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=25 Feet RF-195 with Rev Pol SMA Plug GLONASS/GPS=25 Feet RG-174 with SMA Plug
LTMG501-3C3C3J3J2C-WHT-300	Antennas	LTM Series	\$ 282.20	White radome housing. 694-960/1710-2170MHz=25 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=25 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=25 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=25 Feet RF-195 with Rev Pol SMA Plug GLONASS/GPS=25 Feet RG-174 with SMA Plug
LTMG502-3C3C3J3J2C-BLK-12	Antennas	LTM Series	\$ 240.50	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 12 inches LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 12 inches LL-195 with SMA-plug Cable 3: WIFI 1 - 2.4-2.5/4.9-6 GHz = 12 inches LL-195 with Reverse Polarized SMA-plug Cable 4: WIFI 2 - 2.4-2.5/4.9-6 GHz = 12 inches LL-195 with Reverse Polarized SMA-plug Cable 5: GNSS (GLONASS/GPS) = 12 inches RG-174 with SMA-plug (BLACK)
LTMG502-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 295.20	LTE 1: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug LTE 2: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug WiFi 1: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug WiFi 2: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug GNSS (GLONASS/GPS) = 15 feet RG-174 with SMA-plug (Black)
LTMG502-3C3C3J3J2C-BLK-240	Antennas	LTM Series	\$ 329.75	Cable 1: 4G/LTE 694-960/1710-3700 MHz = 20 feet LL-195 with SMA-Plug Cable 2: 4G/LTE 694-960/1710-3700 MHz = 20 feet LL-195 with SMA-Plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 20 feet LL-195 with Reverse Polarized SMA-plug Cable 4: WIFI 2.4-2.5/4.9-6 GHz = 20 feet LL-195 with Reverse Polarized SMA-plug Cable 5: GNSS - GLONASS/GPS = 20 feet RG-174 with SMA-plug (Black)
LTMG502-3C3C3J3J2C-BLK-60	Antennas	LTM Series	\$ 258.15	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with drilled mount. 5dB gain. Uses two SMA male LTE, two RP-SMA WiFi, and SMA GNSS connectors. 5 feet of cable included.
LTMG502-3C3C3J3J2C-WHT-12	Antennas	LTM Series	\$ 240.50	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 12 inches LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 12 inches LL-195 with SMA-plug Cable 3: WIFI 1 - 2.4-2.5/4.9-6 GHz = 12 inches LL-195 with Reverse Polarized SMA-plug Cable 4: WIFI 2 - 2.4-2.5/4.9-6 GHz = 12 inches LL-195 with Reverse Polarized SMA-plug Cable 5: GNSS (GLONASS/GPS) = 12 inches RG-174 with SMA-plug (WHITE)
LTMG502-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 295.20	LTE 1: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug LTE 2: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug WiFi 1: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug WiFi 2: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug GNSS (GLONASS/GPS) = 15 feet RG-174 with SMA-plug (White)

LTMG502-3C3C3J3J2C-WHT-282	Antennas	LTM Series	\$ 345.95	The 5-cable 500 series LTM antennas include two Cellular antennas, two WiFi antennas and one GPS antenna. This provides MIMO (multiple-input-multiple-output) coverage for both Cellular and WiFi. The LTM502 antenna is ideal for fleet management. 694-960/1700-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 23.5 Feet LL-195 with Rev Pol SMA Plug (x2) GPS/GLONASS = 23.5 Feet RG-174 with SMA Plug
LTMG508-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 318.90	Global LTE 617-960/1710-6000 MHz,15 ft LL-195 SMA-plug,Global LTE 617-960/1710-6000 MHz,15 ft LL-195 SMA-plug,WiFi 2.4-2.5/4.9-6 GHz,15 ft LL-195 Rev.Pol.SMA-plug,WiFi 2.4-2.5/4.9-6 GHz,15 ft LL-195 Rev. Pol.SMA-plug,GPS/GNSS,15 ft RG-174 SMA-plug
LTMG508-3C3C3J3J2C-BLK-240	Antennas	LTM Series	\$ 331.90	LTMG508-3C3C3J3J2C-BLK-240: Global 6-2-6 LTM Series (5 cables) Black Cable 1 - Global LTE 617-960/1710-6000 MHz, 20 ft LL-195 SMA-plug Cable 2 - Global LTE 617-960/1710-6000 MHz, 20 ft LL-195 SMA-plug Cable 3 - WiFi 2.4-2.5/4.9-6 GHz, 20 ft LL-195 Rev. Pol. SMA-plug Cable 4 - WiFi 2.4-2.5/4.9-6 GHz, 20 ft LL-195 Rev. Pol. SMA-plug Cable 5 - GPS/GNSS, 20 ft RG-174 SMA-plug
LTMG601-3C3C3J3J2C-BLK-72	Antennas	LTM Series	\$ 336.70	694-960/1710-2170MHz=6 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=6 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=6 Feet RG-174 with SMA Plug
LTMG601-3C3C3J3J2C-WHT-72	Antennas	LTM Series	\$ 293.00	694-960/1710-2170MHz=6 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=6 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=6 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-BLK-108	Antennas	LTM Series	\$ 310.20	694-960/1700-3700MHz=9 Feet Low Loss 195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=9 Feet Low Loss 195 Rev Pol SMA Plug (x3) GLONASS/GPS=9 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-BLK-120	Antennas	LTM Series	\$ 313.00	694-960/1700-3700MHz=10 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=10 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=10 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 338.00	694-960/1700-3700MHz=15 Feet Low Loss 195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet Low Loss 195 Rev Pol SMA Plug (x3) GLONASS/GPS=15 Feet RG-174 with SMA Plug Black radome
LTMG602-3C3C3J3J2C-BLK-36	Antennas	LTM Series	\$ 276.50	694-960/1700-3700MHz=3 Feet Low Loss 195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=3 Feet Low Loss 195 Rev Pol SMA Plug (x3) GLONASS/GPS=3 Feet RG-174 with SMA Plug Black radome
LTMG602-3C3C3J3J2C-BLK-72	Antennas	LTM Series	\$ 293.20	694-960/1700-3700MHz=6 Feet Low Loss 195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=6 Feet Low Loss 195 Rev Pol SMA Plug (x3) GLONASS/GPS=6 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-WHT-12	Antennas	LTM Series	\$ 266.75	694-960/1700-3700MHz=1 Foot Low Loss 195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=1 Foot Low Loss 195 Rev Pol SMA Plug (x3) GLONASS/GPS=1 Foot RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-WHT-120	Antennas	LTM Series	\$ 322.40	694-960/1700-3700MHz=10 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=10 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=10 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 336.70	694-960/1700-3700MHz=15 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=15 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=15 Feet RG-174 with SMA Plug White radome
LTMG602-3C3C3J3J2C-WHT-282	Antennas	LTM Series	\$ 396.60	The 600 series LTM antennas include two Cellular antennas, three WiFi antennas and one GPS antenna. This provides MIMO (multiple-input-multiple-output) coverage for both Global Cellular and WiFi. The LTM602 WiFi MIMO Antenna is ideal for fleet management systems. White Radome 694-960/1700-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 23.5 Feet LL-195 with Rev Pol SMA Plug (x3) GPS/GLONASS = 23.5 Feet RG-174 with SMA Plug.
LTMG602-3C3C3J3J2C-WHT-72	Antennas	LTM Series	\$ 293.00	694-960/1700-3700MHz=6 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=6 Feet RF-195 Rev Pol SMA Plug (x3) GLONASS/GPS=6 Feet RG-174 with SMA Plug
LTMG602-3C3C3J3J2C-WHT-84	Antennas	LTM Series	\$ 322.40	694-960/1710-3700MHz=7 Feet RF-195 with SMA Plug (x2) 2.4-2.5/4.9-6GHz=7 Feet RF-195 with Rev Pol SMA Plug (x3) GLONASS/GPS=GPS=7 Feet RG-174 with SMA Plug White Housing
LTMG932(91CX3)(91JX2)00-WHT-12-SP-497	Antennas	LTM Series	\$ 257.60	SP497 = UL94VO Radome and base, combined with UL94VO cables (Flame Retardant) Cable 1: LTE/GSM 1 - 694-960/1710-3700 = 1 foot LMR-195FR with SMA-plug (Green) Cable 2: LTE/GSM 1 - 694-960/1710-3700 = 1 foot LMR-195FR with SMA-plug (Green) Cable 3: LTE/GSM 2 - 694-960/1710-3700 = 1 foot LMR-195FR with SMA-plug (Red) Cable 4: WiFi 1 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-195FR with Reverse Polarized SMA-plug (Blue) Cable 5: WiFi 2 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-195FR with Reverse Polarized SMA-plug (Blue) NO GPS
LTMG940-A3CB3C0000-WHT-180	Antennas	LTM Series	\$ 365.50	4xLTE (4 cables) Cable 1: LTE A - 694-960/1710-3700 MHz = 15 foot cable with SMA-plug (includes LL-195 cable jumper) Cable 2: LTE A - 694-960/1710-3700 MHz = 15 foot cable with SMA-plug (includes LL-195 cable jumper) Cable 3: LTE B - 694-960/1710-3700 MHz = 15 foot cable with SMA-plug (includes LL-195 cable jumper) Cable 4: LTE B - 694-960/1710-3700 MHz = 15 foot cable with SMA-plug (includes LL-195 cable jumper)

LTMG940-A3CB3C00G2C-BLK-180	Antennas	LTM Series	\$ 387.90	4xLTE/GNSS (5 cables) Cable 1 - 694-960/1710-3700 MHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to SMA-plug Cable 2 - 694-960/1710-3700 MHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to SMA-plug Cable 3 - 694-960/1710-3700 MHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to SMA-plug Cable 4 - 694-960/1710-3700 MHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to SMA-plug Cable 5 - GLONASS/GPS, 12 inches RG-174 SMA-plug + 14 feet RG-174 SMA-jack to SMA-plug (Black)
LTMG940-A3CB3C00G2C-WHT-180	Antennas	LTM Series	\$ 387.80	4xLTE, 1xGNSS (5 cables) Cable 1: LTE 1 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 1 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: LTE 2 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 4: LTE 2 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 5: GNSS = 15 feet RG-174 with SMA-plug (White)
LTMG941-A3CB3CW3J00-WHT-180	Antennas	LTM Series	\$ 411.10	4xLTE/1xWiFi (5 cables) - 694-960/1710-3700 MHz (x4-SMA), 2.4-2.5/4.9-6 GHz (x1-RP SMA), 15 ft LL-195, (incl Jumpers) WHITE
LTMG941-A3CB3CW3JG2C-WHT-180	Antennas	LTM Series	\$ 433.15	4xLTE/1xWiFi/GNSS (6 cables) - 694-960/1710-3700 MHz (x4-SMA), 2.4-2.5/4.9-6 GHz (x1-RP SMA), 15 ft LL-195, GLONASS/GPS 15 ft RG-174 SMA (incl Jumpers) WHITE
LTMG942-A3CB3CW3JG2C-WHT-180	Antennas	LTM Series	\$ 478.50	4xLTE/2xWiFi/GNSS (7 cables) - 694-960/1710-3700 MHz (x4-SMA), 2.4-2.5/4.9-6 GHz (x2-RP SMA), 15 ft LL-195, GLONASS/GPS 15 ft RG-174 SMA (incl Jumpers)
LTMG943-A3CB3CW3JG2C-WHT-120	Antennas	LTM Series	\$ 508.15	Dual Carrier Multi-Band Mimo Antenna 4x694-960 MHz. 1710-3700 MHz (Global LTE), 3X2.4-2.5GHz, 4.9-6 GHz (WiFi/Bluetooth)with GPS/Glonass
LTMG943-A7CB7CW7JG2C-BLK-36-SP529	Antennas	LTM Series	\$ 351.50	Cable 1: LTE A 694-960/1710-3700 MHz = 3 feet LMR-100 with SMA-plug Cable 2: LTE A 694-960/1710-3700 MHz = 3 feet LMR-100 with SMA-plug Cable 3: LTE B 694-960/1710-3700 MHz = 3 feet LMR-100 with SMA-plug Cable 4: LTE B 694-960/1710-3700 MHz = 3 feet LMR-100 with SMA-plug Cable 5: WiFi 1 2.4-2.5/4.9-6 GHz = 3 feet LMR-100 with Reverse Polarized SMA-plug Cable 6: WiFi 2 2.4-2.5/4.9-6 GHz = 3 feet LMR-100 with Reverse Polarized SMA-plug Cable 7: BLUETOOTH 2.4-2.5/4.9-6 GHz = 3 feet LMR-100 with Reverse Polarized SMA-plug Cable 8: GNSS/GLONASS/GPS = 3 feet RG-174 with SMA-plug -SP529 indicates no separate cable jumpersâ€³ ***This pricing is ONLY for qty 10,000+
LTMG944-A3CB3CW3JG2C-BLK-180	Antennas	LTM Series	\$ 557.50	Dual Carrier Multi-Band Mimo Antenna 4x694-960 MHz. 1710-3700 MHz (Global LTE), 4X2.4-2.5GHz, 4.9-6 GHz (WiFi/Bluetooth)with GPS/Glonass
LTMG944-A3CB3CW3JG2C-BLK-300	Antennas	LTM Series	\$ 667.85	ANTENNA: Cable 1: LTE A - 694-960/1710-3700 MHz = 1 foot LMR-100 with SMA-plug (Green) Cable 2: LTE A - 694-960/1710-3700 MHz = 1 foot LMR-100 with SMA-plug (Green) Cable 3: LTE B - 694-960/1710-3700 MHz = 1 foot LMR-100 with SMA-plug (Red) Cable 4: LTE B - 694-960/1710-3700 MHz = 1 foot LMR-100 with SMA-plug (Red) Cable 5: WiFi â€œ 2.4-2.5/4.9-6 GHz = 1 foot LMR-100 with SMA-plug (Blue) Cable 6: WiFi â€œ 2.4-2.5/4.9-6 GHz = 1 foot LMR-100 with SMA-plug (Blue) Cable 7: WiFi â€œ 2.4-2.5/4.9-6 GHz = 1 foot LMR-100 with SMA-plug (Blue) Cable 8: WiFi â€œ 2.4-2.5/4.9-6 GHz = 1 foot LMR-100 with SMA-plug (Blue) Cable 9: GLONASS/GPS = 1 foot RG-174 with SMA-plug (Yellow) (Black) CABLES: 2x â€œ CA288/195-VC-GRN-LTE-A 24 feet LL-195 with SMA-Jack and SMA-plug 2x â€œ CA288/195-VC-RED-LTE-B 24 feet LL-195 with SMA-Jack and SMA-plug 4x â€œ CA288/195-VJ-BLU-WIFI 24 feet LL-195 with SMA-Jack and Reverse Polarized SMA-plug 1x â€œ CA288/174-VC-YLW-GNSS 24 feet RG-174 with SMA-Jack and SMA-plug
LTMG944-A3CB3CW3JG2C-WHT-180	Antennas	LTM Series	\$ 568.90	4xLTE/4xWiFi/GNSS (9 cables) - 694-960/1710-3700 MHz (x4-SMA), 2.4-2.5/4.9-6 GHz (x4-RP SMA), 15 ft LL-195, GLONASS/GPS 15 ft RG-174 SMA (incl Jumpers)
LTMG944-A3CB3CW3JG2C-WHT-282	Antennas	LTM Series	\$ 646.90	Mobile Mark 9-cable LTMG944 Multiband Antenna Solution, covering LTE, Wi-Fi and GNSS, is designed for the new 5G-ready Dual-carrier Routers & Gateways meant specifically for Fleet Management Installations. (note this includes a 12" jumper on the antenna, with 9 each 270" LL-195 cables packaged with each antenna accordingly.) LTE A: 694-960/1710-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) LTE B: 694-960/1710-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) WiFi: 2.4-2.5/4.9-6 Ghz = 23.5 Feet LL-195 with Rev Pol SMA Plug (x4) GPS/Glonass = 23.5 Feet RG-174 with SMA Plug

LTMG944-A7CB7CW7CG2C-WHT-12-SP529	Antennas	LTM Series	\$ 370.90	Mobile Mark 9-cable LTMG944 Multiband Antenna Solution, covering LTE, Wi-Fi and GNSS, is designed for the new 5G-ready Dual-carrier Routers & Gateways meant specifically for Fleet Management Installations. LTE A: 694-960/1710-3700 MHz = 1 Foot LMR-100 with SMA Plug (x2) LTE B: 694-960/1710-3700 MHz = 1 Foot LMR-100 with SMA Plug (x2) WiFi: 2.4-2.5/4.9-6 GHz = 1 Foot LMR-100 with SMA Plug (x4) - Note that we want these to have standard SMA plug on the WiFi lead so that they will be able to hook up the cable assemblies if/when they need to replace the antenna. GPS/GLonass = 1 Foot RG-174 with SMA Plug SP 529 = No Cable Jumpers (note this includes a 12" jumper on the antenna, with 9 each 270" LL-195 cables packaged with each antenna accordingly.) LTE A: 694-960/1710-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) LTE B: 694-960/1710-3700 MHz = 23.5 Feet LL-195 with SMA Plug (x2) WiFi: 2.4-2.5/4.9-6 GHz = 23.5 Feet LL-195 with Rev Pol SMA Plug (x4) GPS/GLonass = 23.5 Feet RG-174 with SMA Plug
LTMG944-A7CB7CW7JG2C-WHT-12-SP529	Antennas	LTM Series	\$ 370.90	Mobile Mark 9-cable LTMG944 Multiband Antenna Solution, covering LTE, Wi-Fi and GNSS, is designed for the new 5G-ready Dual-carrier Routers & Gateways meant specifically for Fleet Management Installations. LTE A: 694-960/1710-3700 MHz = 1 Foot LMR-100 with SMA Plug LTE A: 694-960/1710-3700 MHz = 1 Foot LMR-100 with SMA Plug LTE B: 694-960/1710-3700 MHz = 1 Foot LMR-100 with SMA Plug WiFi: 2.4-2.5/4.9-6 GHz = 1 Foot LMR-100 with REVERSE POLARIZED SMA Plug WiFi: 2.4-2.5/4.9-6 GHz = 1 Foot LMR-100 with REVERSE POLARIZED SMA Plug WiFi: 2.4-2.5/4.9-6 GHz = 1 Foot LMR-100 with REVERSE POLARIZED SMA Plug WiFi: 2.4-2.5/4.9-6 GHz = 1 Foot LMR-100 with REVERSE POLARIZED SMA Plug GPS/GLonass = 1 Foot RG-174 with SMA Plug SP 529 = No Cable Jumpers
LTM-IMK	Accessories	LTM Series	\$ 19.60	Adapter gasket for LTM series antennas for Ford Explorer
LTM-PMK	Accessories	LTM Series	\$ 57.10	Pole/wall mount for LTM series
LTMWG940-A3C00002CG-BLK-180	Antennas	LTM Series	\$ 289.20	694-894/1700-3700 MHz = 15 feet LL-195 with SMA-plug 694-894/1700-3700 MHz = 15 feet LL-195 with SMA-plug 694-894/1700-3700 MHz = 15 feet LL-195 with SMA-plug GNSS = 15 feet RG-174 with SMA-plug
LTMWG940-A3CB3C00G2C-BLK-180	Antennas	LTM Series	\$ 411.20	2x LTE-A - 617-960 MHz 2 dBi 2x LTE-B - 1700-6000 MHz 5 dBi 1x GPS/GNSS - 1561, 1575, & 1602 MHz 5 dBi (Black)
LTMWG940-A3CB3C00G2C-WHT-180	Antennas	LTM Series	\$ 411.20	2x LTE-A - 617-960 MHz 2 dBi 2x LTE-B - 1700-6000 MHz 5 dBi 1x GPS/GNSS - 1561, 1575, & 1602 MHz 5 dBi (White)
LTMWG944-A71CB71CW71J00-WHT-12-SPUL94V0	Antennas	LTM Series	\$ 450.80	LTMWG944 Fire Retardant Dual Carrier Multi-band 8 cable 5G LTE & Wifi Cable 1: LTE/GSM 1 - 617-960/1710-6000 = 1 foot LMR-100FR with SMA-plug (Green) Cable 2: LTE/GSM 1 - 617-960/1710-6000 = 1 foot LMR-100FR with SMA-plug (Green) Cable 3: LTE/GSM 2 - 617-960/1710-6000 = 1 foot LMR-100FR with SMA-plug (Red) Cable 4: LTE/GSM 2 - 617-960/1710-6000 = 1 foot LMR-100FR with SMA-plug (Red) Cable 5: WiFi6 1 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100FR with Reverse Polarized SMA-plug (Blue) Cable 6: WiFi6 2 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100FR with Reverse Polarized SMA-plug (Blue) Cable 7: WiFi6 3 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100FR with Reverse Polarized SMA-plug (Blue) Cable 8: WiFi6 4 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100FR with Reverse Polarized SMA-plug (Blue) NO GPS
LTMWG944-A7CB7CW7J00-WHT-12-SP529	Antennas	LTM Series	\$ 387.55	LTMWG944 Dual Carrier Multi-band 8-cable 5G LTE & Wifi Cable 1: LTE/GSM 1 - 617-960/1710-6000 = 1 foot LMR-100 with SMA-plug (Green) Cable 2: LTE/GSM 1 - 617-960/1710-6000 = 1 foot LMR-100 with SMA-plug (Green) Cable 3: LTE/GSM 2 - 617-960/1710-6000 = 1 foot LMR-100 with SMA-plug (Red) Cable 4: LTE/GSM 2 - 617-960/1710-6000 = 1 foot LMR-100 with SMA-plug (Red) Cable 5: WiFi6 1 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100 with Reverse Polarized SMA-plug (Blue) Cable 6: WiFi6 2 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100 with Reverse Polarized SMA-plug (Blue) Cable 7: WiFi6 3 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100 with Reverse Polarized SMA-plug (Blue) Cable 8: WiFi6 4 - 2.5-2.5/4.9-6 GHz = 1 foot LMR-100 with Reverse Polarized SMA-plug (Blue) NO GPS SP529 = No Jumper Cables
MGRM-900/1900	Antennas	MGRM-WLF	\$ 79.00	Mag mount 5DB gain antenna for CDMA 900/1900 with TNC termination on cabling.
MGRM-UMB-1C-BLK-120	Antennas	MGRM-WLF	\$ 103.20	Black BroadBand RM Style Mag Mount, 10 ft RG-58 cable and SMA (750-1250/1650-2700 MHz)
MGRM-UMB-1C-WHT-120	Antennas	MGRM-WLF	\$ 103.20	WHITE BroadBand RM Style Mag Mount, 10 ft RG-58 cable and SMA (750-1250/1650-2700 MHz)
MGRM-WHF-3C	Antennas	MGRM-WLF	\$ 113.80	Broadband (2.0- 6 GHz GHz) Mag antenna, with RF195-10ft + SMA (M)+ 5 dBi -- The MGRM Series antenna is magnet mount version of the RM Series antenna and provide the same performance as its permanently mounted counterpart. The antenna is ideal for industrial or other heavy duty applications. The antenna can be used for such applications as remote heavy monitoring from a fixed locations or data transfer from a moving vehicle.

MGRM-WLF-1C-BLK-120	Antennas	MGRM-WLF	\$ 105.30	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Magnet Mount Housed in rugged radome. 3dbi. 10' RG58 cable with SMA-M connector.
MGRM-WLF-1C-BLK-192	Antennas	MGRM-WLF	\$ 109.80	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Magnet Mount Housed in rugged radome. 3dbi. 16' RG58 cable with SMA-M connector.
MGRM-WLF-1C-BLK-240	Antennas	MGRM-WLF	\$ 116.60	694-894/1700-2700MHz=20 Feet RG-58 with SMA Plug
MGRM-WLF-1C-BLK-72	Antennas	MGRM-WLF	\$ 98.80	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Magnet Mount Housed in black rugged radome. 3dbi. 6' RG58 cable with SMA-M connector.
MGRM-WLF-3C-BLK-360	Antennas	MGRM-WLF	\$ 123.25	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Magnet Mount Housed in rugged radome. 3dbi. 30' cable 195 low loss cable with SMA-M connector.
MGW-305-3C0000-BLK-180	Antennas	MGW Series	\$ 130.30	Magnet Mount Antenna, 694-894/1700-2700 MHz = 15Ft RF-195 SMA Male, Black
MGW-305-3C0000-WHT-180	Antennas	MGW Series	\$ 130.30	Magnet Mount Antenna, 694-894/1700-2700 MHz = 15Ft RF-195 SMA
MGWG412-3C3C3C2C-WHT-120	Antennas	MGW Series	\$ 220.50	694-894/1700-2700MHz=10 Feet Low Loss 195 with SMA Plug 2.4-2.5/4.9-6GHz=10 Feet Low Loss 195 with SMA Plug GLONASS/GPS=10 Feet RG-174 with SMA Plug
MLP602-3C3C3J3J00-BLK-180	Antennas	MLP Series	\$ 372.40	694-960/1710-3700 MHz = 15 feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 15 Feet LL-195 with Rev Pol SMA Plug (x3) NO GPS Black
MLTM301-3C3C00-BLK-120	Antennas	LTM Series	\$ 238.50	MLTM301-3C3C00-BLK-120 694-960/1710-2170MHz=10 Feet Low Loss 195 with SMA Plug 694-960/1710-2170MHz=10 Feet Low Loss 195 with SMA Plug NO GPS
MLTM301-3C3C00-BLK-180	Antennas	LTM Series	\$ 253.40	Mag Mount, 2 wire: 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug No GPS
MLTM301-3C3C00-BLK-480	Antennas	LTM Series	\$ 353.40	694-960/1710-2170MHz=40 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=40 Feet RF-195 with SMA Plug No GPS - MAG MOUNT
MLTM301-3C3C00-BLK-60	Antennas	LTM Series	\$ 233.40	Mag Mount, 2 wire: 694-960/1710-2170MHz=5 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=5 Feet RF-195 with SMA Plug No GPS
MLTM301-3C3C00-WHT-180	Antennas	LTM Series	\$ 284.40	3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug 3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug NO GPS - WHITE - MAG MOUNT
MLTM301-3C3C2C-BLK-180	Antennas	LTM Series	\$ 271.30	LTE/LTE/GPS (3 cables) - 694-960/1710-2170 MHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug *Black*
MLTM301-3C3C2C-WHT-180	Antennas	LTM Series	\$ 271.30	MAG MNT. LTE/LTE/GPS (3 cables) - 694-960/1710-2170 MHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug *White*
MLTM302-3C3C00-BLK-180	Antennas	LTM Series	\$ 248.80	Mag Mount, 2 wire: 694-960/1710-3700 MHz =15 Feet RF-195 with SMA Plug 694-960/1710-3700 MHz =15 Feet RF-195 with SMA Plug No GPS
MLTM302-3C3C00-BLK-72	Antennas	LTM Series	\$ 235.80	Mag Mount, 2 wire: 694-960/1710-2170MHz=6 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=6 Feet RF-195 with SMA Plug No GPS
MLTM302-3C3C00-WHT-24	Antennas	LTM Series	\$ 219.70	Mag Mount, 2 wire: 694-960/1710-3700 MHz =15 Feet RF-195 with SMA Plug. No GPS
MLTM302-3C3C2C-BLK-180	Antennas	LTM Series	\$ 271.30	Mag Mount, LTE/LTE/GPS (3 cables) - 694-960/1710-2170 MHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug *Black*
MLTM302-3C3C2C-BLK-72	Antennas	LTM Series	\$ 258.30	Mag Mount, LTE/LTE/GPS (3 cables) - 694-960/1710-2170 MHz (x2), 6 ft RF-195 SMA-plug, GPS 6 ft RG-174 SMA-plug *Black*
MLTM401-3C3C3J00-BLK-180	Antennas	LTM Series	\$ 314.20	3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug 3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug WiFi 2.4-2.5/4.9-6 GHz = 15 feet RF-195 with Reverse Polarized SMA-plug NO GPS - BLACK - MAG MOUNT
MLTM401-3C3C3J00-WHT-180	Antennas	LTM Series	\$ 290.60	3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug 3G/4G LTE 694-960/1710-2170 MHz = 15 feet RF-195 with SMA-plug WiFi 2.4-2.5/4.9-6 GHz = 15 feet RF-195 with Reverse Polarized SMA-plug NO GPS - WHITE - MAG MOUNT
MLTM401-3C3C3J2C-BLK-180	Antennas	LTM Series	\$ 313.00	LTE/LTE/WIFI/GPS (4 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug
MLTM401-3C3C3J2C-WHT-180	Antennas	LTM Series	\$ 299.30	MLTM401-3C3C3J2C-WHT-180 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 694-960/1710-2170MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug
MLTM501-3C3C3J3J00-BLK-180	Antennas	LTM Series	\$ 332.10	LTE/LTE/WIFI/WIFI (4 cables) - 694-960/1710-2170 MHz (15 ft RF-195 SMA-plug x2), 2.4-2.5/4.9-6 GHz (15 ft RF-195 RP SMA-plug x2).
MLTM501-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 339.10	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug
MLTM501-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 339.10	LTE/LTE/WIFI/WIFI/GPS (5 cables) - 694-960/1710-2170 MHz (x2), 2.4-2.5/4.9-6 GHz (x2), 15 ft RF-195 SMA-plug, GPS 15 ft RG-174 SMA-plug
MLTM502-3C3C3J3J00-BLK-180	Antennas	LTM Series	\$ 332.10	Cable 1: LTE1 694-960/1710-3700 = 15 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 15 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Pol. SMA-plug Cable 4: WIFI 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Pol. SMA-plug NO GPS BLACK

MLTM502-3C3C3J3J00-WHT-180	Antennas	LTM Series	\$ 332.10	Cable 1: LTE1 694-960/1710-3700 = 15 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 15 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Pol. SMA-plug Cable 4: WIFI 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Pol. SMA-plug NO GPS WHITE
MLTM502-3C3C3J3J2C-BLK-180	Antennas	LTM Series	\$ 339.10	Magnetic Mount Multi-Band MIMO LTE/MIMO Wi-Fi with GPS 5-wire antenna. 694-960/1710-3700MHz=15 Feet RF-195 with SMA Plug 694-960/1710-3700MHz=15 Feet RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=15 Feet RF-195 with Rev Pol SMA Plug GPS=15 Feet RG-174 with SMA Plug 2-year manufacturer's warranty.
MLTM502-3C3C3J3J7J-BLK-24	Antennas	LTM Series	\$ 260.80	Magnetic Mount Multi-Band MIMO LTE/MIMO Wi-Fi 5-wire antenna 694-960/1710-3700MHz=24in RF-195 with SMA Plug 694-960/1710-3700MHz=24in RF-195 with SMA Plug 2.4-2.5/4.9-6GHz=24in RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=24in RF-195 with Rev Pol SMA Plug 2.4-2.5/4.9-6GHz=24in RG-174 with Rev Pol SMA Plug 2-year manufacturer's warranty.
MLTMG302-3C3C2C-BLK-120	Antennas	LTM Series	\$ 267.30	Mobile Mark's LTM302 Series Multiband Diversity/MIMO antenna contains three separate antennas, all in one black compact antenna housing; two identical LTE/Cellular antennas and one GPS antenna. The LTE/Cellular element is broadbanded enough to cover all LTE frequencies. Global MAG Mount LTM Series (3 cables) Cable 1: LTE 1 - 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug Cable 3: GNSS - GLONASS/GPS = 10 feet RG-174 with SMA-plug
MLTMG302-3C3C2C-BLK-180	Antennas	LTM Series	\$ 271.30	Mobile Mark's LTM302 Series Multiband Diversity/MIMO antenna contains three separate antennas, all in one black compact antenna housing; two identical LTE/Cellular antennas and one GPS antenna. The LTE/Cellular element is broadbanded enough to cover all LTE frequencies. Global MAG Mount LTM Series (3 cables) Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: GNSS - GLONASS/GPS = 15 feet RG-174 with SMA-plug
MLTMG302-3C3C2C-BLK-36	Antennas	LTM Series	\$ 251.60	Mobile Mark's LTM302 Series Multiband Diversity/MIMO antenna contains three separate antennas, all in one black compact antenna housing; two identical LTE/Cellular antennas and one GPS antenna. The LTE/Cellular element is broadbanded enough to cover all LTE frequencies. Cable 1: LTE 1 - 694-960/1710-3700 MHz = 3 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 3 feet LL-195 with SMA-plug Cable 3: GLONASS/GPS = 3 feet RG-174 with SMA-plug
MLTMG402-3C3C002C-BLK-72	Antennas	LTM Series	\$ 253.95	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug BLACK
MLTMG402-3C3C002C-WHT-72	Antennas	LTM Series	\$ 259.10	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug WHITE
MLTMG402-3C3C3J2C-BLK-180	Antennas	LTM Series	\$ 313.00	Mobile Mark, omni-directional, black dual cellular antenna (MIMO) in one dome style housing with magnetic mount. 03dB gain. Uses two SMA male LTE, one RP-SMA WiFi, and SMA GPS connectors. 15 feet of cable included.
MLTMG402-3C3C3J2C-BLK-72	Antennas	LTM Series	\$ 285.90	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 6 feet LL-195 with Reverse Pol. SMA-plug Cable 4: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug BLACK
MLTMG402-3C3C3J2C-WHT-72	Antennas	LTM Series	\$ 291.70	Cable 1: LTE1 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 2: LTE2 694-960/1710-3700 = 6 feet LL-195 with SMA-plug Cable 3: WIFI 2.4-2.5/4.9-6 GHz = 6 feet LL-195 with Reverse Pol. SMA-plug Cable 4: GNSS (GLONASS/GPS) = 6 feet RG-174 with SMA-plug WHITE
MLTMG502-3C3C3J3J2C-BLK-120	Antennas	LTM Series	\$ 339.70	Combination Antenna with Magnetic Mount Base and Black Housing LTE 1: 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug LTE 2: 694-960/1710-3700 MHz = 10 feet LL-195 with SMA-plug WiFi 1: 2.4-2.5/4.9-6 GHz = 10 feet LL-195 with Reverse Polarized SMA-plug WiFi 2: 2.4-2.5/4.9-6 GHz = 10 feet LL-195 with Reverse Polarized SMA-plug GNSS (GLONASS/GPS) = 10 feet RG-174 with SMA-plug
MLTMG502-3C3C3J3J2C-BLK-300	Antennas	LTM Series	\$ 416.75	Global LTM Series (5 cables): LTE: 694-960/1710-3700 MHz (x2 SMA-plug), Wi-Fi: 2.4-2.5/4.9-6 GHz (x2 Reverse Polarized SMA-plug), GLONASS/GPS (1x SMA-plug), 25 foot cables, Black, Magnetic Mount
MLTMG502-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 354.60	LTE 1: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug LTE 2: 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug WiFi 1: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug WiFi 2: 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug GNSS (GLONASS/GPS) = 15 feet RG-174 with SMA-plug (White)

MLTMG602-3C3C3J3J2C-WHT-180	Antennas	LTM Series	\$ 393.90	MLTMG602-3C3C3J3J2C-WHT-180 694-960/1710-3700 MHz = 15 Feet LL-195 with SMA Plug (x2) 2.4-2.5/4.9-6 GHz = 15 Feet LL-195 with Rev Pol SMA Plug (x3) GPS/GLONASS = 15 Feet RG-174 with SMA Plug
MXF302-3C3C00-BLK-300	Antennas	MXF Series	\$ 211.80	Mobile Mark MaxFin LTE MIMO Antenna, color Black: Cable 1: LTE - 694-960/1710-3700 MHz = 25 feet LL-195 with SMA-plug Cable 2: LTE - 694-960/1710-3700 MHz = 25 feet LL-195 with SMA-plug
MXFG302-3C3C2C-BLK-180	Antennas	MXF Series	\$ 207.70	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug GLONASS/GPS = 15 feet RG-174 with SMA-plug.
MXFG402-3C3C3J2C-BLK-180	Antennas	MXF Series	\$ 253.40	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: WiFi - 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Reverse Polarized SMA-plug Cable 4: GNSS - GLONASS/GPS = 15 feet RG-174 with SMA-plug
MXFG502-3C3C3J3J2C-BLK-180	Antennas	MXF Series	\$ 289.30	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: WiFi 1 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 4: WiFi 2 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 5: GLONASS/GPS = 15 feet RG-174 with SMA-plug
MXFG502-3C3C3J3J2C-WHT-180	Antennas	MXF Series	\$ 289.30	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: WiFi 1 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 4: WiFi 2 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 5: GLONASS/GPS = 15 feet RG-174 with SMA-plug
MXFG602-3C3C3J3J2C-BLK-180	Antennas	MXF Series	\$ 330.10	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: WiFi 1 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 4: WiFi 2 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 5: WiFi 3 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 6: GLONASS/GPS = 15 feet RG-174 with SMA-plug
MXFG602-3C3C3J3J2C-WHT-180	Antennas	MXF Series	\$ 330.10	Cable 1: LTE 1 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 2: LTE 2 - 694-960/1710-3700 MHz = 15 feet LL-195 with SMA-plug Cable 3: WiFi 1 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 4: WiFi 2 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 5: WiFi 3 @ 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with Rev. Pol. SMA-plug Cable 6: GLONASS/GPS = 15 feet RG-174 with SMA-plug
NT-MK	Accessories	N/A	\$ 31.90	MOBILE MARK Wall and Pole adapter kit for stud mount antennas.
NT-MK	Accessories	N/A	\$ 41.60	Universal Wall/Pole Mounting Kit
NXD-W-7JX3-BLK-180-SP601	Antennas	NXD Series	\$ 234.60	Low Profile Omni Antenna (Black) Cable 1 - 2.4-2.5/4.9-6 GHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to Rev. Pol. SMA-plug Cable 2 - 2.4-2.5/4.9-6 GHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to Rev. Pol. SMA-plug Cable 3 - 2.4-2.5/4.9-6 GHz, 12 inches LMR-100 SMA-plug + 14 feet LL-195 SMA-jack to Rev. Pol. SMA-plug SP601 = Includes separate cable jumpers
NXD-W-7JX4-BLK-60	Antennas	NXD Series	\$ 200.65	MIMO Low Profile Omni Antenna, 4x (2.4-2.5/4.9-6 GHz), 4x 5 feet LMR-100 with 4x Reverse Polarized SMA-plug BLACK
RM3-900/1900-1A-BLK-12	Antennas	RM3 Series	\$ 66.55	This rugged Cellular/ PCS/ GPRS antenna is built from ABS UV resistant plastic for use in industrial applications. Gain is 3dBi peak.. Can be installed on fiberglass or a plastic housings up to 1/4" thick. No ground plane is required. It secures with a lock nut and washer thru a 5/8" hole. Includes a 1' jumper with TNC male connector. 824-894/1850-1990 MHz: RG58-1Ft + TNC (M)
RM3-900/1900-1C-BLK-180	Antennas	RM3 Series	\$ 85.30	Dual Band 3 dBi CELL/PCS Surface Mount medium profile, 15 ft RG-58 with SMA (824-894/1850-2170 MHz). Black.
RM3-900/1900-1C-BLK-36	Antennas	RM3 Series	\$ 72.30	This rugged Cellular/ PCS/ GPRS antenna is built from ABS UV resistant plastic for use in industrial applications. Gain is 3dBi peak.. Can be installed on fiberglass or a plastic housings up to 1/4" thick. No ground plane is required. It secures with a lock nut and washer thru a 5/8" hole. Includes a 3' jumper with SMA male connector.
RM3-900/1900-1C-WHT-36	Antennas	RM3 Series	\$ 64.80	This rugged Cellular/ PCS/ GPRS antenna is built from ABS UV resistant plastic for use in industrial applications. Gain is 3dBi peak.. Can be installed on fiberglass or a plastic housings up to 1/4" thick. No ground plane is required. It secures with a lock nut and washer thru a 5/8" hole. Includes a 3' jumper with SMA male connector.
RM3-900/1900-DN-BLK	Antennas	RM3 Series	\$ 69.90	This rugged surface mount antenna with a direct N Female is ideal for industrial or other heavy duty applications. The antenna can be used for such applications as remote monitoring from a fixed locations or data transfer from a moving vehicle. Band: Cellular/GSM, EDGE, EV-DO Frequency: 824-894 MHz & 1850-1990 MHz Gain: 3 dBi on lower band, 5 dBi on upper band
RM-WLF-1C-BLK-12	Antennas	RM-WLF	\$ 66.70	LTE Broad Band antenna with 1ft RG-58 cable and SMA (694-894/1700-2700 MHz)

RM-WLF-1C-BLK-120	Antennas	RM-WLF	\$ 76.80	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Housed in rugged radome. A ground plane is recommended for best performance. Requires a 5/8" hole for mounting. Outfitted with a captured "O" ring for weather sealing. 3dbi. 10' RG58 cable with SMA-M connector.
RM-WLF-1C-BLK-18	Antennas	RM-WLF	\$ 91.70	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Housed in rugged radome. A ground plane is recommended for best performance. Requires a 5/8" hole for mounting. Outfitted with a captured "O" ring for weather sealing. 3dbi. 18 inch RG58 cable with SMA-M connector.
RM-WLF-1C-BLK-180	Antennas	RM-WLF	\$ 82.40	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Housed in rugged radome. A ground plane is recommended for best performance. Requires a 5/8" hole for mounting. Outfitted with a captured "O" ring for weather sealing. 3dbi. 15' RG58 cable with SMA-M connector.
RM-WLF-1C-BLK-24	Antennas	RM-WLF	\$ 67.75	LTE Broad Band antenna with 2 ft RG-58 cable and SMA-plug (694-894/1700-2700 MHz)
RM-WLF-1C-BLK-240	Antennas	RM-WLF	\$ 98.90	LTE/Cell multiband, Bolt mount, Black, 20' cable with SMA end Band = 700 MHz, Broadband Frequency =694-894 MHz & 1.7-2.7 GHz Gain = 3 dBi gain
RM-WLF-1C-BLK-36	Antennas	RM-WLF	\$ 68.90	LTE Broad Band antenna with 3ft RG-58 cable and SMA (694-894/1700-2700 MHz)
RM-WLF-1C-BLK-48	Antennas	RM-WLF	\$ 70.00	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Housed in rugged radome. A ground plane is recommended for best performance. Requires a 5/8" hole for mounting. Outfitted with a captured "O" ring for weather sealing. 3dbi. 4' RG58 cable with SMA-M connector.
RM-WLF-1C-BLK-60	Antennas	RM-WLF	\$ 71.20	694-894/1700-2700MHz=5 Feet RG-58 with SMA Plug
RM-WLF-1C-BLK-84	Antennas	RM-WLF	\$ 73.35	LTE Broad Band antenna with 7ft RG-58 cable and SMA (694-894/1700-2700 MHz)
RM-WLF-1C-BLK-96	Antennas	RM-WLF	\$ 74.70	694-894/1700-2700MHz=8 Feet RG-58 with SMA Plug
RM-WLF-1C-WHT-120	Antennas	RM-WLF	\$ 89.90	LTE Broad Band antenna with 10ft RG-58 cable and SMA (694-894/1700-2700 MHz)
RM-WLF-1C-WHT-180	Antennas	RM-WLF	\$ 80.73	Broadband antenna capable of operation on worldwide bands from 694 MHz to 2.7 GHz. Housed in rugged radome. A ground plane is recommended for best performance. Requires a 5/8" hole for mounting. Outfitted with a captured "O" ring for weather sealing. 3dbi. 15' RG58 cable with SMA-M connector. White
RM-WLF-1J-BLK-12	Antennas	RM-WLF	\$ 76.90	LTE Broad Band antenna with 1ft RG-58 cable and RP-SMA (694-894/1700-2700 MHz)
RM-WLF-DN-BLK	Antennas	RM-WLF	\$ 81.70	The RM-WLF-DN is a rugged Broadband 4G LTE surface mount antenna with direct N Female, ideal for industrial or other LTE 4G heavy duty applications. These antennas will operate over the entire 694-894 MHz spectrum, along with the 1.7-2.7 GHz high frequency spectrum. The RM-WLF-DN antenna can be used for such applications as remote monitoring from fixed locations or LTE data transfer from a moving vehicle. This antenna requires a 5/8" hole (16mm) for mounting and is outfitted with a gasket for weather sealing.
SMD-W-3J3J3-BLK-144	Antennas	SMD Series	\$ 214.60	Rugged, Wi-Fi antenna with 3 separate Wi-Fi antenna fixtures for MIMO performance. 12' cable. 4db gain. Black (white available by request). 2.4-2.5/4.9-6GHz=12 Feet RF-195 with Rev Pol SMA Plug X 3
SMD-W-3J3J3-WHT-156	Antennas	SMD Series	\$ 175.40	MIMO Mobile, 3 x (2.4-2.5/4.9-6 GHz) 3x13dBi™ RF 195 with SMA RP plug, white
SMD-W-3J3J3-WHT-180	Antennas	SMD Series	\$ 171.90	MIMO Mobile, 3 x (2.4-2.5/4.9-6 GHz) 3x16dBi™ RF 195 with SMA RP plug, white
SMD-W-3J3J3-WHT-180	Antennas	SMD Series	\$ 182.10	MIMO Mobile, 3 x (2.4-2.5/4.9-6 GHz) 3x15dBi™ RF 195 with SMA RP plug, white
SMD-W-3J3J-WHT-180	Antennas	SMD Series	\$ 160.50	MIMO Mobile, 2 x (2.4-2.5/4.9-6 GHz), 2 x 15 feet RF-195 with RP-SMA. Low Profile, rugged, UV resistant white ASA radome. 1.5" tall x 3.5" in diameter. IPX7 rated for water ingress, with Military Shock and Vibrations ratings. Antenna Specs: Surface Mount Wi-Fi Frequency: 2.4 GHz-4.9 GHz Termination: RP-SMA
SMD-W-3J3J-WHT-60	Antennas	SMD Series	\$ 139.50	MIMO Wi-Fi Surface Mount Antenna (Multiple-Input-Multiple-Output) 2.4-2.5/4.9-6GHz 2 Cables 5 Feet RF-195 with Rev Pol SMA Plug White Housing, Bolt Mount
SMW-301-3A3J2C-WHT-180	Antennas	SMW Series	\$ 152.70	Dome-style hard mount antenna, (drilled-style), 800-2700 Mhz (NO LTE BAND) 2dB/5dB, 4.2"D, 3.2"H, 15', SMA
SMW-301-3C3J2D	Antennas	SMW Series	\$ 149.95	**Mobile Mark Price based on 1000 unit order** Surface Mount, wideband, 3-cable (RF195-15Ft + SMA (M), RF195-15Ft + Rev/Pol SMA (M), RG174-15Ft +SMB Plug BandGPS & multi-frequencies Frequency1575 MHz, 800-2700 MHz & dual 2.4/4.9-6.0 GHz Gain5 dBi GPS, 2 dBi 800-1000 MHz, 5 dBi 1.7-2.7 & 4.9-6.0 Ghz

SMW-301-3C3J2D	Antennas	SMW Series	\$ 149.95	**Mobile Mark Price based on 1000 unit order** Surface Mount, wideband, 3-cable (RF195-15Ft + SMA (M), RF195-15Ft + Rev/Pol SMA (M), RG174-15Ft +SMB Plug BandGPS & multi-frequencies Frequency1575 MHz, 800-2700 MHz & dual 2.4/4.9-6.0 GHz Gain5 dBic GPS, 2 dBi 800-1000 MHz, 5 dBi 1.7-2.7 & 4.9-6.0 Ghz
SMW-302-3C3C2C-WHT-180	Antennas	SMW Series	\$ 145.70	Surface Mount Multiband GSM/ CDMA, WiMAX & Diversity & GPS
SMW-305-3C0000-BLK-180	Antennas	SMW Series	\$ 119.20	Dome, 694-894/1700-2700 MHz = 15Ft RF-195 SMA, 3dB, surface mount.
SMW-305-3C0000-BLK-180-3'	Antennas	SMW Series	\$ 119.20	Dome, 694-894/1700-2700 MHz = 3Ft RF-195 SMA, 3dB, surface mount.
SMW-305-3C0000-WHT-180	Antennas	SMW Series	\$ 119.20	Dome, 694-894/1700-2700 MHz = 15Ft RF-195 SMA, 3dB, surface mount.
SMW-305-3C002C-BLK-180	Antennas	SMW Series	\$ 137.90	694-894/1700-2700 MHz = 15Ft RF-195 SMA, GPS = 15Ft RG-174 SMA
SMW-305-3C002C-WHT-180	Antennas	SMW Series	\$ 137.90	694-894/1700-2700 MHz = 15Ft RF-195 SMA, GPS = 15Ft RG-174 SMA
SMW-305-3C3C00-WHT-60	Antennas	SMW Series	\$ 136.00	LTE/CELL/ UMTS 694-894/1700-2700 MHz = 5Ft RF-195 SMA, WiFi 2.4-2.5/4.9-6 GHz = 5Ft RF-195 RP-SMA. Dome style, hard drilled mount. White.
SMW-305-3C3C2C-BLK-180	Antennas	SMW Series	\$ 164.10	The SMW-305 LTE-A Antenna features 3 elements in one radome, measuring 4.2â€³ D x 3.2â€³ H (107 mm x 81 mm). The Cellular element is extremely widebanded, covering: LTE at 700 MHz, 850 & 1900 GSM/CDMA bands, 1.7 & 2.1 AWS bands, as well as XLTE, LTE-A, Spark and WiMAX 2.5. The second element can be used for WiFi at 2.4 & 5 GHz or it can be used for other wireless applications such as Public Safety at 4.9 GHz or DSRC at 5.9 GHz. The third element provides GPS at 1575 MHz with 5 dBi gain. This rugged antenna can be mounted to any vehicle, cargo container or trailer.
SMW-305-3C3J2C-BLK-180	Antennas	SMW Series	\$ 164.10	694-894/1700-2700 MHz = 15Ft RF-195 SMA,2.4-2.5/4.9-6 GHz = 15Ft RF-195 RP-SMA, GPS = 15Ft RG-174 SMA
SMW-305-3C3J2C-WHT-12	Antennas	SMW Series	\$ 140.30	SMW Series (3 cables) â€œ Through Hole Mount â€œ White â€œ 12 inch cables Cable 1: LTE - 694-94/1700-2700 MHz = 12 inches LL-195 with SMA-plug Cable 2: WiFi â€œ 2.4-2.5/4.9-6 GHz = 12 inches LL-195 with Reverse Polarized SMA-plug Cable 3: GPS = 12 inches RG-174 with SMA-plug
SMW-305-3C3J2C-WHT-180	Antennas	SMW Series	\$ 164.00	694-894/1700-2700 MHz = 15Ft RF-195 SMA,2.4-2.5/4.9-6 GHz = 15Ft RF-195 RP-SMA, GPS = 15Ft RG-174 SMA
SMWG-305-3A3A2A-BLK-180	Antennas	SMW Series	\$ 173.90	694-894/1700-2700 MHz = 15 feet LL-195 with TNC-plug 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with TNC-plug GNSS = 15 feet RG-174 with TNC-plug (Black Radome)
SMWG-305-3C3C2C-BLK-180	Antennas	SMW Series	\$ 173.90	The SMWG-305 LTE-A Antenna features 3 elements in one black radome. This radome measures 4.2â€³ D x 3.2â€³ H (107 mm x 81 mm). The Cellular element is extremely wide banded covering the following: LTE at 700 MHz, 850 & 1900 3G Cellular bands, 1.7 & 2.1 AWS bands, as well as XLTE, LTE-A, LTE & 5G-ready 2.5 GHz. The second element can be used for WiFi at 2.4 & 5 GHz or it can be used for other wireless applications such as Public Safety at 4.9 GHz or DSRC at 5.9 GHz. The third element provides GNSS. GNSS operates on GPS, Galileo, Glonass, QZSS or Beidou at 1561, 1575, & 1602 MHz with 5 dBi gain.The second element can be used for WiFi at 2.4 & 5 GHz or it can be used for other wireless applications such as Public Safety at 4.9 GHz or DSRC at 5.9 GHz.
SMWG-305-3C3C2C-WHT-180	Antennas	SMW Series	\$ 173.90	The SMWG-305 LTE-A Antenna features 3 elements in one white radome. This radome measures 4.2â€³ D x 3.2â€³ H (107 mm x 81 mm). The Cellular element is extremely wide banded covering the following: LTE at 700 MHz, 850 & 1900 3G Cellular bands, 1.7 & 2.1 AWS bands, as well as XLTE, LTE-A, LTE & 5G-ready 2.5 GHz. The second element can be used for WiFi at 2.4 & 5 GHz or it can be used for other wireless applications such as Public Safety at 4.9 GHz or DSRC at 5.9 GHz. The third element provides GNSS. GNSS operates on GPS, Galileo, Glonass, QZSS or Beidou at 1561, 1575, & 1602 MHz with 5 dBi gain.The second element can be used for WiFi at 2.4 & 5 GHz or it can be used for other wireless applications such as Public Safety at 4.9 GHz or DSRC at 5.9 GHz.
SMWG-311-3A3A2A-BLK-180	Antennas	SMW Series	\$ 175.20	694-960/1700-3700 MHz = 15 feet LL-195 with TNC-plug 2.4-2.5/4.9-6 GHz = 15 feet LL-195 with TNC-plug GNSS = 15 feet RG-174 with TNC-plug (Black Radome)