



### Vehicle Summary

CUSTOMER/VEHICLE INFO		Description	Front Weight (LB)	Rear Weight (LB)	
A19049	VEHICLE MODEL YEAR	2019 MODEL YEAR	0	0	
S	PB1091	PRICE BOOK LEVEL	2019B Pricebook	0	0
S	002A02	CHASSIS (BASE MODEL)	TERRAPRO 64R DAYCAB	9463	5256
	MP2001	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0
S	013001	TYPE OF SERVICE	COMMERCIAL	0	0
S	505015	INITIAL REGISTRATION LOCATION	ALL 50 STATES, CARB ENGINE EMISSION (US17)	0	0
S	534014	LANGUAGE-PUBS/DECAL/SIGNS	ENGLISH	0	0
S	APPAA3	VEHICLE APPLICATION CLASS	CLASS B HIGHWAY-INNER CITY	0	0
S	0050S5	VEHICLE USE & BODY/TRAILER TYPE	REFUSE FRONT LOADER TRUCK	0	0
S	032A39	TERRAIN GRADE	NORMAL HIGHWAY, STARTING GRADES<12%	0	0
S	033A10	LOADING SURFACE	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0
S	0342A4	VEHICLE VOCATION	REFUSE / LANDFILL OPERATION	0	0

APPLICATION PACKAGES		Description	Front Weight (LB)	Rear Weight (LB)	
S	023AB3	APPLICATION RECOMMENDATIONS	WITHOUT SPECIAL SALES PACKAGE	0	0
S	022001	PILOT INSPECTION	NO PILOT REQUESTED	0	0

ENGINE/TRANSMISSIONS		Description	Front Weight (LB)	Rear Weight (LB)	
S	1000T0	ENGINE PACKAGE	MP7-325M MACK 325HP @ 1400-1900 RPM (PEAK) 2100 RPM (GOV) 1260 LB-FT, US'17	0	0
S	136AS6	TRANSMISSION	4500 RDS 6 SP-ALLISON RUGGED DUTY SERIES GEN 5 W/PROGNOSTICS	732	245
S	U6AA1X	ENGINE GOVERNOR TYPE	ENGINE GOVERNOR TYPE MIN-MAX	0	0
S	RSXT2X	TRANSMISSION ELECTRONICS	ALLISON VOC PKG# 180 RDS BASIC REFUSE, LBSS, PBAN, RDCI	0	0

EXHAUST/EMISSIONS		Description	Front Weight (LB)	Rear Weight (LB)
-------------------	--	-------------	-------------------	------------------

S	DPFAA3	<b>DPF DIESEL PARTICULATE FILTER</b>	CLEARTECH VV DPF VERTICAL LH SIDE BACK OF CAB W/SCR VERT RH SIDE BOC	0	0
S	CIR02R	<b>CARB 2008 IDLE REGULATION</b>	IDLE EMISSION CERTIFICATION, CARB 08	0	0
S	130AC7	<b>EXHAUST</b>	SINGLE VERTICAL RIGHT SIDE OUTBOARD MOUNTED STRAIGHT EXH STACK PLAIN END, SIDE OUTLET DIFFUSER	0	0
S	Q0AA1X	<b>EXHAUST SYSTEM MATERIAL FINISH</b>	W/O VERT EXH-BRIGHT FINISH	0	0
S	DF1041	<b>DEF TANK</b>	6.6 GALLON (25 L) 22" DIAMETER TANK MOUNTED BEHIND FUEL TANK, RIGHT SIDE MOUNTED	0	0
S	KSXC5X	<b>EXHAUST AFTERTREATMENT SYSTEM</b>	EXHAUST AFTER-TREATMENT SYSTEM DIESEL PARTIC FILTER CERAMIC PASSIVE REGEN	0	0
S	W4BC1X	<b>REGENERAT CONTROL SWITCH, DPF</b>	NO INHIBIT DPF REGENERATION SWITCH	0	0
S	78AC7X	<b>EMISSION ON BOARD DIAG CONTROL</b>	EMISSION OBD, DISPLAY ONLY, USA2018	0	0

<b>ENGINE EQUIPMENT</b>				<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
		<b>Description</b>			
S	125AA6	<b>AIR CLEANER</b>	13" (330 mm) DIAMETER BEHIND CAB W/SNORKEL, SINGLE ELEMENT DRY TYPE	0	0
S	113AA5	<b>AIR COMPRESSOR</b>	MERITOR/WABCO 636 (37.4 CFM)	0	0
S	132AB4	<b>ALTERNATOR</b>	DELCO 12V 130A (24SI) BRUSH-TYPE	16	0
S	316AA6	<b>BATTERIES</b>	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE	0	0
S	508018	<b>COOLING PERFORMANCE</b>	W/O AUXILIARY COOLING	0	0
S	119AE9	<b>COOLANT PROTECTION</b>	CHEVRON FULLY FORMULATED COOLANT W/ NITRATES (50/50 MIX DYED PINK) TO -34DEG	0	0
S	H8XZ1X	<b>RADIATOR BLIND</b>	W/O BUG SCREEN/WINTER FRONT	-8	3
S	HWXA1X	<b>COOLANT FILTER / CONDITIONER</b>	MACK COOLANT CONDITIONER	0	0
S	4TBZ1X	<b>ENGINE BLOCK HEATER RECEPTACLE (CA)</b>	W/O HEATER RECEPTACLE OPTION	0	0
S	118AB8	<b>FAN DRIVE</b>	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE	0	0
S	110AA5	<b>ENGINE BRAKE</b>	MACK MP7 POWERLEASH	36	5
S	293AA2	<b>FUEL-WATER SEPARATOR</b>	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)	0	0
S	J7XZ1X	<b>AUX. FUEL SYSTEM EQUIPMENT</b>	WITHOUT AUXILLIARY FUEL HEATING	0	0
S	E8XZ1X	<b>FUEL EQUIPMENT WATER HEATER (CA)</b>	W/O FUEL HEATER	0	0
S	393AD9	<b>BATTERY BOX - MOUNTING</b>	SINGLE BOX (3) BATTERY MAX PERP. TO FRAME 11" FROM NTOF	0	0
S	L5XA1X	<b>BATTERY BOX COVER</b>	MOLDED PLASTIC	0	0
S	LLXZ1X	<b>EMERGENCY START CONNECTIONS</b>	W/O EMERGENCY STARTING RECEPT.	0	0
S	318AA1	<b>BATTERY DISCONNECT SWITCH</b>	W/O BATTERY DISCONNECT SWITCH	0	0
S	Z8CZ1X	<b>FUEL LEAK DETECTOR (CA)</b>	WITHOUT NATURAL GAS FUEL LEAK DETECTOR	0	0
S	124AA2	<b>HOSES - RADIATOR/HEATER</b>	SILICONE RADIATOR AND HEATER HOSES	0	0
S	NCXA5X	<b>STARTER</b>	12 VOLT DELCO 39MT-MXT	0	0
S	QHXC1X	<b>OIL PAN</b>	OIL PAN	0	0
S	36AZ1X	<b>TETHER DEV PKG, CAPS &amp; COVERS</b>	W/O TETHER DEVICE	0	0

S	5NXZ1X	ENGINE BLOCK HEATER	W/O ENGINE HEATER	0	0
S	EFXZ1X	ENGINE OIL PAN HEATER	W/O OIL PAN HEATER	0	0
S	NDXZ1X	ENGINE STARTING AID	W/O ENGINE COLD START AID	0	0
S	HZXZ1X	ENGINE OIL DRAIN KIT	W/O OIL CHANGE SYSTEM	0	0
S	MOXZ1X	BATTERY SHOCK PADS	WITHOUT BATTERY SHOCK PADS	0	0
S	X0AB0X	SMART IDLE ELEVATED IDLE RPM TIME	INCREASE 10 MINUTE MAXIMUM TIME	0	0

			Front Weight (LB)	Rear Weight (LB)
CLUTCH/TRANS	EQUIPMENT	Description		
S	133AA1	CLUTCH	0	0
	195AB2	DRIVELINE - MAIN	3	3
	204AA7	DRIVELINE - INTERAXLE	0	0
S	7RXAEX	LUBRICANTS, TRANSMISSION	0	0
S	2XAZ1X	CLUTCH PEDAL PAD	0	0
	139AA7	TRANSMISSION OIL COOLER	0	0
S	83AZ1X	PROP SHAFT BEARING GUARD	0	0
S	76AA1X	PROPELLR SHAFT MAIN, UNVSL JNT	0	0
S	8WAAAX	PROP SHAFT INTERAXL UNIV JOINT	0	0
S	RGXZ1X	CLUTCH BRAKE	0	0
S	442022	TRANSMISSION TORQUE CONVERTER	0	0
S	M6CA3X	TRANSMISSION OIL MONITORING	0	0
S	U7AZ1X	TRANSMISSION PROTECTION	0	0
S	X9CZ1X	ENGINE SMART TORQUE FEATURE	0	0
S	D4AZ1X	AMT/AUTOMATIC TRANS PTO FUNCT.	0	0
S	6SAZ1X	TRANSMISSION KICK-DOWN MODE	0	0
S	M05015	TRANS SHIFT MODE POINTS	0	0

			Front Weight (LB)	Rear Weight (LB)
FRONT AXLE	EQUIPMENT	Description		
S	240AA3	FRONT AXLE	325	0
	244AC3	SPRINGS - FRONT	120	0
S	U3XA1X	BRAKE, FRONT	0	0
S	241021	FRONT AXLE BRAKES	0	0
S	UDXZ1X	FRONT AXLE BRAKE DUST SHIELD	0	0

S	U0AA1X	FRONT BRAKE ADJ. MANUFACTURE	HALDEX - AUTOMATIC	0	0
S	V7AD1X	FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTURER, MGM	0	0
S	LQXASX	BRAKE LINING MATERIAL FRONT	EATON ES-1100/600	0	0
S	0KXA1X	HUB MATERIAL, FRONT	FERROUS	0	0
S	1KAA1X	SHOCK ABSORBER, FRONT	DOUBLE ACTING TYPE	20	0
S	245AB3	STEERING	XD120 SHEPPARD STEERING GEAR (RATIO 23:1)	181	0
S	2SAZ1X	BUMP STOP, FRONT SUSPENSION	W/O STATIC LOAD CUSHIONS	0	0
S	O5BE1X	FRONT BRAKE CHAMBER SIZE	FRONT BRAKE CHAMBER 30SQ INCHES (SERVICE)	0	0

REAR AXLE EQUIPMENT			Description	Front Weight (LB)	Rear Weight (LB)
S	268AB1	REAR AXLES - TANDEM	38000# (17200kg) MACK S38R FABRICATED STEEL HOUSING	0	1420
S	6MAA1X	REAR AXLE CASING WIDTH (CA)	W/O WIDE TRACK AXLE OPTION	0	0
S	R4XZ1X	LUBE PUMP, REAR AXLE	W/O LUBE PUMP AND FILTER	0	0
S	018AA6	CARRIER - REAR AXLE	CRDP150/151	0	0
S	TAXAVX	REAR AXLE RATIO	3.79 RATIO	0	0
S	1860G6	REAR SUSPENSION - TANDEM	SS38 MACK MULTILEAF (CAMELBACK) 38000# CAPACITY, EXTRA THICK SPRING THICKNESS	0	1451
S	XZXC1X	REAR SUSP. BEAM BUSHINGS	URETHANE	0	9
S	GWXABX	BOGIE SPREAD, REAR	50" AXLE SPACING (BOGIE WHEELBASE)	0	-4
S	ZAX99X	SUSPENSION LEVELING DEVICE (CA)	W/O AIR SUSP HEIGHT CONTROL	0	0
S	YVXZ1X	REAR SHOCK ABSORBER	W/O REAR SHOCK ABSORBERS	0	0
S	XYXZ1X	TRANSVERSE TORQUE RODS, R SUSP	WITHOUT TRANSVERSE TORQUE RODS	0	-66
	253053	BRAKES - REAR	BENDIX NEXT GENERATION DRUM BRAKE, HEAVY DUTY 16.5 X 7 (9.65mm thick) (Total for QTY = 2)	0	0
S	U4XA1X	BRAKE DRUMS/ROTORS - REAR	CAST IRON	0	0
S	U1AA1X	REAR BRAKE ADJ MANUFACTURE	HALDEX - AUTOMATIC	0	0
S	V1AB1X	REAR BRAKE CHAMBER SIZE	REAR SPRING BRAKE CHAMBERS 30/30 TYPE	0	0
S	UEXZ1X	DRIVE AXLE BRAKE DUST SHIELD	OMIT	0	0
S	MAXF1X	BRAKE LINING MATERIAL DRIVE	BENDIX EES-600	0	0
S	0LXI5X	HUB MATERIAL, DRIVE	IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT	0	0
S	1CXI2X	HUB OIL SEAL, DRIVE	PREMIUM	0	0
S	N2AE1X	SPINDLE NUTS, MAIN AXLE	SPINDLE NUTS, MAIN AXLE, INTEGRATED	0	0
S	3LAC1X	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	0	40
S	7WXA1X	LUBRICANTS, REAR AXLE(s)	FACTORY OPTION LUBE - REAR AXLE	0	0
S	2AAAXX	REAR SPRING	RUBBER SHOCK INSULATORS	0	0

**INSULATOR MAT'L**

S	300AD0	<b>REAR BRAKE CHAMBER MFG.</b>	MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS (Total for QTY = 2)	0	0
S	254AA1	<b>TRACTION DIFFERENTIAL</b>	OMIT DIFFERENTIAL LOCKS	0	0
S	9GAAAX	<b>ABS SENSOR &amp; MODULATOR</b>	4S/4M SYSTEM REAR WHEEL END SENSORS	0	0
S	3GAA1X	<b>BRAKE CHMBR DIAPHRAGM MATERIAL</b>	W/O BRAKE DIAPHRAGM OPTION	0	0
S	698AA4	<b>ANTILOCK BRAKE SYSTEM</b>	BENDIX WITHOUT TRACTION CONTROL	0	0

				<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
<b>PUSHER/TAG AXLE EQUIPMENT</b>		<b>Description</b>			
S	MA41B4	<b>AUXILIARY AXLE WHEELS</b>	WITHOUT AUX AXLE WHEELS	0	0

				<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
<b>FRAME EQUIPMENT/FUEL TANKS</b>		<b>Description</b>			
S	271210	<b>WHEELBASE</b>	210"	20	20
S	374113	<b>AF (OVERHANG)</b>	113"	-83	384
S	274AB1	<b>FRAME RAILS</b>	STEEL-5/16" X 13 1/4" X 3 1/4"	0	0
S	Z9XB3X	<b>FRAME INNER LINER</b>	FULL INSIDE REINFORCEMENT, STEEL 1/4" 6.35	0	0
S	5CAZ1X	<b>FRONT FRAME EXT. (BOLTED ON)</b>	W/O FRONT FRAME EXTENSION	0	0
S	A0XJ5X	<b>FRONT FRAME LENGTH</b>	FRONT FRAME LENGTH 1187MM	113	-15
S	281A1I	<b>CROSSMEMBERS</b>	STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL	0	0
S	Q9AZ1X	<b>FRAME RAIL FREE SPACE</b>	W/O FRAME RAIL CLEARANCE	0	0
S	R0AZ1X	<b>FUEL TANK POLISH OPTION</b>	W/O BRIGHT FINISH FUEL TANKS	0	0
S	Q5AA1X	<b>REAR CROSSMEMBER OPTIONS</b>	FURNISH STANDARD STEEL CLOSING REAR CROSSMEMBER	0	0
S	2HXD1X	<b>MUDFLAP, FRONT AXLE</b>	12" FRONT FENDER MOUNTED	0	0
S	4DXM8X	<b>FRONT BUMPER</b>	EXTENDED-SWEPT BACK-STEEL (INCL. CENTER TOW PIN) N/A W/ FRONT FRAME EXT.	0	0
S	5EXZ1X	<b>GUARD, UNDER ENGINE BAYT</b>	W/O SKID PLATE	0	0
S	AXXA5X	<b>AUX CROSSM. IN REAR OVERHANG</b>	STEEL SINGLE CHANNEL (1)	0	0
S	4ZAZ1X	<b>CROSSMEMBER, BOGIE TYPE</b>	WITHOUT CROSSMEMBER, BOGIE	0	0
S	4EXD1X	<b>TOWING DEVICE, FRONT</b>	CENTER TOW CAPABILITY BASED ON BUMPER SELECTION	0	0
S	6PXZ1X	<b>TOWING DEVICE,REAR</b>	WITHOUT TOWING DEVICES ,REAR	0	0
S	288AA1	<b>FUEL TANK - LH</b>	WITHOUT LH FUEL TANK	0	0
	290AH1	<b>FUEL TANK - RH</b>	70 GALLON (265L) STEEL, 24" ROUND	69	69
S	JHXB1X	<b>FUEL HOSES, LIQUID</b>	BRAIDED HOSE	0	0
	HBXA1X	<b>FUEL TANK POSITION, LIQUID</b>	W/O RELOCATED FUEL TANK(S)	0	0
S	852072	<b>FILLER NECK</b>	FOR RH FUEL TANK, INCLUDES SUMP	0	0

SCREENS

<b>AIR/BRAKE</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	VHXECX	<b>AIR DRYER - MANUFACTURER</b> WABCO AIR DR,1800P W/O TURBO CUT OFF VALVE,W/COALESC OIL FILTER	0	0
S	UWXC1X	<b>AIRTANK DRAIN VALVE</b> MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS	0	0
S	U2XB1X	<b>AIRTANK MATERIAL</b> STEEL	0	0
S	7SAZ1X	<b>BODY BUILDER, AIR PREP KIT</b> W/O BODYBUILDER AIR LINES	0	0
S	KOXA1X	<b>AIR DRYER POSITION (CA)</b> W/O RELOCATION OPTION	0	0
S	1JAAAX	<b>PARKING BRAKE VALVE</b> SINGLE VALVE SYSTEM	0	0
S	MCXZ1X	<b>CHASSIS PACKAGING (CA)</b> WITHOUT CUSTOMER SPECIFIED CHASSIS PACKAGING	0	0
S	VSXZ1X	<b>AUXILLIARY AIRTANK</b> W/O INCREASED AIR RESERVOIR CAPACITY	0	0

<b>ELECTRICAL</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	4GAZ1X	<b>PARKING BRAKE LIGHTING</b> WITHOUT PARKING BRAKE LIGHTING	0	0
S	5RXZ1X	<b>BACK-UP ALARM</b> WITHOUT BACK-UP ALARM	0	0
S	M4XAAX	<b>AUX. POWER OUTLET, INTERIOR</b> COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT	0	0
S	LJXABX	<b>HEADLIGHT LAMP TYPE</b> HEADLAMP BULB TYPE, HALOGEN	0	0
S	NEXC1X	<b>TAIL LAMPS</b> INCANDESCENT TAIL LAMPS	0	0
S	2PAZ1X	<b>WARNING LIGHTS BODY</b> W/O PWR TERMINAL-STROBE LIGHT OPTION	0	0
	3BCA1X	<b>FRONT &amp; SIDE INDICATOR LMP TYP</b> W/O MARKER/DIR SIGNAL OPTION	0	0
S	LSXG6X	<b>DAYTIME RUNNING LIGHTS</b> PARK BRAKE ACTIVATED	0	0

<b>TRAILER CONNECTIONS</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	4BAZ1X	<b>EXT. INDICATOR LMP, MAIN SWTCH</b> W/O PWR INDICATOR LIGHT	0	0
S	WHXZ1X	<b>TRAILER CONNECTION POSITION (CA)</b> OMIT TRAILER AIR BRAKE CONNECTIONS	0	0
S	WGXB1X	<b>TRAILER BRAKE VALVE</b> W/O HAND CONTROL VALVE	0	0

<b>PTO/SPECIALTY EQUIPMENT</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	3OAZ1X	<b>ADDITIONAL ELECTRICAL SCHEMATIC</b> WITHOUT ADDITIONAL ELECTRICAL SCHEMATIC	0	0
S	826016	<b>HYDRAULIC PUMP</b> WITHOUT HYDRAULIC PUMP	0	0

S	6HBZ1X	<b>PROP SHAFT, MAIN TO AUX TRANSM (CA)</b>	WITHOUT PROP SHAFT FROM MAIN TO AUX TRANSMISSION	0	0
S	997AA2	<b>CERTIFIED WEIGHT</b>	CERTIFIED WEIGHT	0	0
S	7TXZ1X	<b>RUST PROTECTION (for frame), ADDITIONAL (CA)</b>	W/O RUST PREVENTATIVE OPTION	0	0
S	8FXU1X	<b>TRANSPORT ADAPTATION</b>	FURNISH DRILLINGS ONLY TIE DOWN BRKTS 173"WBNO FRAME MODIFICATIONS PROVIDED	0	0
S	T1XZ1X	<b>PTO ENGINE MOUNTED, REAR</b>	WITHOUT PTO ENGINE REAR	0	0
S	TYXZ1X	<b>POWER TAKE OFF CONTROL</b>	WITHOUT TRANSMISSION PTO CONTROL	0	0
S	183AA1	<b>CRANKSHAFT ADAPTER</b>	W/O FRONT END PTO DRIVE	0	0
S	L3XAHX	<b>BODY BUILDER MODULE</b>	EL PREP KIT,REFUSE (NO PASS THRU, 9 & 29 PIN BOC),CTRL LINK2	0	0
S	D5XZ1X	<b>UNIQUE DECALS MACHINE DIRECTIV (CA)</b>	W/O SPECIAL DECALS	0	0
S	T4X1PX	<b>PTO TRANSM. MOUNTED</b>	PREP KIT FOR EXTENDED SHAFT PTO	0	0

<b>CAB (A THRU G)</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>	
S	PVXA2X	<b>AIR RESTRICTION INDICATOR</b>	GRADUATED LOCK UP (AIR CLEANER INTAKE MOUNTED)	0	0
S	73AD1X	<b>ANTENNA - RADIO</b>	RADIO ANTENNA, CH STYLE COWL MOUNTED ON LH SIDE	0	0
S	71BZ1X	<b>ANTENNA, RADIO CONTROL (CA)</b>	W/O OPTION	0	0
S	0LAZ1X	<b>AUDIO SHUTOFF</b>	W/O AUTO RADIO SHUTOFF OPTION	0	0
S	R9AZ1X	<b>BLIND SPOT VISION SYS. REAR</b>	W/O REAR VIEW CAMERA PREP KIT	0	0
S	144AA2	<b>CAB</b>	CA531 LOW-PROFILE COE (WELDED STEEL GALVANIZED SHELL) INCLUDES MACK RUST PREVENTATIVE PROCEDURES	0	0
S	3CAZ1X	<b>CAB AUXILLARY FAN (CA)</b>	W/O CAB FAN, AUX AIR CIRC OPTION	0	0
S	424034	<b>CAB DOOR OPTIONS</b>	DOORS, FIBERGLASS INCL SLIDING TYPE SIDE WINDOWS, SCREENED VENT IN LH DOOR, PEEP WINDOW IN RH DOOR	0	0
S	0JAA1X	<b>CAB GRAB HANDLE</b>	STANDARD GRAB HANDLE OPTION RH & LH, BEHIND DOOR	0	0
S	4AXB1X	<b>CLIMATE UNIT</b>	MACK INTEGRAL W/HEATER (COMBO HEATER/AIR CONIDITIONER UNIT) W/R134a REFRIGERANT	0	0
S	75AZ1X	<b>CAB HEATER UNIT</b>	OMIT STD HEATER	0	0
S	Q2AA1X	<b>CAB INSTEP VERSION</b>	FURNISH STANDARD (2) STEP CAB ACCESS OPTION	0	0
S	2EXA1X	<b>CAB TILT PUMP</b>	LOCATED IN STD LOCATION	0	0
S	C7BZ1X	<b>CAB STEP PANEL PROTECTION</b>	W/O ANTISCUFF CAB ENTRY	0	0
S	6WXA1X	<b>CENTER CONTROLE CONSOLE</b>	CONSOLE INCLUDED WITH CONTROL LINK II	0	0
S	88AA1X	<b>EMBLEMS OPTION</b>	EMBLEMS OPTION, COMPLETE	0	0
S	786046	<b>FIRE EXTINGUISHER (CA)</b>	W/O FIRE EXTINGUISHER OPTION	0	0
S	31XABX	<b>FLOOR MATS</b>	FLOOR MAT, RUBBER	0	0
S	E3XG1X	<b>FORWARD OVERHEAD STORAGE</b>	FORWARD OVERHEAD STORAGE, RADIO SHELF, COVER, BLANK, BLANK	0	0
S	28XF1X	<b>FRONT GRILLE</b>	STANDARD FINISH	0	0
S	2RAA2X	<b>FUEL LEVEL SENDER UNIT, LIQUID</b>	BASIC FUEL LEVEL SENDER MOUNTED ON R.H TANK	0	0

S	D9AZ1X	<b>GAUGE - EXHAUST PYROMETER</b>	W/O EXHAUST PYROMETER GAUGE	0	0
S	E2AZ1X	<b>GAUGE - MANIFOLD PRESSURE</b>	W/O MANIFOLD PRESSURE GAUGE	0	0
S	E0AABX	<b>GAUGE - TRANSMISSION OIL TEMP</b>	TRANSMISSION GAUGE AND TRANS. OIL HIGH TEMPERATURE LIGHT	0	0
S	198048	<b>GAUGES - UNIT OF MEASURE</b>	U.S. UNITS (PREDOMINANT)	0	0
S	2VAZ1X	<b>GEARSHIFT INHIBITOR</b>	WITHOUT GEAR SHIFT INHIBITOR	0	0
S	A5BZ1X	<b>NUMBER OF AUXILIARY GAUGES, 1</b>	WITHOUT AUXILIARY GAUGES	0	0
S	17400N	<b>AUDIO ACCOMMODATION</b>	AM/FM PREMIUM STEREO, CD-PLAYER, MP3, WEATHERBAND, HANDSFREE INTERFACE, BLUETOOTH	0	0

<b>CAB (H THRU R)</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	154AA6	<b>HORN - AIR</b>	(1) TWIN-UNDER CAB TRUMPET (W/DASH MOUNTED AIR CONTROL VALVES)	0	0
S	LXXC1X	<b>HORN - ELECTRICAL</b>	SINGLE TONE	0	0
S	2QAA1X	<b>IGNITION TYPE</b>	KEY TYPE	0	0
S	160AA2	<b>KEYED ALIKE CHASSIS</b>	CHASSIS KEYED AT RANDOM - 2 KEYS	0	0
S	153AA1	<b>MIRRORS - CONVEX TYPE CAB DOORS</b>	WITH AERO MIRRORS	0	0
S	1520B2	<b>MIRRORS - EXTERIOR</b>	FLAT MIRROR - POLISHED ALUMINUM FINSH, W/O LAMPS	0	0
S	43X50X	<b>MIRRORS - PROXIMITY</b>	W/O OPTIONAL VISIBILITY MIRROR	0	0
S	0GAZ1X	<b>PERSONALIZED NAME PLATE</b>	W/O PERSONALIZED OPTION	0	0
S	1WAE1X	<b>POWER LEADS</b>	FURNISH IN OVERHEAD CONSOLE	0	0
S	312AA1	<b>ROOF MARKER LIGHT</b>	(7) MARKER AND CLEARANCE	0	0

<b>CAB (S THRU Z)</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	196096	<b>SEAT - DRIVER'S</b>	SEARS SEATING C-2 W/FABRIFORM CUSHIONS (MID BACK) AIR SUSPENSION	0	0
	1970G7	<b>SEAT - PASSENGER'S</b>	MACK FIXED (MID-BACK) NON-SUSPENSION	0	0
S	592072	<b>SEAT BELT(S)</b>	LAP & SHOULDER (BOTH SEATS) (NOT AVAILABLE WITH EXTENDED RIDER SEAT)	0	0
	4850X5	<b>SEAT COVERING</b>	FABRIFORM CLOTH, BLACK - DRIVER CLOTH & VINYL, BLACK - RIDER	0	0
S	2WXAAx	<b>STEERING WHEEL</b>	TWO SPOKE URETHANE GRIP CHARCOAL SPOKES	0	0
S	Z8XZ1X	<b>TIME COUNTER (CA)</b>	W/O INDEPENDENT ENGINE HOURMETER	0	0
S	T2AA1X	<b>WINDSHIELD PROTECTOR</b>	FURNISH WINDSHIELD PROTECTOR	16	0
S	87AA1X	<b>WINDSCREEN WND DEFLECTOR</b>	FURNISH STANDARD FINISH	0	0

<b>WHEELS &amp; TIRES</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	4WCC1X	<b>GHG STEER TIRE CATEGORY (PAWS)</b>	LOW ROLLING RESISTANCE, BETTER FUEL ECONOMY	0	0



S	900AC0	<b>TIRES BRAND/TYPE - FRONT</b>	315/80R22.5 L BRIDGESTONE M860A (ALL POSITIONS) (Total for QTY = 2)	322	0
S	H8CB1X	<b>TIRE SPEED LIMIT</b>	TIRE SPEED LIMIT BASIC	0	0
	531AD2	<b>WHEELS - FRONT</b>	22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HUB PILOTED (11 1/4"/286mm BC) (Total for QTY = 2)	217	0
	49AZ1X	<b>WHEEL FINISHING, FRONT</b>	W/O FRONT DISC WHEEL BRIGHT FINISH (Total for QTY = 2)	0	0
S	FWT002	<b>FRONT AXLE TIRE &amp; WHEEL QUANTITY</b>	TWO FRONT TIRES & WHEELS	0	0
S	4XCC1X	<b>GHG DRIVE TIRE CATEGORY (PAWS)</b>	LOW ROLLING RESISTANCE, BETTER FUEL ECONOMY	0	0
S	901AX1	<b>TIRES BRAND/TYPE - REAR</b>	11R22.5 G BRIDGESTONE R268 ECOPIA (ALL POSITIONS) (Total for QTY = 8)	0	971
	346AF4	<b>WHEELS - REAR</b>	22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HOLE HUB PILOTED, FIVE HAND HOLES (11 1/4"/286 mm BC) (Total for QTY = 8)	0	547
	235085	<b>REAR DISC WHEEL:POLISH</b>	W/O REAR DISC WHEEL BRIGHT FINISH (Total for QTY = 8)	0	0
S	RWT008	<b>REAR AXLE TIRE &amp; WHEEL QUANTITY</b>	EIGHT REAR AXLE TIRES & WHEELS	0	0
	H1EA1X	<b>DRIVE WHEEL STUDS</b>	DRIVE WHEEL STUDS BASIC LENGTH	0	0
S	FMXZ1X	<b>HUB/WHEEL ISOLATOR DRIVE</b>	W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM	0	0
S	80AA1X	<b>WHEEL NUT &amp; FINISH, FRONT</b>	W/O FRONT WHEEL NUT OPTION	0	0
S	3PBA1X	<b>WHEEL NUT FINISH, REAR (CA)</b>	WHEEL NUT BASIC FINISH, REAR	0	0
S	15XABX	<b>TIRE INFLATION VALVE</b>	PROVIDE STANDARD VALVE STEMS AND CAPS	0	0
S	6VXZ1X	<b>SPARE WHEEL</b>	W/O SPARE WHEEL W/TIRE	0	0

<b>COMMUNICATION SYSTEMS</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	M30060	<b>TELEMATIC GATEWAY</b>	GUARDDOG CONNECT WITH 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC SERVICES	0	0
	2JCA1X	<b>REMOTE DIAG SERVICES</b>	REMOTE DIAGONISTIC SERVICES, ENABLED	0	0
S	U5CD1X	<b>REMOTE SOFTWARE UPGRADE</b>	REMOTE SOFTWARE UPGRADE ENABLED	0	0

<b>VEHICLE ELECTRONICS</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	C7CZ1X	<b>CUSTOMER UNIQUE VEHICLE PARAM (CA)</b>	WITHOUT CUSTOMER UNIQUE VEHICLE PARAMETERS	0	0
S	G5AAHX	<b>ENGINE OVERSPEED,ALL COND, LOG</b>	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	0	0
S	G2AAGX	<b>ENGINE OVERSPEED,FUELED, LOG</b>	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	0	0
S	G4AAUX	<b>VEHICLE OVERSPEED,ALL COND,LOG</b>	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	0	0
S	G3AAPX	<b>VEHICLE OVERSPEED, FUELED, LOG</b>	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	0	0
S	G1AABX	<b>ENGINE IDLE DELAY TO LOG</b>	ENGINE IDLE DELAY TO START LOG, 2 MIN	0	0
S	W7AZ1X	<b>PERIODIC TRIP LOG HOUR OF DAY</b>	WITHOUT PERIODIC TRIP LOG, HOUR	0	0
S	W8AZ1X	<b>PERIODIC TRIP LOG</b>	WITHOUT PERIODIC TRIP LOG, DAY OF WEEK	0	0

		DAY OF WEEK			
S	W9A01X	<b>PERIODIC TRIP LOG DAY OF MONTH</b>	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	0	0
S	X5AB1X	<b>VEHICLE APP SERVICE INTERVALS</b>	SERVICE INTERVALS, VOCATIONAL APPLICATION	0	0
S	W8BAAX	<b>SERVICE ALERT</b>	WITH SERVICE ALERT	0	0
S	W5A90X	<b>MAINTENANCE DUE ALERT %</b>	ACTIVATE ALERT AT 90% OF THE TIME/DISTANCE SETTING	0	0
S	WOXA1X	<b>OIL PRESSURE, ENGINE SHUTDOWN</b>	OIL PRESSURE, ENGINE SHUTDOWN	0	0
S	WIXZ1X	<b>COOLANT LEVEL, ENGINE SHUTDOWN</b>	WITHOUT COOLANT LEVEL ENGINE SHUTDOWN	0	0
S	WMXA1X	<b>COOLANT TEMP, ENGINE SHUTDOWN</b>	COOLANT TEMP, ENGINE SHUTDOWN	0	0
S	K5XA2X	<b>ENGINE PROTECTION SYSTEM</b>	ENGINE PROTECTION (SHUTDOWN)	0	0
S	D0AZ1X	<b>ENG FAN CNTL, STAT VEHICLE</b>	WITHOUT ENG FAN CONTROL, STATIONARY VEHICLE	0	0
S	D1AZ1X	<b>ENG.FAN CNTL MVG VHC.TIME SET</b>	WITHOUT ENG FAN CONTROL, MOVING VEHICLE, TIME SETTING	0	0
S	C8AZ1X	<b>FAN ENGAGEMENT DUE TO PTO</b>	WITHOUT FAN ENGAGEMENT DUE TO PTO	0	0
S	C7AZ1X	<b>ENG FAN CNTL, A/C ON, TIME SET</b>	WITHOUT ENG FAN CONTROL, A/C ON, TIME SETTING	0	0
S	A4BAAX	<b>DETECTION SPEED SENSR TMPRNG</b>	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	0	0
S	8RXAEX	<b>ENG TORQUE LIMIT,SPEED SENSOR</b>	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	0	0
S	A3BZ1X	<b>HIGH IDLE SPEED-UPPER GRS RPM</b>	WITHOUT ENGINE HIGH IDLE SPEED IN UPPER GEARS	0	0
S	Z2CZ1X	<b>1ST RATIO FOR REDUCD HIGH IDLE</b>	WITHOUT 1ST RATIO FOR REDUCED HIGH IDLE	0	0
S	Z3CZ1X	<b>LAST RATIO FOR FULL HIGH IDLE</b>	WITHOUT LAST RATIO FOR FULL HIGH IDLE	0	0
S	F2AZ1X	<b>PTO 1ST, SINGLE SPEED CONTROL</b>	WITHOUT PTO 1ST, SINGLE SPEED CONTROL	0	0
S	F3AAEX	<b>PTO1 SINGLE SPEED CONTROL RPM.</b>	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	0	0
S	F5AABX	<b>PTO 1ST, MAX ROAD SPEED</b>	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	0	0
S	F6AABX	<b>PTO 1ST, SPEED RAMP RATE</b>	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	0	0
S	F7AAPX	<b>PTO 1ST, MAX ENGINE SPEED</b>	PTO 1ST, MAX ENGINE SPEED, 2100 RPM	0	0
S	F8AAGX	<b>PTO 1ST, ROAD SPEED LIMIT</b>	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)	0	0
S	X3AZ1X	<b>PTO 1ST,JUMP TO MIN ENG SPEED</b>	WITHOUT PTO 1ST, JUMP TO MINIMUM ENGINE SPEED	0	0
S	F9AABX	<b>PTO 1ST, MINIMUM ENGINE SPEED</b>	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM	0	0
S	G0AZ1X	<b>PTO 1ST,AUTO SET SINGLE SPEED</b>	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	0	0
S	H2AZ1X	<b>PTO 2ND, SINGLE SPEED CONTROL</b>	WITHOUT 2ND PTO, SINGLE SPEED CONTROL	0	0
S	H6AAEX	<b>PTO 2ND, SINGLE SPEED SETTING</b>	PTO2 SINGLE SPEED SETTING, 1000 RPM	0	0
S	H0AABX	<b>PTO 2ND, MAX ROAD SPEED</b>	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	0	0
S	G9AABX	<b>PTO 2ND, SPEED RAMP RATE</b>	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC	0	0
S	H7AANX	<b>PTO 2ND, MAX ENGINE SPEED</b>	PTO 2ND, MAX ENGINE SPEED, 2100 RPM	0	0
S	H5AAGX	<b>PTO 2ND, ROAD SPEED LIMIT</b>	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)	0	0

S	X4AZ1X	<b>PTO 2ND,JUMP TO MIN ENG SPEED</b>	WITHOUT PTO 2ND, JUMP TO MINIMUM ENGINE SPEED	0	0
S	G8AABX	<b>PTO 2ND, MINIMUM ENGINE SPEED</b>	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM	0	0
S	H4AZ1X	<b>PTO 2ND,AUTO SET SINGLE SPEED</b>	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	0	0
S	Y9CZ1X	<b>TRANS PTO1 SPLITTER RANGE</b>	W/O PTO1 FOR SPLITTER RANGE	0	0
S	Z1CZ1X	<b>TRANS PTO2 SPLITTER RANGE</b>	W/O PTO2 SPLITTER RANGE	0	0
S	W5BZ1X	<b>MAXIMUM ENG SPEED AT 0 MPH</b>	WITHOUT MAXIMUM ENGINE SPEED AT 0 MPH	0	0
S	JCXE6X	<b>ROAD SPEED LIMITER SETTING</b>	105 KM/HOUR ROAD SPEED LIMITER(65 MILES/HOUR)	0	0
S	Y3CC5X	<b>PEDAL RSL SETTING</b>	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)	0	0
S	U4AZ1X	<b>LOW GEAR LIMITING FEATURE</b>	WITHOUT LOWER GEAR VEHICLE LIMITING FEATURE	0	0
S	U5AZ1X	<b>LOW GEAR LIMITING SPEED</b>	WITHOUT LOW GEAR VEHICLE LIMITING SPEED	0	0
S	L1CZ1X	<b>PDLO ENGAGE VLS FEATURE</b>	DISABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	0	0
S	L2CA1X	<b>PDLO ENGAGED VLS</b>	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)	0	0
S	JFXLLX	<b>CRUISE CONTROL, MAX SPEED</b>	MAX CRUISE, 105 KPH (65 MPH)	0	0
S	E3AACX	<b>CRUISE CONTROL MIN SPEED</b>	MIN CRUISE, 32 KPH (20 MPH)	0	0
S	E4AZ1X	<b>CRUISE RESUME WITH CLUTCH</b>	WITHOUT CRUISE RESUME WITH CLUTCH	0	0
S	E5AACX	<b>ENG BRK ENGAGE IN CRUISE</b>	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED	0	0
S	JDXA1X	<b>CRUISE CONTROL</b>	WITH CRUISE CONTROL	0	0
S	L6CZ1X	<b>PTO1 HOLD TO NEAREST RPM</b>	WITHOUT PTO1 HOLD	0	0
S	L7CZ1X	<b>PTO1 ACCEL BUMP-UP RPM</b>	WITHOUT PTO1 ACCEL "BUMP-UP"	0	0
S	L8CB1X	<b>PTO1 DECEL BUMP-DOWN RPM</b>	PTO1 DECEL "BUMP-DOWN" 50RPM	0	0
S	L3CZ1X	<b>PTO2 HOLD TO NEAREST RPM</b>	WITHOUT PTO2 HOLD	0	0
S	L4CZ1X	<b>PTO2 ACCEL BUMP-UP RPM</b>	WITHOUT PTO2 ACCEL "BUMP-UP"	0	0
S	L5CZ1X	<b>PTO2 DECEL BUMP-DOWN RPM</b>	WITHOUT PTO2 DECEL "BUMP-DOWN"	0	0
S	K7XH3X	<b>ENGINE IDLE CONTROL</b>	IDLE CONTROL, 650 RPM	0	0
S	M6AZ1X	<b>ENGINE IDLE ADJUST</b>	WITHOUT ENGINE IDLE ADJUST	0	0
S	M3CA1X	<b>IDLE S/D ABS TAMPER CHECK</b>	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	0	0
S	B2AZ1X	<b>ENGINE IDLE COOLDOWN</b>	ENGINE IDLE COOLDOWN, DISABLE	0	0
S	A3AZ1X	<b>IDLE SHUTDOWN</b>	ENGINE IDLE SHUTDOWN, DISABLE	0	0
S	E0XGAX	<b>ENGINE IDLE SHUTDOWN TIME</b>	IDLE SHUTDOWN TIME 10 MIN.	0	0
S	B1ACAX	<b>IDLE S/D WARNING TIME</b>	30 SEC IDLE S/D WARNING TIME	0	0
S	A8AALX	<b>IDLE S/D IF WARM-UP TEMP</b>	38C DEG (100F), WARM UP TEMP DELAY	0	0
S	A4AAEX	<b>IDLE S/D WARM-UP TIMER</b>	5 MIN. WARM UP TIME DELAY	0	0
S	A7AZ1X	<b>IDLE S/D IF EHT ACTIVE</b>	WITHOUT ENGINE IDLE SHUTDOWN TIME OVERRIDE IF EHT ACTIVE	0	0
S	A6AABX	<b>IDLE S/D IF PTO</b>	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE	0	0

**ACTIVE**

S	B0AAAX	<b>IDLE SHUTDOWN IF POWER &gt; LIMIT</b>	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	0	0
S	M4CZ1X	<b>IDLE S/D OVERRIDE %ENGINE LOAD</b>	WITHOUT IDLE SHUTDOWN OVERRIDE	0	0
	C0Z01Z	<b>IDLE SHUTDOWN CONTROL</b>	NO IDLE S/D SLPR MODE OVERRIDE	0	0
S	D2AADX	<b>AMBIENT TEMP MIN TRESHOLD</b>	AMBIENT TEMP MIN TRESHOLD, 10 DEG C, (50 DEG F)	0	0
S	D3AAEX	<b>AMBIENT TEMP MAX TRESHOLD</b>	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	0	0
S	B3ABAX	<b>EL HD THROTTLE,MAX ROAD SPEED</b>	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KM/H (10 MPH)	0	0
S	B6ACEX	<b>EL HAND THROTTLE,MAX ENG SPEED</b>	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	0	0
S	B4ADAX	<b>EL HAND THROTTLE,MIN ENG SPEED</b>	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	0	0
S	B9AABX	<b>EL HD THROTTLE,SPEED RAMP RATE</b>	ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC	0	0
S	B7AZ1X	<b>EL HD THROTTLE,SGL SPEED CNTRL</b>	WITHOUT ELECTRONIC HAND THROTTLE, SINGLE SPEED CONTROL	0	0
S	B8AZ1X	<b>EL HAND THROTTLE,SGL SPEED SET</b>	WITHOUT ELECTRONIC HAND THROTTLE, SINGLE SPEED SETTING	0	0
S	C0AZ1X	<b>EHT, JUMP TO MIN ENG SPEED</b>	WITHOUT ELECTRONIC HAND THROTTLE, JUMP TO MIN. ENGINE SPEED	0	0
S	L9CZ1X	<b>EHT HOLD TO NEAREST RPM</b>	WITHOUT ELECTRONIC HAND THROTTLE HOLD	0	0
S	M1CZ1X	<b>EHT ACCEL BUMP-UP RPM</b>	WITHOUT ELECTRONIC HAND THROTTLE ACCEL "BUMP-UP"	0	0
S	M2CZ1X	<b>EHT DECEL BUMP-DOWN RPM</b>	WITHOUT ELECTRONIC HAND THROTTLE DECEL "BUMP-DOWN"	0	0
S	X1AZ1X	<b>DRL OVERRIDE SW TIMED</b>	WITHOUT DAYTIME RUNNING LAMP OVERRIDE SW	0	0
S	X2AZ1X	<b>DRL OVERRIDE SPEED THRESHOLD</b>	WITHOUT DRL OVERRIDE SPEED THRESHOLD	0	0

<b>PAINT</b>		<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>	
S	950AA4	<b>PAINT/VINYL STRIPING - CAB EXTERIOR</b>	SINGLE COLOR	0	0
S	924014	<b>PAINT TYPE</b>	SOLID PAINT	0	0
S	944AA7	<b>PAINT COLOR - FIRST COLOR</b>	MACK WHITE (HIGH GLOSS)	0	0
S	945998	<b>PAINT COLOR - SECOND COLOR</b>	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	0	0
S	946998	<b>PAINT COLOR - THIRD COLOR</b>	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	0	0
S	MPB944	<b>CAB COLOR</b>	SAME AS FIRST COLOR - CAB	0	0
S	996AA3	<b>PAINT - CAB PAINT SYSTEM</b>	PAINT - CAB, URETHANE CLEAR COAT	0	0
	941998	<b>PAINT: CAB INTERIOR</b>	W/O SPECIAL CAB INTERIOR PAINT (PAINT EXTERIOR COLOR)	0	0
	922001	<b>CHASSIS RUNNING GEAR PROCESS CODE</b>	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	0	0
S	951AA6	<b>PAINT - CHASSIS RUNNING GEAR</b>	MACK BLACK (URETHANE)	0	0
S	958018	<b>PAINT:BUMPER</b>	PAINT BUMPER SAME COLOR AS CHASSIS RUNNING GEAR	0	0

S	940998	<b>MIRROR COVER COLOR</b>	WITHOUT MIRROR COVER PAINT	0	0
S	959069	<b>PAINT:FUEL TANK</b>	PAINT FUEL TANK SAME COLOR AS CHASSIS RUNNING GEAR	0	0
	07XC1X	<b>FRONT WHEEL PAINT</b>	PRE-FINISHED POWDER COAT WHITE	0	0
	08XC1X	<b>DRIVE WHEEL PAINT</b>	PRE-FINISHED POWDER COAT WHITE	0	0
S	954AA1	<b>PAINT:DISC WHEELS-FRONT</b>	WITHOUT PAINT	0	0
S	955AA1	<b>PAINT:DISC WHEELS-REAR</b>	WITHOUT PAINT	0	0
S	956016	<b>PAINT:DEMOUNT.RIMS-FRONT</b>	WITHOUT PAINT	0	0
S	957027	<b>PAINT:DEMOUNT.RIMS-REAR</b>	WITHOUT PAINT	0	0
S	962032	<b>PAINT:HUBS &amp; DRUMS-FRONT</b>	SAME AS CHASSIS RUNNING GEAR	0	0
S	963033	<b>PAINT:HUBS &amp; DRUMS-REAR</b>	SAME AS CHASSIS RUNNING GEAR	0	0

<b>CALCULATED CODES - KAX</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
	4CAACX	<b>NUMBER OF OPTIONAL SWITCHES</b>	NUMBER OF OPTIONAL SWITCHES, 3	0	0
S	9JXA1X	<b>PROPCALC SELECTION (CA)</b>	YES, THE ORDER MUST BE CALCULATED	0	0
	TJXA2X	<b>NUMBER OF PROP.SHAFTS</b>	TWO PIECE PROP.SHAFTS	0	0
	TFXPCX	<b>PROP.SHAFT LENGTH, MAIN AXLE</b>	MAIN PROP.SHAFT LENGTH 1200	0	0
	TDXRCX	<b>PROP.SHAFT LENGTH, FIRST AXLE</b>	FIRST PROP.SHAFT LENGTH 1300	0	0
	TNXCRX	<b>PROP.SHAFT FIRST BRKT VERTICAL</b>	PROP.SHAFT FIRST BRKT, POS 14	0	0
	XMXA1X	<b>PROP SHAFT BRKT, FIRST, ANGLE</b>	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	0	0

<b>BASE WARRANTY &amp; PURCHASED COVERAGES</b>			<b>Description</b>	<b>Front Weight (LB)</b>	<b>Rear Weight (LB)</b>
S	M98018	<b>WARRANTY REGISTRATION LOCATION</b>	US - WARRANTY REGISTRATION LOCATION	0	0
S	898003	<b>VEHICLE WARRANTY TYPE</b>	HEAVY DUTY WARRANTY CLASSIFICATION	0	0
S	M50030	<b>BASIC CHASSIS COVERAGE</b>	HEAVY DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000 KM)	0	0
S	M51021	<b>ENGINE WARRANTY</b>	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES (402,000KM)	0	0
S	M52022	<b>EMISSION COMPONENT COVERAGE</b>	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE 60 MONTHS/100,000 MILES (161,000 KM)	0	0
S	M53Z1X	<b>MACK ENGINE EXHAUST AFTER TREATMENT COVERAGE</b>	W/O MACK ENGINE EXHAUST AFTERTREATMENT TREATMENT PROTECTION PLAN	0	0
S	M540B4	<b>TRANSMISSION WARRANTY</b>	ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data	0	0
S	M55035	<b>CARRIER &amp; AXLE HOUSING WARRANTY</b>	STANDARD MACK HEAVY DUTY COVERAGE 36 MONTHS / 350,000 (563,000 KM)	0	0
S	M56026	<b>AIR CONDITIONING WARRANTY</b>	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE	0	0

S	M57027	<b>CHASSIS TOWING WARRANTY</b>	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000 MILES	0	0
S	M58028	<b>ENGINE TOWING WARRANTY</b>	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES (402,000 KM)	0	0
S	M61Z1X	<b>ALTERNATOR &amp; STARTER WARRANTY</b>	W/O ALTERNATOR and STARTER EXTENDED WARRANTY COVERAGE	0	0
S	M59Z1X	<b>STARTER WARRANTY</b>	W/O STARTER PURCHASED COVERAGE	0	0
S	M60Z1X	<b>ALTERNATOR WARRANTY</b>	W/O ALTERNATOR PURCHASED COVERAGE	0	0
S	M690F9	<b>GUARDDOG CONNECT BUNDLE</b>	24 MONTH - GUARDDOG CONNECT WITH MACK OTA (with ASIST and Mack OneCall))	0	0
S	M72Z1X	<b>OMNITRACS FOR MACK TRUCKS</b>	WITHOUT OMNITRACS FOR MACK TRUCKS	0	0
S	M68Z1X	<b>PARTNERED SERVICES</b>	W/O TELOGIS PACKAGE	0	0
S	M65Z1X	<b>PREMIUM MAINTENANCE PLAN 1 &amp; PLAN 2</b>	W/O PREMIUM MAINTENANCE PLAN	0	0
S	M66Z1X	<b>PREMIUM MAINTENANCE AFTERTREATMENT PLAN</b>	W/O AFTERTREATMENT PREMIUM MAINTENANCE PLAN	0	0
S	M67017	<b>PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION</b>	W/OUT PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION COVERAGE	0	0
S	M99000	<b>CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS</b>	W/O CUSTOM/BUNDLED PURCHASE COVERAGE OPTION	0	0

**Totals**

---

Total Weight (LB)	11553	10331
Total Weight (LB)		21884



Side View

VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY				
Description	Sales Code	Dwg Ref	Length	UOM
Front Frame Extension	N/A	FE	0.0	INCHES
Bumper to Front Axle	N/A	BA	59.5	INCHES
Wheelbase	N/A	WB	210.0	INCHES
Rear Overhang	N/A	OH	113.0	INCHES
Overall Length	N/A	OL	382.5	INCHES
Bumper to Back of Cab	N/A	BBC	63.0	INCHES
Eff. Bumper to Back of Cab	N/A	EBBC	85.0	INCHES
Eff. Cab to Rear Axle	N/A	ECA	184.5	INCHES
Eff. Front Axle to Back of Cab	N/A	EAC	25.5	INCHES
Eff. Cab to End of Frame	N/A	ECEF	297.5	INCHES
Unladen 5th Wheel Height	E5BZ1X	5W	0.0	INCHES
Unladen Frame Height	N/A	FH	42.3	INCHES
Cab Height	N/A	CH	0.0	INCHES
Overall Height	N/A	OVH	42.3	INCHES
Driver CG	N/A	DCG	13.8	INCHES
50" AXLE SPACING (BOGIE WHEELBASE)	GWXABX	BS	50.0	INCHES
Second Front Axle Spacing		SFAS	0.0	INCHES





