

Category	Item #	Item Type	Notes	Description	MSRP	EAN code
8K Cameras						
Camera - Network	TNB-9000	8K Network Box Camera	Special Order / Please Contact HFA Sales to confirm Lead Time	43.3mm full-frame CMOS Image Sensor, Max. 15fps@8K, 20fps@24MP, 30fps@15MP, 60fps@4K, Compatible with Canon EF mount Lenses, 12VDC, AI based analytics	\$ 15,000.00	8801089175298
4K Cameras & up						
Camera - Network	PNM-9320VP	5 Channel 2MP / 5MP X 4 - 2MP 32x PTZ		Network vandal outdoor camera that combines Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP - 20MP (2MP @ 60fps or 5MP @ 30fps) fixed focal lens modules and 2MP 32x optical zoom PTZ, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR @ 2MP or 1200B @ 5MP, defocus detection, built-in analytics, 4x SD card, half view, HLC, defocus detection, SFP slot, DIS(Gyro Sensor), H.265/1080P, 40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm), SLA-2M1200P (12mm) SMP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm)	\$ 6,200.00	8801089145520 8801089136270
Camera - Network	PNM-9321VP	5 Channel 2MP / 5MP X 4 - 2MP 32x PTZ with audio	With Audio	Network vandal outdoor camera that combines Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP - 20MP (2MP @ 60fps or 5MP @ 30fps) fixed focal lens modules and 2MP 32x optical zoom PTZ, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR @ 2MP or 1200B @ 5MP, defocus detection, built-in analytics, Audio I/O (PTZ CHS only), 4x SD card, half view, HLC, defocus detection, SFP slot, DIS(Gyro Sensor), H.265/1080P, 40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm), SLA-2M1200P (12mm) SMP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm)	\$ 6,200.00	8801089168618
Camera - Network	PNM-9084QZ	2MP X 4 outdoor Dome, PTZR		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 4 sensors) 8MP @ 60fps, motorized varifocal lens 2x (3.0-6.0mm) (107°~56.3°), PTZR (Pan/Tilt/Rotate/Zoom) remote adjustment, triple code H.265H/264M/JPEG with WiseStream II technology, 1200B WDR, defocus detection, built-in analytics, true DN, 4x SD card, half view, HLC, defocus detection, Bi-Directional Audio, Alarm I/O I/F, H.265/1080P (included), IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 2,200.00	8801089169887
Camera - Network	PNM-9084RQZ	2MP X 4 outdoor Dome, PTZR w/IR		2MP X 4-ch multi-directional camera, Motorized PTZR support, Max. 60fps@2MP/5MP, H.264, 3.2-10mm(3.1x) motorized varifocal lens, IR viewable length : 30m, H.265, H.264, MJPEG codec, Multi streaming, Video analytics, WiseStream II, IP66, IK10, NEMA4X	\$ 2,880.00	8801089168979
Camera - Network	PNM-9085RQZ	5MP X 4 outdoor Dome, PTZR w/IR		5MP X 4-ch multi-directional camera, Motorized PTZR support, Max. 30fps@5MP/1080P, H.264, 4.13-9.4mm(2.3x) motorized varifocal lens, IR viewable length : 30m, H.265, H.264, MJPEG codec, Multi streaming, Video analytics, WiseStream II, IP66, IK10, NEMA4X	\$ 3,800.00	8801089169924
Camera - Network	PNM-9080VQ	2MP X 4 outdoor Dome	Limited Stock Comparable model PNM-9084RQZ	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 4 sensors) 8MP @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°~27.9°), triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR, defocus detection, built-in analytics, true DN, 4x SD card, half view, HLC, defocus detection, DIS(Gyro Sensor), 12VDC/PoE, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 2,450.00	8801089097065
Camera - Network	PNM-9081VQ	5MP X 4 outdoor Dome	Limited Stock Comparable model PNM-9085RQZ	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (5MP X 4 sensors) 20MP @ 30fps, motorized varifocal lens 2x (3.0-8.4mm) (102.5° ~ 38.7°), triple code H.265H/264M/JPEG with WiseStream II technology, 1200B WDR, defocus detection, built-in analytics, true DN, 4x SD card, half view, HLC, defocus detection, DIS(Gyro Sensor), 12VDC/PoE (Power adaptor is included), IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 3,700.00	8801089100610
Camera - Network	PNM-9000QB	Remote head 2MP X 4CH camera		WNT multi head camera, 4 x 2MP @ 30fps, triple code H.265H/264M/JPEG, extreme WDR 1500b, dual SD cards slots, Wisenet II, half view, HLC, defocus detection, audio In/out, HDMI out 12VDC/PoE+, DIS support, analytics-defocus, directional, motion, enter/left, tampering, virtual lens, I/O In/out, Compatible with SLA-T4680A/T4680A, SLA-T2480A/T2480A, SLA-T11080FA	\$ 660.00	8801089192301
Camera - Network	PNM-9000VQ	2MP / 5MP X 4	Limited Stock Comparable model PNM-9002VQ	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP - 20MP (2MP @ 60fps or 5MP @ 30fps) fixed focal lens modules, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR @ 2MP or 1200B @ 5MP, defocus detection, built-in analytics, PTZ handover, 4x SD card, half view, HLC, defocus detection, DIS(Gyro Sensor), PoE+, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm) SMP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm)	\$ 1,700.00	8801089109712 8801089144225
Camera - Network	PNM-9002VQ	2MP / 5MP X 4	Wisenet S 5c	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP - 20MP (2MP @ 60fps or 5MP @ 30fps) fixed focal lens modules, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR @ 2MP or 1200B @ 5MP, defocus detection, built-in analytics, PTZ handover, 4x SD card, half view, HLC, defocus detection, DIS(Gyro Sensor), PoE+, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm) SMP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm) WHITE COLOR	\$ 1,700.00	8801089176516
Camera - Network	PNM-9002VQS	Stainless Steel Multi-sensor Camera	Special order only (15 week lead time)	Stainless steel outdoor Multi-sensor dome camera, (2MP/5MP X 4 sensors sold separately) 8MP - 20MP (2MP @ 60fps or 5MP @ 30fps) fixed focal lens modules, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR @ 2MP or 1200B @ 5MP, defocus detection, built-in analytics, PTZ handover, 4x SD card, half view, HLC, defocus detection, DIS(Gyro Sensor), PoE+, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm) SMP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm)	\$ 4,700.00	846868017029
Camera - Network	PNM-9000VD	5MP X 2 outdoor Dome		Network vandal outdoor Multi-sensor Multi-Directional dome camera, (5MP X 2 sensors sold separately) 10MP @ 30fps, modular lenses from 3.7, 4.6 and 7.0mm lenses, triple code H.265H/264M/JPEG with WiseStream II technology, 1200B WDR, built-in analytics, 2x SD card, half view, HLC, defocus detection, DIS, PoE, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,100.00	8801089154200
Camera - Network	PNM-9082VT	3CH x 2MP		Powered by WNT, 2MP x 3CH @ 30FPS, multi directional camera, 3-6mm motorized varifocal lens, donut shape bubble, max 321° coverage, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR, defocus detection, built-in analytics, PoE+, IP66, IK10, NEMA4X operating temp: -40°C~+55°C	\$ 1,700.00	8801089191953
Camera - Network	PNM-7000VD	2MP X 2 outdoor Dome	Limited Stock Comparable model PNM-7002VD	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 2 sensors sold separately) 4MP @ 60fps, modular lenses from 2.4, 2.8, 3.6 and 6mm lenses, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR, built-in analytics, 2x SD card, half view, HLC, defocus detection, DIS, PoE, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,100.00	8801089109620
Camera - Network	PNM-7002VD	2MP X 2 outdoor Dome	Wisenet S 5c	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 2 sensors sold separately) 4MP @ 60fps, modular lenses from 2.4, 2.8, 3.6 and 6mm lenses, triple code H.265H/264M/JPEG with WiseStream II technology, 1500B WDR, built-in analytics, 4x SD card, half view, HLC, defocus detection, DIS, PoE, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,100.00	8801089176691
Camera - Network	PNM-9030V	15MP Panoramic Camera		Network vandal outdoor Multi-sensor dome camera, panoramic 180° / 220° view, (5MP X 4 sensors) 15MP @ 30fps, triple code H.265H/264M/JPEG with WiseStream II technology, built-in video analytics and sound classification, Heatmap, PoE+, IP66/IK10	\$ 2,700.00	8801089128267
Camera - Network	PNM-9022V	8.3MP Panoramic Camera		WNT Panoramic Multi-sensor camera, 180° view, (2MP X 4 sensors) 8.3MP @ 30fps, panoramic 20P view, 8.3MP, triple code H.265H/264M/JPEG with WiseStream II technology, extreme WDR 1200b, defocus detection, built-in analytics, Heatmap, Micro USB for easy installation, 2 x Micro SD cards PoE+, IP66/IK10, NEMA4X	\$ 800.00	8801089158689
Camera - Network	PNM-9020V	7.3MP Panoramic Camera	Limited Stock Comparable model PNM-9022V	Network vandal outdoor Multi-sensor dome camera, panoramic 180° view, (2MP X 4 sensors) 7.3MP @ 30fps, triple code H.265H/264M/JPEG with WiseStream II technology, defocus detection, PTZ handover and built-in analytics, Heatmap, PoE+, IP66/IK10	\$ 800.00	8801089088789 8801089097568
Camera - Network	PNP-8200RH	4K IR 20x PTZ		Network PTZ camera, 4K (8MP) @ 30FPS, triple code H.265H/264M/JPEG with WiseStream II technology, 20x optical zoom, 1200B WDR, built-in IR 655R (200m), mechanical anti-vibration, auto tracking, built-in video analytics, true DN, 24VAC, IP66, IK10, 40°C ~ +55°C (-58°F ~ +131°F)	\$ 5,350.00	8801089101561
Camera - Network	PND-AS081RF	4K IR Indoor Flush Mount Dome AI Camera		4K Network AI IR Dome Camera, Max. 4K resolution, 0.05Lux@1.0 (Color), 0.1Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification/Person, Face, Vehicle, License Plate, Attribute, BestShot, Compatible with Wisenet Retail Insight V2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, PoE+	\$ 1,950.00	8801089171955
Camera - Network	PND-AS081RV	4K IR Indoor Vandal Dome AI Camera		4K Network AI IR Vandal Dome Camera, Max. 4K resolution, 0.05Lux@1.0 (Color), 0.1Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification/Person, Face, Vehicle, License Plate, Attribute, BestShot, Compatible with Wisenet Retail Insight V2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, PoE+	\$ 1,950.00	8801089171849
Camera - Network	PNV-AS081R	4K IR Outdoor Vandal Dome AI Camera		4K Network AI IR Vandal Dome Camera, Max. 4K resolution, 0.05Lux@1.0 (Color), 0.1Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification/Person, Face, Vehicle, License Plate, Attribute, BestShot, Compatible with Wisenet Retail Insight V2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, PoE+	\$ 2,150.00	8801089171634
Camera - Network	PNO-AS081R	4K IR Bullet AI camera		4K Network AI IR Bullet Camera, Max. 4K resolution, 0.05Lux@1.0 (Color), 0.1Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification/Person, Face, Vehicle, License Plate, Attribute, BestShot, Compatible with Wisenet Retail Insight V2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, PoE	\$ 2,050.00	8801089169961
Camera - Network	PNB-A901	4K Box AI camera		4K AI Network Box Camera, Max. 4K resolution, 0.02Lux@1.2(Color), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification/Person, Face, Vehicle, License Plate, Attribute, BestShot, Compatible with Wisenet Retail Insight V2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, PoE+	\$ 1,500.00	8801089171597
Camera - Network	XNR-9300RW	4K IR, Wiper PTZ		Powered by WNT, 4K @ 30FPS resolution, 5mm-150mm (30x) lens, built-in wiper and adaptive WISE IR (200m), extreme WDR 1200B, Day & Night/ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, H.265, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, H.265/1080P (included), Compatible with I/O Box SPM-4210	\$ 4,900.00	8801089191847
Camera - Network	XNO-9082R	4K IR Bullet Camera		Wisenet 7 X series network IR bullet camera, 4K (8MP Max) @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs for night vision, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/2A/VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189486
Camera - Network	XNV-9082R	4K IR Outdoor Vandal Dome		Wisenet 7 X-plus series network IR vandal outdoor camera, 4K (8MP Max) @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs for night vision, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/2A/VAC/PoE, IP67/IP66/IP69K, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189387
Camera - Network	XND-9082RF	4K IR Flush Mount Dome		Wisenet 7 X-plus series network IR flush mount camera (plenum), 4K (8MP Max) @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs for night vision, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/PoE, IP66, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189240
Camera - Network	XNO-9082RV	4K IR Indoor Dome		Wisenet 7 X-plus series network IR vandal indoor camera, 4K (8MP Max) @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs for night vision, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/PoE, IP66, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189073
Camera - Network	XNB-9002	4K Box Camera		Wisenet 7 X series network box camera, 4K (8MP Max) @ 30fps, triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/2A/VAC/PoE, -10°C ~ +55°C (-14°F ~ +131°F)	\$ 1,000.00	8801089189196
Camera - Network	XNF-9010RV	12MP, WNT Fisheye		Powered by WNT, 12.3" 12MP CMOS, max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream II support, IR LEDs, view length 32.8° (10m), Virtual channel support, PlugIn support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, PoE, 12VDC	\$ 1,200.00	8801089193384
Camera - Network	XNF-9010RM	12MP, WNT Fisheye	Special Order	Powered by WNT, 12.3" 12MP CMOS, max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream II support, IR LEDs, view length 32.8° (10m), Virtual channel support, PlugIn support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, EN50155 class 2, PoE, 12VDC, supports M12, Special order	\$ 1,200.00	8801089193452
Camera - Network	PNV-9080R	12MP, 4K IR Outdoor Vandal Dome	Limited Stock Comparable model XNV-9082R	Network IR vandal outdoor dome camera, 4K (12MP Max), triple code H.265H/264M/JPEG with WiseStream II technology, 4.5-10mm motorized varifocal lens, 1200B WDR, defocus detection, PTZ hand over, built-in video analytics, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,699.00	8801089076230 8801089101092
Camera - Network	PND-9080R	12MP, 4K IR Indoor Dome	Limited Stock Comparable model XND-9082R	Network IR indoor dome, 4K (12MP Max), triple code H.265H/264M/JPEG with WiseStream II technology, 4.5-10mm motorized varifocal lens, 1200B WDR, defocus detection, PTZ hand over, built-in video analytics, IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,499.00	8801089076254 8801089101091
Camera - Network	QNF-9010	12MP Indoor fisheye		Wisenet O series network Indoor fisheye dome camera, 12MP CMOS sensor, max resolution 3008x3008 @ 30fps, triple code H.265H/264M/JPEG with WiseStream II technology, WDR 1200b, business analytics (heatmap and people counting), built-in SD card slot, PoE	\$ 950.00	8801089153838
Camera - Network	PNF-9010R	9MP, 4K IR Indoor Vandal Fisheye	Limited Stock Comparable model XNF-9010RV	Network IR vandal indoor fisheye dome camera, 9MP, triple code H.265H/264M/JPEG with WiseStream II technology, 1200B WDR, simple focus, defocus detection, PTZ hand over, built-in video analytics, business analytics (heatmap and people counting), IK10	\$ 1,700.00	8801089079640 8801089097513
Camera - Network	PNF-9010RV	9MP, 4K IR Outdoor Vandal Fisheye	Limited Stock Comparable model XNF-9010RV	Network IR vandal outdoor fisheye dome camera, 9MP, triple code H.265H/264M/JPEG with WiseStream II technology, 1200B WDR, simple focus, defocus detection, PTZ hand over, built-in video analytics, business analytics (heatmap and people counting), IP66/IK10, 40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,800.00	8801089079688 8801089097537
6MP Cameras						
Camera - Network	XNR-8300RW	6MP IR, Wiper PTZ		Powered by WNT, 6MP @ 30FPS resolution, 5mm-150mm (30x) lens, WISE IR (200m), extreme WDR 1200B, Day & Night/ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, H.265, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, H.265/1080P (included), Compatible with I/O Box SPM-4210	\$ 4,550.00	8801089191984
Camera - Network	XNO-8082R	6MP IR Bullet Camera		Wisenet 7 X series network IR bullet camera, 6MP @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple code H.265H/264M/JPEG with WiseStream II technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs for night vision, shock detection, audio playback, true DN, dual SD cards slots, half view, HLC, defocus detection, DIS (Gyro), 12VDC/2A/VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,550.00	8801089189906

Camera - Network	QNE-8021R	5MP IR Outdoor Flat-Eye	Wisenet Q mini network outdoor flat-eye camera, SMP @ 30fps, 4.0mm fixed focal lens (80°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 65', defocus detection, hallway view, SD card, video analytics, on platform, IP67, IK10, PoE, white color	\$	470.00	8801089165299
Camera - Network	QNF-8010	6MP Indoor fisheye	Wisenet Q series network Indoor fisheye dome camera, 6MP CMOS sensor, max resolution 2048x2048 @ 30fps, triple code H.265/H.264/MJPEG with Wisestream II technology, WDR 1200B, business analytics (heatmap and people counting), built-in SD card slot, PoE	\$	675.00	8801089153793
Camera - Network	TNV-8010C	5MP Compact corner mount camera	Compact corner mount camera, SMP @ 30fps, triple code, WDR 1200B, 2.3mm fixed, USB and CVBS, true DN, SD cards slots, hallway view, HLC, defog detection, PoE, Audio-in/Audio-out, Wisenet on platform IP66, IP68, IK10, video analytics-Defocus, Directional, Motion, Enter/Exit, Tampering, Virtual line, Audio	\$	850.00	8801089193209
4MP Cameras						
Camera - Network	QNV-7080R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 - 12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 95', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	619.00	8801089078858 8801089101181
Camera - Network	QNV-7010R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, 2.8mm fixed focal lens (110°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 65', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	429.00	8801089077743 8801089101173
Camera - Network	QNV-7020R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @20fps, 3.6mm fixed focal lens (81°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 82', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	429.00	8801089077882 8801089101200
Camera - Network	QND-7080R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 - 12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 95', defocus detection, hallway view, one way audio and SD card, PoE/12VDC	\$	559.00	8801089076087 8801089101228
Camera - Network	QND-7010R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @20ps, 2.8mm fixed focal lens (110°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 65', defocus detection, hallway view, one way audio and SD card, PoE/12VDC	\$	339.00	8801089077716 8801089101259
Camera - Network	QND-7020R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @20ps, 3.6mm fixed focal lens (81°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 82', defocus detection, hallway view, one way audio and SD card, PoE/12VDC	\$	339.00	8801089077851 8801089101242
Camera - Network	QND-7030R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @20ps, 6mm fixed focal lens (53°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 65', defocus detection, hallway view, one way audio and SD card, PoE/12VDC	\$	339.00	8801089077837 8801089102830
Camera - Network	QNO-7080R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @20fps, motorized vari-focal lens 4.3x (2.8 - 12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 95', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	619.00	8801089078872 8801089101187
Camera - Network	QNO-7010R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @20ps, 2.8mm fixed focal lens (110°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 65', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	429.00	8801089077706 8801089101173
Camera - Network	QNO-7020R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @20ps, 3.6mm fixed focal lens (81°), triple code H.265/H.264/MJPEG with Wisestream II, 1200B WDR, IR LEDs range 82', defocus detection, hallway view, one way audio and SD card, IP66, IK10, PoE/12VDC	\$	429.00	8801089077912 8801089101310
3MP Cameras						
Camera - Network	TNV-7010RC	3MP IR Vandal Corner Camera	Wisenet 7 powered by Wisenet S network outdoor IR corner mount camera, 3MP, 2048*1536 @ 30fps, 2.8mm fixed focal lens (102°-175°), 940nm IR 32', built-in mic, triple code H.265/H.264/MJPEG with Wisestream II technology, 1200B WDR, advanced video analytics and business analytics, single SD card, H.C, defog detection, DIS, PoE, IP66, Nema 4X IK10	\$	1,500.00	8801089150417
2MP Cameras						
Camera - Network	XNP-6400RW	2MP IR, Wiper PTZ	Powered by WIN7, 2MP @ 60FPS resolution, 4.25mm~170mm (40d) lens, built in wiper and Wise IR (200m), extreme WDR 1500B, Day & Night ICR, H.265, H.264, MJPEG, code support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, BCS, SDDR, lens heater for water/neg removal, oil, NEMA4X, HP-Pe injector included, (Compatible with I/O Box SPM-6210)	\$	3,900.00	8801089192059
Camera - Network	XND-6081REV	2MP Indoor Dome, PoE extender camera	Wisenet X series Plus powered by Wisenet S network indoor dome camera with PoE Extender, PoE+ in PoE out unit, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), PoE/Power+, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$	1,250.00	8801089187758
Camera - Network	XNV-6081RE	2MP Outdoor Dome, PoE extender camera	Wisenet X series Plus powered by Wisenet S network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out unit, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), PoE/Power+, IP66/IP67/IP68/IK10+, NEMA 4X -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$	1,350.00	8801089153685
Camera - Network	XNV-6081R	2MP IR Outdoor Dome	Wisenet X series Plus powered by Wisenet S IR network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IK10+, Nema 4X -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$	1,300.00	8801089155886
Camera - Network	XND-6081RF	2MP IR Flush Mount Dome	Wisenet X series Plus powered by Wisenet S IR network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, flush mounting	\$	1,200.00	8801089154750
Camera - Network	XND-6081RV	2MP IR Indoor Dome	Wisenet X series Plus powered by Wisenet S IR network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$	1,200.00	8801089154828
Camera - Network	XNV-6081	2MP Outdoor Dome	Wisenet X series Plus powered by Wisenet S network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$	1,200.00	8801089155047
Camera - Network	XND-6081F	2MP Flush Mount Dome	Wisenet X series Plus powered by Wisenet S network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, flush mounting	\$	1,100.00	8801089154316
Camera - Network	XND-6081V	2MP Indoor Vandal Dome	Wisenet X series Plus powered by Wisenet S network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, auto playback, built-in mic, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$	1,100.00	8801089154910
Camera - Network	XNV-6081Z	2MP Outdoor PTZR Dome	Wisenet X series Plus powered by Wisenet S network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), PTZR, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$	1,350.00	8801089152510
Camera - Network	XND-6081VZ	2MP Indoor PTZR Dome	Wisenet X series Plus powered by Wisenet S network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), PTZR, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, auto playback, built-in mic, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$	1,250.00	8801089152568
Camera - Network	XND-6081FZ	2MP Flush Mount PTZR Dome	Wisenet X series Plus powered by Wisenet S network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), PTZR, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, auto playback, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP52, IK10, flush mounting	\$	1,250.00	8801089152688
Camera - Network	XNP-6550RH	2MP IR 55x PTZ	Wisenet X powered by Wisenet S network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 55x optical zoom lens (4.75mm ~ 261.4mm) (58.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1200B WDR, built-in IR 1440m (600m), USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE, IP66/IK10, 58°F ~ +131°F W/ 24VAC power supply	\$	5,000.00	8801089144988
Camera - Network	XNP-6320RH	2MP IR 32x PTZ	Wisenet X powered by Wisenet S network IR PTZ camera, IR range up to 656', 2MP, Full HD(1080p) @ 60fps, triple code H.265/H.264/MJPEG, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, advanced video analytics and sound classification, auto tracking, true DN, dual SD card, H.C, defog detection, DIS(Gyro), IP66/IK10, 24VAC/PoE	\$	4,500.00	8801089153555
Camera - Network	XNP-6320HS	2MP 32x Stainless steel PTZ	Wisenet X powered by Wisenet S network stainless steel PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, Auto Tracking, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE, IP66/IK10, 58°F ~ +131°F W/ 24VAC power supply	\$	6,300.00	8801089105893
Camera - Network	XNP-6320H	2MP 32x PTZ	Wisenet X powered by Wisenet S network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, Auto Tracking, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE, IP66/IK10, 58°F ~ +131°F W/ 24VAC power supply	\$	4,350.00	8801089105831
Camera - Network	XNP-6320	2MP 32x PTZ	Wisenet X powered by Wisenet S network indoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, Auto Tracking, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE	\$	4,000.00	8801089108456
Camera - Network	XNP-6321H	2MP 32x PTZ Outdoor	Wisenet X powered by Wisenet S network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE, IP66/IK10, 58°F ~ +131°F W/ 24VAC power supply	\$	3,300.00	8801089161680
Camera - Network	XNP-6321	2MP 32x PTZ Indoor	Wisenet X powered by Wisenet S network indoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32x optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.1°), Pan: 360° endless, Tilt: -15° ~ 195°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 24VAC/PoE	\$	2,900.00	8801089162236
Camera - Network	XNP-6120H	2MP 12x PTZ	Wisenet X powered by Wisenet S network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), Pan: 360° endless, Tilt: -5° ~ 185°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, 22°F ~ +131°F	\$	1,700.00	8801089104007
Camera - Network	XNP-6040H	2MP 4.3x PTZ	Wisenet X powered by Wisenet S network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 4.3x optical zoom lens (2.8mm ~ 12mm) (119.5° ~ 27.9°), Pan: 0°-350°, Tilt: 0°-90°, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, H.C, defog detection, DIS(Gyro), IP66, IK10, 22°F ~ +131°F	\$	1,200.00	8801089104076
Camera - Network	XNO-6065R	eXtraLUX IR Bullet	Wisenet X powered by Wisenet S network IR outdoor vandal bullet camera, eXtraLUX features 1/2" sensor with F0.9 Lens, back box, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°-26.2°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,350.00	8801089103123
Camera - Network	XNV-6085	eXtraLUX Outdoor PTZR Dome	Wisenet X powered by Wisenet S network outdoor vandal dome camera, eXtraLUX features 1/2" sensor with F0.9 Lens, PTZR, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°-26.2°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,400.00	8801089103239
Camera - Network	XND-6085V	eXtraLUX Indoor PTZR Dome	Wisenet X powered by Wisenet S network indoor vandal dome camera, eXtraLUX features 1/2" sensor with F0.9 Lens, PTZR, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°-26.2°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,300.00	8801089103143
Camera - Network	XNB-6005	eXtraLUX Box Camera	Wisenet X powered by Wisenet S network box camera, eXtraLUX features 1/2" sensor, 2MP, Full HD(1080p) @60fps, triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/24VAC/PoE	\$	950.00	8801089103000
Camera - Network	XNV-6120R	2M 12X IR outdoor Dome	Wisenet X powered by Wisenet S network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,500.00	8801089102485
Camera - Network	XNV-6120RALPR	Low Speed LPR Outdoor IR Dome	Wisenet X powered by Wisenet S network IR outdoor Low Speed LPR dome camera for Parking Lots, Drive-thrus, and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	2,000.00	849688013243
CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR RANMWA ENGINEER CONSULT IS RECOMMENDED BEFORE INSTALLING.						
Camera - Network	XNV-6120	2M 12X outdoor Dome	Wisenet X powered by Wisenet S network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,350.00	8801089102492
Camera - Network	XNO-6120R	2M 12X IR Bullet	Wisenet X powered by Wisenet S network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true DN, dual SD card, hallway view, H.C, defog detection, DIS(Gyro), backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	1,500.00	8801089102478
Camera - Network	XNO-6120RALPR	Low Speed LPR IR Bullet	Wisenet X powered by Wisenet S network IR outdoor Low Speed LPR bullet camera for Parking Lots, Drive-thrus, and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$	2,000.00	849688013236
CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR RANMWA ENGINEER CONSULT IS RECOMMENDED BEFORE INSTALLING.						
Camera - Network	XNV-6080RSA	2MP Stainless Steel IR Dome	Wisenet X powered by Wisenet S network IR stainless steel dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple code H.265/H.264/MJPEG with Wisestream II technology, 1500B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true DN, dual SD card, hallway view, H.C, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, IP68/IK9, -50°C ~ +55°C (-58°F ~ +131°F)	\$	1,620.00	8801089172692

Camera - Network	XNV-6080R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (2.8-12mm) (119.5°-27.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10, Nema 4X, 40°C ~ +55°C (40°F ~ +131°F)	\$ 1,150.00	880108091369 8801080910090
Camera - Network	XNV-6080	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 89', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, 40°C ~ +55°C (40°F ~ +131°F)	\$ 1,050.00	880108091352 8801080910017
Camera - Network	XNV-6010	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	880108093378 8801080910036
Camera - Network	XNV-6020R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 89', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	880108090726 8801080910072
Camera - Network	XNV-6011	2MP Compact Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10	\$ 399.00	880108099778 88010809100634
Camera - Network	XNV-6011W (White Color)	2MP Compact Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera (white color), 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10, white color	\$ 399.00	88010809133485
Camera - Network	XNO-6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10, Nema 4X, 40°C ~ +55°C (40°F ~ +131°F)	\$ 1,150.00	8801080991338 88010809100795
Camera - Network	XNO-6010R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 650.00	8801080991345 88010809100665
Camera - Network	XNO-6020R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 4mm fixed focal lens (88.6°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 89', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 650.00	8801080906909 88010809100072
Camera - Network	XNO-6080RV	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,050.00	8801080991334 88010809100894
Camera - Network	XND-6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 89', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 950.00	8801080991277 88010809100849
Camera - Network	XNO-6010	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 600.00	8801080935493 88010809100832
Camera - Network	XND-6020R	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed focal lens (88.6°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 89', true D/N, dual SD card, half view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 600.00	8801080907786 88010809100119
Camera - Network	XND-6011F	2MP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed focal lens (112°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, metric connector, SD card, half view, H.LC, defog detection, DIS, PoE only	\$ 500.00	88010809102850
Camera - Network	XNV-6013M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed focal lens (107.4°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, electrical DIN, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, NEMA 4X, 40°C ~ +60°C (40°F ~ +140°F) This camera was designed to be mounted outside of the vehicle. M12 connector (M12 to RJ45 is not included)	\$ 810.00	88010809132123 88010809127204
Camera - Network	XNV-6012	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (135.4°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, electrical DIN, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, NEMA 4X	\$ 670.00	88010809132093
Camera - Network	XNV-6012M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (135.4°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, electrical DIN, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 670.00	88010809132109 88010809127136
Camera - Network	XNV-6022R	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed focal lens (94.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, NEMA 4X	\$ 740.00	88010809132130
Camera - Network	XNV-6022RM	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed focal lens (94.8°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 740.00	88010809132147
Camera - Network	XNZ-6320	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm - 142.6mm) (61° - 2.19°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, SFP slot, advanced video analytics and sound classification, true D/N, dual SD card, half view, H.LC, defog detection, DIS(90°), 12VDC/PoE	\$ 1,500.00	88010809144835
Camera - Network	XNZ-6320	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm - 142.6mm) (61° - 2.19°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, built in SD card slot, H.LC, defog detection, 12VDC/PoE	\$ 1,400.00	88010809173782
Camera - Network	XNB-6000	2MP Box		Wisenet X powered by Wisenet 5 network box camera, 2MP, Full HD(1080p) @60fps, simple focus, triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, half view, H.LC, defog detection, DIS(90°), 12VDC/24VAC/PoE	\$ 850.00	8801080991321 88010809100801
Camera - Network	XNB-6001	2MP Cover Camera Main Module		Wisenet X powered by Wisenet 5 covert camera body, 2MP, Full HD(1080p) @60fps, triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, half view, H.LC, defog detection, DIS, 12VDC/PoE, +14° ~ 131°F, lens module is not included compatible lens modules (SLA-T2480V, SLA-T4680V, SLA-T1080F, SLA-T4680D, SLA-T4680S, SLA-T4680DV)	\$ 510.00	88010809106841
Camera - Network	XNV-L6080R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (3.2-10mm) (109°-33.2°), triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, USB port for easy installation, high powered IR LEDs range of 98.45', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, 40°C ~ +55°C (40°F ~ +131°F)	\$ 925.00	88010809133014
Camera - Network	XNV-L6080	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (3.2-10mm) (109°-33.2°), triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, USB port for easy installation, high powered IR LEDs range of 98.45', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, 40°C ~ +55°C (40°F ~ +131°F)	\$ 825.00	88010809132024
Camera - Network	XND-L6080RV	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (3.2-10mm) (109°-33.2°), triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, USB port for easy installation, high powered IR LEDs range of 98.45', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK08	\$ 825.00	88010809132000
Camera - Network	XND-L6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (3.2-10mm) (109°-33.2°), triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, USB port for easy installation, true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IK08	\$ 725.00	88010809131973
Camera - Network	XNO-L6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 3.1x (3.2-10mm) (109°-33.2°), triple code H.265H.264/MJPEG with WiseStream II technology, 1208B WDR, USB port for easy installation, high powered IR LEDs range of 98.45', true D/N, single SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, 40°C ~ +55°C (40°F ~ +131°F)	\$ 925.00	88010809132833
Camera - Network	TNB-6030	PVM Camera	Special order Need Accessory SBP-3000M	PVM camera powered by Wisenet 5, 1080p (1920x1080), micro HDMI output, 16:9 aspect ratio, face detection display for visual deterrent, customizable text overlay, 4.8mm fixed lens(7.8''), 1508B WDR, H.265H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, IR, non-directional audio, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, M12 connector (M12 to RJ45 is not included)	\$ 709.00	88010809102751
Camera - Network	TNO-6100M	Front Facing Mobile Camera	Special order	Wisenet T network mobile front facing camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple code H.265H.264/MJPEG with WiseStream II technology, 1508B WDR, USB port for easy installation, advanced video analytics, true D/N, SD card, half view, H.LC, defog detection, DIS (90°), PoE, IP66, IK10, M12 connector (M12 to RJ45 is not included)	\$ 750.00	88010809165879
Camera - Network	QNO-6012R	2MP IR Bullet		Wisenet O network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 65', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 379.00	88010809163905
Camera - Network	QNO-6022R	2MP IR Bullet		Wisenet O network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 82', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 379.00	88010809164629
Camera - Network	QNO-6032R	2MP IR Bullet		Wisenet O network outdoor vandal bullet camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 98', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 379.00	88010809164742
Camera - Network	QNO-6082R	2MP IR Bullet		Wisenet O network outdoor vandal bullet camera, 2MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10mm) (109°-33°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 98', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 519.00	88010809165473
Camera - Network	QNV-6012R	2MP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 65', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 395.00	88010809164094
Camera - Network	QNV-6022R	2MP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 82', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 395.00	88010809165114
Camera - Network	QNV-6024RM	2M Mobile IR Flat Camera	Not compatible with current 2.1mm lens SLA-M-610	Wisenet O network mobile IR flat camera, 2MP, Full HD(1080p) 30fps, triple code H.265H.264/MJPEG with WiseStream II technology, Fixed focal lens 3.6mm, built in Mic, M12 Network connectors (M12 connector to RJ-45 adaptor is not included), half view, 1208B WDR, built in IR LEDs range of 22', true D/N, built-in SD card, half view, H.LC, defog detection, DIS, PoE, IP66, IK10, 40°C ~ +55°C (40°F ~ +131°F)	\$ 399.00	88010809174345
Camera - Network	QNV-6032R	2MP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 98', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 395.00	88010809165220
Camera - Network	QNV-6082R	2MP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 2MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10mm) (109°-33°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 98', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 535.00	88010809165387
Camera - Network	QND-6012R	2MP IR Indoor Dome		Wisenet O network indoor dome camera, 2MP @ 30fps, 3.6mm fixed focal lens (94.8°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 49', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, 12VDC, white color	\$ 338.00	88010809174280
Camera - Network	QND-6022R	2MP IR Indoor Dome		Wisenet O network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 65', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, 12VDC, white color	\$ 289.00	88010809169118
Camera - Network	QND-6032R	2MP IR Indoor Dome		Wisenet O network indoor dome camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 82', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, 12VDC, white color	\$ 289.00	88010809169211
Camera - Network	QND-6082R	2MP IR Indoor Dome		Wisenet O network indoor dome camera, 2MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10mm) (109°-33°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, IR LEDs range 98', defocus detection, half view, one way audio and SD card, video analytics, CVBS, open platform, IP66, 12VDC, white color	\$ 459.00	88010809163822
Camera - Network	QND-6011	2MP Indoor Dome		Wisenet O mini network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, defocus detection, half view, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	88010809155191
Camera - Network	QND-6021	2MP Indoor Dome		Wisenet O mini network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple code H.265H.264/MJPEG with WiseStream II, 1208B WDR, defocus detection, half view, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	88010809162809
Camera - Network	LNV-6022R	2MP IR Vandal Dome		L series outdoor vandal dome camera, 2MP @ 30fps, varifocal lens 3.1x (3.2 - 10mm) (101.6°-31.3°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 359.00	88010809170022
Camera - Network	LNV-6012R	2MP IR Vandal Dome		L series outdoor vandal dome camera, 2MP @ 30fps, 3mm fixed focal lens (102°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 265.00	88010809170026
Camera - Network	LNV-6022R	2MP IR Vandal Dome		L series outdoor vandal dome camera, 2MP @ 30fps, 4mm fixed focal lens (80°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 265.00	88010809170019
Camera - Network	LNV-6032R	2MP IR Vandal Dome		L series outdoor vandal dome camera, 2MP @ 30fps, 6mm fixed focal lens (51°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 265.00	88010809170033
Camera - Network	LND-6022R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, varifocal lens 3.1x (3.2 - 10mm) (101.6°-31.3°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 319.00	88010809170040
Camera - Network	LND-6012R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, 3mm fixed focal lens (102°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 209.00	88010809170071
Camera - Network	LND-6022R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, 4mm fixed focal lens (80°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 209.00	88010809170057
Camera - Network	LND-6032R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, 6mm fixed focal lens (51°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 209.00	88010809170095
Camera - Network	LNO-6022R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, varifocal lens 3.1x (3.2 - 10mm) (101.6°-31.3°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 359.00	88010809170061
Camera - Network	LNO-6012R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, 3mm fixed focal lens (102°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 249.00	88010809170014
Camera - Network	LNO-6022R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, 4mm fixed focal lens (80°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 249.00	88010809170088
Camera - Network	LNO-6032R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, 6mm fixed focal lens (51°), Double code H.264/MJPEG, WiseStream II, 1208B WDR, IR LEDs, half view, SD card, IP66, IK10, PoE, White	\$ 249.00	88010809170118

Camera - Network	XNB-H6241A	ZMP Network ATM Camera Kit		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple code H.265H/264M/JPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, *14F* - 131F, cable length is 8m (26 feet).	\$ 849.00	044701001096
Camera - Network	XNB-H6240A	ZMP Network ATM Camera Kit		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple code H.265H/264M/JPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, *14F* - 131F, cable length is 1.5m (4.9 feet).	\$ 849.00	044701001089
Camera - Network	XNB-H6461H	ZMP Pinhole Height Strip Camera Kit		Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple code H.265H/264M/JPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, *14F* - 131F, cable length is 8m (26 feet).	\$ 1,055.00	04470100102
Camera - Network	XNB-H6280B	ZMP Bandit Barrier		Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple code H.265H/264M/JPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, *14F* - 131F, cable length is 1.5m (4.9 feet).	\$ 1,300.00	84968801171
Camera - Network	QNP-6230	ZMP 23x PTZ		Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 30fps, H.265H/264M/JPEG, Optical Zoom Lens 23x (4.4-102.1mm), 120dB WDR, true DIN, 500T/sec Pan, SD/SDHC/SDXC, 2VAVC/PoE+ Analytics, IP66, IK10, Heater on -58°F 2VAVC.	\$ 1,500.00	8801089108620 8801089108621 8801089108622
Camera - Network	QNP-6230R	ZMP 23x PTZ		Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 30fps, H.265H/264M/JPEG, Optical Zoom Lens 23x (4.4-102.1mm), 120dB WDR, true DIN, 500T/sec Pan, SD/SDHC/SDXC, 2VAVC/PoE+ Analytics, IP66, IK10, Heater on -58°F 2VAVC.	\$ 1,700.00	8801089132058
Camera - Network	QNP-6230RH	ZMP 23x PTZ		Wisenet Q network outdoor PTZ camera, IR range for up to 328M, 2MP, Full HD(1080p) 30fps, triple code H.265H/264M/JPEG with WiseStream II, 2x optical zoom (4.4 ~ 3.0mm) (81.8° ~ 3.0gr), 120dB WDR, HLC, true DIN, 2VAVC/HDR, IP66, IK10, Built-in 48F (-58°F) Heater (2VAVC only).	\$ 2,000.00	8801089176158
Camera - Network	TNU-6321	ZMP 32x Positioning Camera	Special Order Only	ZMP Network Positioning Camera (1920 x 1080) resolution, 4.44 ~ 142.6mm (32x) varifocal lens, 60fps@2MP (H.264), 30fps@2MP (MJPEG), H.265, 264, MJPEG codes support, 360° Endless, TTL 90°-40°, Day & Night (ICR), WDR (120dB), Defog, Temporing, Virtual line, Enter/Exit, (Dis)Appear, Audio detection, Face detection, Motion detection, micro SD / SDHC / SDXC slot, Power 2VAVC (Optional IR illuminators: SPH-SU)	\$ 5,100.00	8801089190413

Thermal Cameras

Camera - Network	TNO-4041T	VGA Thermal Camera for PT Unit	Special order	Wisenet T network outdoor vandal thermal camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), IP66, IK10, PoE/12VDC/2VAVC, white color RS485/422, built to no on PT head unit.	\$ 7,000.00	8801089118349
Camera - Network	TNO-4040T	VGA Thermal Bullet	Special order	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color.	\$ 7,000.00	8801089118363
Camera - Network	TNO-4030T	VGA Thermal Bullet	Special order	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (48.6°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color.	\$ 7,000.00	8801089118264
Camera - Network	TNO-4051T	VGA Thermal Camera for PT Unit	Special order	Wisenet T network outdoor vandal thermal camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), IP66, IK10, PoE/12VDC/2VAVC, white color RS485/422, built to no on PT head unit.	\$ 8,400.00	8801089118486
Camera - Network	TNO-4050T	VGA Thermal Bullet	Special order	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color.	\$ 8,400.00	8801089118462
Camera - Network	TNO-4041T	VGA Thermal Positioning	Special order	Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), pan, 360° endless, TTL 90° - 40°, triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box IP66, IK10, 2VAVC, white color.	\$ 14,250.00	8801089148087
Camera - Network	TNO-4051T	VGA Thermal Positioning	Special order	Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2°), pan, 360° endless, TTL 90° - 40°, triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box IP66, IK10, 2VAVC, white color.	\$ 16,000.00	8801089148155
Camera - Network	TNO-4030TR	VGA Radiometric Bullet	Special order	Wisenet T network outdoor radiometric bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 3 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color.	\$ 9,500.00	8801089151131
Camera - Network	TNO-4040TR	VGA Radiometric Bullet	Special order	Wisenet T network outdoor vandal radiometric bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 3 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color.	\$ 9,500.00	8801089128348
Camera - Network	TNO-4041TR	VGA Radiometric Camera for PT Unit	Special order	Wisenet T network outdoor vandal radiometric bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple code H.265H/264M/JPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 3 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box IP66, IK10, PoE/12VDC/2VAVC, white color RS485/422, built to no on PT head unit.	\$ 9,500.00	8801089151162
Camera - Network	TNM-3620TDY	EBT camera	Special order	Wisenet T network indoor body temperature detection camera (uncooled), dual sensor camera with QVGA thermal (320x240) & 2MP (1920x1080) visible video outputs, built-in 4.7mm fixed lens (50°) thermal, 4mm fixed lens (87.8°) (visible), AI Face & temperature detection, Estimated Body Temperature Mode: -30°C ~ +45°C (-23°F ~ 113°F), accuracy ±0.3°C (±0.5°F) with background ±0.3°C (±0.54°F), normal radiometric mode temperature detection range from (-4°F ~ 266°F), triple code H.265H/264M/JPEG with WiseStream II, 1080P, HDMI, USB and CVBS port for easy installation, advanced video analytics, micro SD, DIS, PoE/12VDC.	\$ 7,600.00	8801089192745
Camera - Network	TNO-3010T	QVGA Thermal Bullet	Special order only (6-6 week lead time)	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 2.7mm fixed lens, H.265, H.264, MJPEG code, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 2VAVC, 12VDC, IP66, IK10, NEMA4X, IK10.	\$ 4,100.00	8801089191724
Camera - Network	TNO-3020T	QVGA Thermal Bullet	Special order only (6-6 week lead time)	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 4.3mm fixed lens, H.265, H.264, MJPEG code, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 2VAVC, 12VDC, IP66, IK10, NEMA4X, IK10.	\$ 4,100.00	8801089191684
Camera - Network	TNO-3030T	QVGA Thermal Bullet	Special order only (6-6 week lead time)	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 13.7mm fixed lens, H.265, H.264, MJPEG code, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 2VAVC, 12VDC, IP66, IK10, NEMA4X, IK10.	\$ 4,100.00	8801089191700

Explosion Proof

Camera - Network	TNO-X6302EP0-Z	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cULus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 7,650.00	8496880121758
Camera - Network	TNO-X6302EP0-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cULus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 7,650.00	8496880121765
Camera - Network	TNO-X6302EP0-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cULus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, -M for INMETRO.	\$ 7,650.00	8496880121772
Camera - Network	TNO-X6302EW1T-Z	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 10,400.00	8496880121789
Camera - Network	TNO-X6302EW1T-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 10,400.00	8496880121796
Camera - Network	TNO-X6302EW1T-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -M for INMETRO.	\$ 11,100.00	849688012802
Camera - Network	TNO-X6302E2F2W1-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only with wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 14,000.00	8496880121819
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only with wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -M for INMETRO.	\$ 14,000.00	8496880121826
Camera - Network	TNO-X6302E2F2W1-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 14,000.00	849688012833
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -M for INMETRO.	\$ 14,000.00	8496880121843
Camera - Network	TNO-X6302E2F2W1-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 15,325.00	849688012874
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -M for INMETRO.	\$ 15,325.00	849688012881
Camera - Network	TNO-X6302E2F2W2-C	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -C for cULus C1/D1.	\$ 16,025.00	8496880121885
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Zoom Camera	Special order only (16 week lead time)	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, IP68, -M for INMETRO.	\$ 15,325.00	849688012896
Camera - Network	TNO-X6302E2W1T-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 30,175.00	8496880121901
Camera - Network	TNO-X6302E2W1T-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 30,175.00	8496880121918
Camera - Network	TNO-X6302E2W2T-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 31,500.00	8496880121925
Camera - Network	TNO-X6302E2W2T-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 31,500.00	8496880121932
Camera - Network	TNO-X6302E2F2W1-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 31,500.00	8496880121939
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 32,200.00	8496880121963
Camera - Network	TNO-X6302E2F2W1-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 31,500.00	8496880121970
Camera - Network	TNO-X6302E2F2W1-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 30,175.00	8496880121987
Camera - Network	TNO-X6302E1W1T-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 30,175.00	8496880121294
Camera - Network	TNO-X6302E1W1T-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 30,175.00	8496880121294
Camera - Network	TNO-X6302E1W2T-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 30,175.00	849688013007
Camera - Network	TNO-X6302E1W2T-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 30,175.00	849688013104
Camera - Network	TNO-X6302E1F2W1-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 31,500.00	849688013032
Camera - Network	TNO-X6302E1F2W1-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 31,500.00	849688013039
Camera - Network	TNO-X6302E1F2W1-C	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -C for cULus C1/D1.	\$ 32,200.00	849688013045
Camera - Network	TNO-X6302E1F2W1-M	Explosion Proof Positioning Camera	Special order only (16 week lead time)	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cULus C1/D1 certification, -40°C ~ +60°C (+40°F ~ +140°F), IP66/IP67, -M for INMETRO.	\$ 31,500.00	849688013052
Camera - Network	HT-E-XWP10UL	Explosion Proof Accessories Washer Tank	Special order only (16 week lead time)	Stainless steel Washer tank for cameras with wiper model (TNP-6320E2W, TNP-6320E2W, TNP-6320E1WF, TNP-6320E1WF2).	\$ 7,725.00	849688007976
Camera - Network	HT-E-BFP00SW	Explosion Proof Accessories Monitor Bracket	Special order only (16 week lead time)	Stainless steel Top mounting bracket.	\$ 775.00	849688007983
Camera - Network	HT-E-BFW320SW	Explosion Proof Accessories Wall Mount	Special order only (16 week lead time)	Stainless steel wall mount for (TNO-6070EP, TNO-6320EP, TNO-6070EW, TNO-6320EW).	\$ 1,650.00	849688009790
Camera - Network	HT-E-BPW680	Explosion Proof Accessories PTZ wall Mount	Special order only (16 week lead time)	Stainless steel wall mount for (TNP-xxx, TNU-xxx).	\$ 1,475.00	849688008003
Camera - Network	HT-E-BFWS0SW	Explosion Proof Accessories Wall Mount	Special order only (16 week lead time)	Stainless steel wall mount for (TNO-6070E2F, TNO-6320E2F, TNO-6070E2WF, TNO-6320E2WF).	\$ 1,825.00	849688008010
Camera - Network	HT-E-BFP00CL	Explosion Proof Accessories Dome Adapter	Special order only (16 week lead time)	Stainless steel pole mount adaptor.	\$ 1,550.00	849688008027
Camera - Network	TNO-X807EPT1-Z	Explosion Proof Fixed Camera	6 weeks lead time	Explosion proof camera using the XNB-6000 (2MP @ 60fps) + 2.8-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (+40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 6,950.00	849688012659
Camera - Network	TNO-X807EPT1-Z	Explosion Proof Fixed Camera	6 weeks lead time	Explosion proof camera using the XNB-6000 (2MP @ 60fps) + 4.1-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (+40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 7,150.00	849688013212
Camera - Network	TNO-X807EPT1-Z	Explosion Proof Zoom Camera	6 weeks lead time	Explosion proof zoom camera using the XNZ-6520 (2MP @ 60fps) with 32x optical zoom, PoE Only (No Wiper), -40°C ~ +55°C (+40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 7,900.00	849688013269
Camera - Network	TNP-X6322EPT3-Z	Explosion Proof PTZ	6 weeks lead time	Explosion proof PTZ using the XNP-6320 (2MP @ 60fps) + 32x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (+4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 21,400.00	849688012666
Camera - Network	TNP-Q632EPT3-Z	Explosion Proof PTZ	6 weeks lead time	Explosion proof PTZ using the XNP-6320 (2MP @ 60fps) + 32x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (+4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 18,900.00	849688012673
Camera - Network	TNO-P907EPT1-Z	Explosion Proof Fixed Camera	6 weeks lead time	AI IR Explosion proof camera using the PNB-9000 (8MP @ 30fps) + 3.9-19mm f1.5 Varifocal I-CSS Lens PoE+ (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification.	\$ 8,000.00	849688015339
Accessory	HT-F1XX-WM	Wall Mount	6 weeks lead time	Wall mount for the TNO-X807EPT1-Z, TNO-X807EPT1-Z, and TNO-X832EPT1-Z.	\$ 950.00	849688012734
Accessory	HT-SD-WM	Protection Kit	6 weeks lead time	Protection kit for the TNP-6322EPT3-Z, TNP-Q632EPT3-Z.	\$ 950.00	849688012680
Accessory	HT-SF-PP	Protection Kit	6 weeks lead time	Protection kit for the TNO-X807EPT1-Z, TNO-X807EPT1-Z and TNO-X832EPT1-Z.		

Recording - Hybrid	HRX-820-12TB	8CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 10CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 40Mbps throughput on analog and 28Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 2,610.00	849688013588
Recording - Hybrid	HRX-421	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 300.00	8801089175267
Recording - Hybrid	HRX-421-2TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 660.00	849688013502
Recording - Hybrid	HRX-421-4TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 1,020.00	849688013519
Recording - Hybrid	HRX-421-6TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 1,380.00	849688013526
Recording - Hybrid	HRX-421-8TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 1,740.00	849688013533
Recording - Hybrid	HRX-421-12TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 2,460.00	849688013540
Recording - Hybrid	HRX-420	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 275.00	8801089175489
Recording - Hybrid	HRX-420-2TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 635.00	849688013472
Recording - Hybrid	HRX-420-4TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 995.00	849688013489
Recording - Hybrid	HRX-420-6TB	4CH AHD, TV, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), 4CH analog + 2CH IP and up to 6CH IP, recording 1080p @ 30fps channel (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, 25Mbps throughput on analog and 17Mbps throughput on IP cameras), 2 internal HDD, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code	\$ 1,355.00	849688013496

DVR's Accessories

Recording - Adaptor	SRX-AU1211	Audio Adaptor for DVR		Optional D-Sub adaptor with 12 RCA audio connector for SRD-16XX series	\$ 70.00	8801089030511
---------------------	------------	-----------------------	--	--	----------	---------------

Lenses

Lens	SLA-C-E24	Canon EF 24mm f/1.4 II USM		Canon 24mm f1.4L Auto-Iris (EF 24mm f1.4L II USM) : Horizontal field of view: 8K 82.1° · CarePak 4 Years Warranty	\$ 5,175.00	849688014830
Lens	SLA-C-E50	Canon EF 50mm f/1.2L USM		Canon 50mm f1.2 Auto-Iris (EF 50mm f1.2 USM) : Horizontal field of view: 8K 31.6° · CarePak 4 Years Warranty	\$ 4,315.00	849688014847
Lens	SLA-C-E85	Canon EF 85mm f/1.2L II USM		Canon 85mm f1.2L Auto-Iris (EF 85mm f1.2L II USM) : Horizontal field of view: 8K 19.2° · CarePak 4 Years Warranty	\$ 6,235.00	849688014854
Lens	SLA-C-E2470	Canon EF 24-70mm f2.8L II USM		Canon 24-70mm f2.8L II USM (EF 24-70mm f2.8L USM) : Horizontal field of view: 8K 62.1° ~ 23.2° · CarePak 4 Years Warranty	\$ 5,345.00	849688014861
Lens	SLA-C-E70200	Canon EF 70-200mm f2.8L IS III USM		Canon 70-200mm f2.8L Auto-Iris, Vari Focal (EF 70-200mm f2.8L USM) : Horizontal field of view: 8K 23.2° ~ 8.3° · CarePak 4 Years Warranty	\$ 5,945.00	849688014878
Lens	SLA-C-13910	1/1.8" 3.9-10mm (i-CS Mount)	4 weeks lead time	1/1.8" 3.9-10mm F1.5 Varifocal, HD Series (i-CS Mount) Day/Night IR (12 MP capable) for AI Box Camera (PNA-A9001)	\$ 455.00	849688015261
Lens	SLA-C-12885	1/2.7" 2.8-8.5mm (i-CS Mount)	4 weeks lead time	1/2.7" 2.8-8.5mm F1.2 Varifocal, HD Series (i-CS Mount) Day/Night IR (8 MP capable) for WNT Box Cameras (XNB-9002 and XNB-9002)	\$ 435.00	849688015278
Lens	SLA-T1080F	1.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		1.6mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.03 Lux, 120dB WDR, 187° horizontal field of view, 8 meters cable (26 feet cable)	\$ 310.00	8801089125057
Lens	SLA-T2480	2.4mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters (26 feet) cable	\$ 215.00	8801089107428
Lens	SLA-T2480V	2.4mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089107442
Lens	SLA-T4680	4.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089107459
Lens	SLA-T4680V	4.6mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089107466
Lens	SLA-T4680A	4.6mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		4.6mm pinhole lens module, compatible with PNM-9000QB, straight body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195913
Lens	SLA-T4680VA	4.6mm Lens/Imager right angle body for PNM-9000QB (8.0m cable)		4.6mm pinhole lens module, compatible with PNM-9000QB, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195980
Lens	SLA-T2480A	2.4mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		2.4mm fixed lens module, compatible with PNM-9000QB, straight body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195976
Lens	SLA-T2480VA	2.4mm Lens/Imager right angle body for PNM-9000QB (8.0m cable)		2.4mm fixed lens module, compatible with PNM-9000QB, right angle body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195983
Lens	SLA-T1080FA	1.6mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		1.6mm fixed lens module, compatible with PNM-9000QB, straight body style, 2MP @ 30fps, 0.03 Lux, 187° horizontal field of view, 8 meters cable/ 26 feet cable	\$ 310.00	8801089196552
Lens	SLA-H-4680VA	Height strip with 2MP pinhole lens	Camera not included	Height strip with 4.6mm pinhole lens module, compatible with PNM-9000QB, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 545.00	849688016695
Lens	SLA-T4680D	Door Jamb Lens (black)		Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, black color	\$ 270.00	8801089136992 8801089135926
Lens	SLA-T4680DS	Door Jamb Lens (silver)		Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, silver color	\$ 270.00	8801089142177 8801089142184
Lens	SLA-T4680DW	Door Jamb Lens (white)	Special order only	Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, white color	\$ 270.00	8801089136996 8801089135933
Lens	SLA-T-M4100N	Megapixel DC-Iris Lens		Megapixel Lens, Image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (4-10mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 360.00	849688014779
Lens	SLA-T-M12500N	Megapixel DC-Iris Lens		Megapixel Lens, Image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (12-50mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 360.00	880108914799
Lens	SLA-T-M9400N	Megapixel DC-Iris Lens		Lens, 1/2.3", Up to 4K Vari-focal(4-10mm), Auto DC IRIS, CS-Mount, compatible with: XNB-6000, HCB-6000/6001/7000/7000A	\$ 389.00	849688007075
Lens	SLA-M2400P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H. 135.4°, V. 71.2° for the PNM-9320VQP	\$ 85.00	8801089146823 8801089136183
Lens	SLA-M2800P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H. 107.4°, V. 62.2°, for the PNM-9320VQP	\$ 85.00	8801089146816 8801089136213
Lens	SLA-M3600P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H. 94.8°, V. 49.3°, for the PNM-9320VQP	\$ 85.00	8801089146892 8801089136206
Lens	SLA-M6000P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H. 50.4°, V. 28.8°, for the PNM-9320VQP	\$ 85.00	8801089147011 8801089136251
Lens	SLA-M1200P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/2.8" 2MP CMOS with a 12.0mm fixed focal lens, FoV: H. 26.3°, V. 14.9°, for the PNM-9320VQP	\$ 85.00	8801089147034 8801089136209
Lens	SLA-M3700P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H. 97.5°, V. 71.9° for the PNM-9320VQP	\$ 250.00	8801089147400 8801089136275
Lens	SLA-M4600P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H. 77.9°, V. 57.9° for the PNM-9320VQP	\$ 250.00	8801089147424 8801089136244
Lens	SLA-M7000P	PNM-9320VQP Lens module	For the PNM-9320VQP, PNM-9321VQP	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H. 50.7°, V. 37.8° for the PNM-9320VQP	\$ 250.00	8801089147354 8801089136190
Lens	SLA-M2400Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H. 135.4°, V. 71.2° for the PNM-9000VQ	\$ 85.00	8801089109729
Lens	SLA-M2800Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H. 107.4°, V. 62.2°, for the PNM-9000VQ	\$ 85.00	8801089109570
Lens	SLA-M3600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H. 94.8°, V. 49.3°, for the PNM-9000VQ	\$ 85.00	8801089114570
Lens	SLA-M6000Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H. 50.4°, V. 28.8°, for the PNM-9000VQ	\$ 85.00	8801089109842
Lens	SLA-M3700Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H. 97.5°, V. 71.9° for the PNM-9000VQ	\$ 250.00	8801089109866
Lens	SLA-M4600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H. 77.9°, V. 57.9° for the PNM-9000VQ	\$ 250.00	8801089109880
Lens	SLA-M7000Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H. 50.7°, V. 37.8° for the PNM-9000VQ	\$ 250.00	8801089109903
Lens	SLA-M3700D	PNM-9000VQ Lens module	For the PNM-9000VQ	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H. 97.5°, V. 71.9° for the PNM-9000VQ	\$ 250.00	8801089158970
Lens	SLA-M4600D	PNM-9000VQ Lens module	For the PNM-9000VQ	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H. 77.9°, V. 57.9° for the PNM-9000VQ	\$ 250.00	8801089158984
Lens	SLA-M7000D	PNM-9000VQ Lens module	For the PNM-9000VQ	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H. 50.7°, V. 37.8° for the PNM-9000VQ	\$ 250.00	8801089161628
Lens	SLA-M2400D	PNM-7000VD Lens module	Limited Stock For the PNM-7000VD	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H. 135.4°, V. 71.2°, for the PNM-7000VD	\$ 85.00	8801089109567
Lens	SLA-M2800D	PNM-7000VD Lens module	Limited Stock For the PNM-7000VD	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H. 107.4°, V. 62.2°, for the PNM-7000VD	\$ 85.00	8801089109538
Lens	SLA-M3600D	PNM-7000VD Lens module	Limited Stock For the PNM-7000VD	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H. 94.8°, V. 49.3°, for the PNM-7000VD	\$ 85.00	8801089109569
Lens	SLA-M6000D	PNM-7000VD Lens module	Limited Stock For the PNM-7000VD	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H. 50.4°, V. 28.8°, for the PNM-7000VD	\$ 85.00	8801089109606
Lens	SLA-M2402D	PNM-7002VD Lens module	For the PNM-7002VD	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H. 135.4°, V. 71.2°, for the PNM-7002VD	\$ 85.00	8801089193506
Lens	SLA-M2802D	PNM-7002VD Lens module	For the PNM-7002VD	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H. 107.4°, V. 62.2°, for the PNM-7002VD	\$ 85.00	8801089193520
Lens	SLA-M3602D	PNM-7002VD Lens module	For the PNM-7002VD	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H. 94.8°, V. 49.3°, for the PNM-7002VD	\$ 85.00	8801089193537
Lens	SLA-M6002D	PNM-7002VD Lens module	For the PNM-7002VD	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H. 50.4°, V. 28.8°, for the PNM-7002VD	\$ 85.00	8801089193568
Lens	SLA-M2800N	Megapixel DC-Iris Lens		Lens, 1/2.8" 3 MP, Vari-focal (2.8-9.0mm), Auto DC Iris, CS-Mount	\$ 190.00	895520734292
Lens	SLA-M2900N	Megapixel Paris Lens		Lens, 1/2.8" 3 MP, Vari-focal (2.8-9.0mm), Auto P.Iris, CS-Mount	\$ 240.00	895520734493
Lens	SLA-F-M4190N	Megapixel DC-Iris Lens		Lens, 1/1.8" 6MP, Vari-focal (4.1-10mm), Auto DC Iris, CS-Mount	\$ 299.00	849688004913

Accessory	SBP-302CM-36	Extension pendant pipe 36"		Extension pendant pipe 36" long. fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 105.00	04470101027	
Accessory	SBP-302CM-12	Extension pendant pipe 12"		Extension pendant pipe 12" long. fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 65.00	04470101034	
Accessory	SBP-302CMB	Pendant back box		Back box made to fit SBP-302CM telescopic pendant mount and the extension pipes (SBP-302CM-12 and SBP-302CM-36)	\$ 190.00	8801089143242	
Accessory	SBP-302CMAS	Swivel joint + Telescopic pendant mount		Telescopic joint mount accessory with 90 degrees swivel joint, 4.5" to 8" adjustable, includes SBP-302CMA for ceiling mount, Ivory color	\$ 400.00	849688010822	
Accessory	SBP-302CMS	Swivel adapter for pendant mount	Need SBP-302CMA or SBP-302CMB	Swivel adapter for pendant mount for SBP-302CM, SBP-302CM-12, SBP-302CM-36 and it also requires one mounting option either SBP-302CMA or SBP-302CMB	\$ 120.00	849688010839	
Accessory	SBP-156WMM	Wall/Pole mount		Wall/Pole mount, Material: Aluminum, Color: White, Dimensions :135Wx118Hx30D(mm) (5.31x7.20x11.81"). Compatible with: XNP-9300RW/8300RW/6400RW, Stainless Steel Pole stras are not included.	\$ 149.00	8801089193995	
Accessory	SBP-156HMM	Hanging mount		Hanging mount, Material: Aluminum, Color: White, Dimensions :495.5x77.0 mm (Φ 3.76x3.03"). Compatible with: XNP-9300RW/8300RW/6400RW	\$ 65.00	8801089194022	
Accessory	SBP-156CMM	Celling mount		Celling mount, Weight: 4.2 kg (9.3 lb), Material: Aluminum, Color: White, Compatible with: XNP-9300RW/8300RW/6400RW	\$ 255.00	8801089193988	
Accessory	SBP-158LMW	Paraset mount		Paraset mount, White color paraset mount, Weight: 1.1 kg (115.7 lb), Compatible with: XNP-9300RW/8300RW/6400RW	\$ 435.00	8801089193971	
Accessory	SBP-158MMW	Corner mount		Corner mount, Material: Aluminum, Color: White, Dimensions : 275.8x113 (10.86x4.45) inch (10.50x7.206 24"), Compatible with: XNP-9300RW/8300RW/6400RW	\$ 118.00	8801089193964	
Accessory	SBP-120NM	Pole Mount	For SHD-D-9000H (or SHD-D-9000H)	Pole mount for SHD-D-9000H. Stainless Steel Pole stras are not included.	\$ 185.00	849688016282	
Accessory	SBP-099TMM	Tilt mount		Tilt mount for 0 to 90 degree camera. Compatible with QNF-9010, QNF-9010	\$ 49.00	8801089194112	
Accessory	SBP-123HMM	Small Flaring Cap		Flaring Mount for QNF-9010/9010R	\$ 31.00	8801089194023	
Accessory	SHD-2510FPBW	Plenum Flush mount		Plenum Flush Mount for XNF-9010/9010R	\$ 250.00	8801089194117	
Accessory	SHD-1600FPW	Plenum Flush mount		Plenum Flush Mount for XNF-6010R/8010R/9010R/9010RM, XND-6085V, XNN-6080/8080R/8080R/6080R/6080R/120610R/20610R/6085	\$ 188.00	8801089192334	
Accessory	SLB-100C	Remote lens dome bracket		Dome bracket for SLA-T4680A, SLA-T4680A, SLA-T4680, SLA-T4680	\$ 39.00	8801089196104	
Accessory	SLB-100C	Remote lens corner bracket		Corner bracket for SLA-T4680A, SLA-T4680A, SLA-T4680, SLA-T4680	\$ 39.00	8801089196200	
Accessory	3TB-1520VW	swivel adapter		Box camera swivel adapter, converting 1.5" NPT to 1/2" UNF. Compatible with TMM-3020TDF (body temperature detection camera), SPI-35B (Blackbody). All other box cameras, white color.	\$ 130.00	849688016336	
Accessory	3TB-5075W	Floor Stand		Floor stand with adjustable height, compatible with all box cameras, temperature detecting camera (TMM-3020TDF), blackbody (SPI-35B), and all other box cameras up to 7.5 inch, white color.	\$ 450.00	849688016343	
Accessory	3TB-4150V	Box Camera Mount		Wall/Ceiling Mount Accessory for Box cameras	\$ 28.00	8801089013323	
Accessory	SBP-300B	Mount Base		Wall Mount Base. Works with mounts (SBP-300WM/300WM1) Ivory	\$ 89.00	8950273159116	
Accessory	SBP-300RW	Mount Base		Wall Mount Base. Works with mounts (SBP-300WM/300WM1) White	\$ 89.00	8801089161717	
Accessory	SBV-120GW	Back Box		Back Box with knockouts, Compatible with QNV-6012R/6022R/6032R/XNP-8010R/8020R/8030R	\$ 49.00	8801089169655	
Accessory	SBO-100B1	Bullet Back Box		IR Bullet camera Back box (SNO-16083R / L5083R, QNO-6030R / 6020R / 6010R, QNO-7030R / 7020R / 7010R, QNO-7080R/6070R, SCQ-6083R)	\$ 49.00	8801089076892	
Accessory	SBO-126B	Bullet Back Box		IR bullet camera back box (XNO-16080R)	\$ 49.00	8801089150288	
Accessory	SBV-158G	Dome Back box		Vandal dome camera Back box (SNV-5084R, SNV-6084R, SNV-7084R, SNV-8081R, SNV-9080, PNV-9080R, XNV-6080R, XNV-8080R, XNV-9080R, XNV-9080R)	\$ 85.00	6995027325627	
Accessory	SBV-136B	Dome Back Box		Vandal dome camera Back box (SNV-5084R, SNV-6084R, SNV-7084R, SNV-8081R, SNV-9080, PNV-9080R, XNV-6080R, XNV-8080R, XNV-9080R, XNV-9080R)	\$ 49.00	6995027350276	
Accessory	SBP-136BW	Dome Back Box		Back box with knockouts (QNV-8090R, QNV-6082R), white color.	\$ 49.00	8801089167117	
Accessory	SBP-100B1	Flare Back Box		Flare camera Back box (SNO-1010V, XNF-8010R/RV/RV1, PNF-6010R/RV/RV1)	\$ 49.00	6995027352528	
Accessory	SBV-115B	Dome back box		Back box with knockout. Compatible with XNV-6011, XNV-6013	\$ 49.00	8801089169606	
Accessory	SBP-300NB	Installation Box		Installation box compatible with (SBP-300WM1, SBP-300WM1, SBP-300M1, SBP-300M1)	\$ 300.00	8801089011988	
Accessory	SBP-300NBW	Installation Box		Installation box compatible with (SBP-300WMW, SBP-300WMW, SBP-300MWM, SBP-300MWM)	\$ 300.00	8801089167033	
Accessory	SBP-300NM	Mounting accessory for the TMB-6030		PVM camera (TMB-6030) mounting hardware.	\$ 65.00	8801089148963	
Accessory	SBP-2CTW	2x2' ceiling tile, 1.5" NPT female thread		2x2' drop ceiling tile (or half of 2'x4' ceiling tile) accessories with 1.5" NPT female thread, includes suspension wire, four turnbuckles, and anchors to suspend from wood or concrete structures, supports up to 50lb, scratch resistant fused epoxy white finish.	\$ 150.00	04470101263	
Accessory	SBP-1HCF	1.5" coupler		1.5" coupler, female thread.	\$ 15.00	044701001072	
Accessory	SBP-35PVMW	PVM Mount		Telescopic PVM uni-strut mount, 3-5.5' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black.	\$ 160.00	849688010518	
Accessory	SBP-59PVMW	PVM Mount		Telescopic PVM uni-strut mount, 5-9' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black.	\$ 200.00	849688010525	
Accessory	SBP-59PVMW	PVM Mount		Telescopic PVM uni-strut mount, 5-9' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white.	\$ 200.00	849688010532	
Accessory	SBP-917PMB	PVM Mount		Telescopic PVM uni-strut mount, 9-11' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black.	\$ 250.00	849688010846	
Accessory	SBP-917PVMW	PVM Mount		Telescopic PVM uni-strut mount, 9-11' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white.	\$ 250.00	849688010853	
Accessory	SP1-35B	Black Body device		Body Temperature Reference (Black body), 3" EC 806011-2-59 standard, 30°C to 45°C (86°F to 113°F), Accuracy of ±0.15°C (±0.3°F), 1/4-20" Thread Mounting, 2% to 95% non-condensation (RH), 18V JA, DC max	\$ 2,580.00	8801089196606	
Accessory	SP1-50	IR illuminators for the TNU-6320	Special Order Only	IR emitter up to 200m (656 feet), 25° IR angle, 850nm wave length, 24VAC, IP67, -40°C ~ +60°C (-40°F ~ +140°F). Compatible with the TNU-6320	\$ 2,250.00	8801089132802	
Accessory	SHD-46VD	Flush door Jamb Lens Housing (black)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), black color	\$ 150.00	044701001126	
Accessory	SHD-46VDE	Flush door Jamb Lens Housing (silver)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), silver color	\$ 150.00	044701001133	
Housing	SHP-370IH	PTZ Outdoor Housing	8 weeks lead time	PTZ Housing Accessory, IP68, IK10, Built-in Heater -58°F to 122°F, IP68	\$ 549.00	6995027319730	
Accessory	WRRP-P-HDDCRDL	WAVE recording server HDD Cradle		HDD cradle for WRRP-P10 and 2U server chassis.	\$ 80.00	849688013987	
Accessory	SPC-302F	Ceiling Tile Support Plate		Ceiling tile support plate for the XNB-081F, XND-x081FZ, XND-x081RF and SHD-3000F5	\$ 160.00	849688011883	
Accessory	SPC-100AC	24VAC module QTY of 10		24VAC module for the X Plus outdoor domes, compatible with XNB-x081x QTY of 10	\$ 325.00	8801089153876	
Accessory	SHB-D-9000H	8K Camera Housing with Stainless steel arm	Special Order/ Contact HIA Sales team for Lead time	8K Camera Housing w/Active Cooling and Heating, IP66 NEMA 4X, 18° Angled Glass Window for Optimal Reduction of Reflective Artifacts, 12 VDC Pass Thru Power Available to Camera, Operating Humidity: 10-100% RH (condensing), System Maximum Operating Temperature Range: -20 to +60C	\$ 5,920.00	849688014960	
Housing	SHB-430IH1P	Fixed Housing		Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower, IP66	\$ 450.00	8801089167354	
Housing	SHB-430H1	Fixed Housing		Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower -58°F ~122°F, 24VAC, IP66	\$ 349.00	8801089047378	
Housing	SHB-420	Fixed Housing		Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower -58°F ~122°F, IP66	\$ 40.00	8801089046270	
Housing	SHB-420H	Fixed Housing		Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower -31°F ~122°F, 24VAC, IP66	\$ 40.00	8801089056776	
Accessory	SBP-302CMM	Pendant mount (white)	4 Weeks Lead Time	Telescopic pendant mount Accessory, requires a mounting plate SBP-302CMAW (white color)	\$ 250.00	849688016206	
Accessory	SBP-302CMAW	Mounting plate (white)	4 Weeks Lead Time	Mounting plate for the telescopic pendant mount SBP-302CMM (white color)	\$ 30.00	849688016213	
Accessory	SBP-302CM-06W	Extension pendant pipe 6" (white)	4 Weeks Lead Time	Extension pendant pipe 6" long. fit the SBP-302CMB (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMM (telescopic pendant mount) and the extension pipes SBP-302CM-06, SBP-302CM-12 and SBP-302CM-36, white color	\$ 45.00	849688016220	
Accessory	SBP-302CM-12W	Extension pendant pipe 12" (white)	4 Weeks Lead Time	Extension pendant pipe 12" long. fit the SBP-302CMB (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMM (telescopic pendant mount) and the extension pipes SBP-302CM-06, SBP-302CM-12 and SBP-302CM-36, white color	\$ 65.00	849688016237	
Accessory	SBP-302CM-36W	Extension pendant pipe 36" (white)	4 Weeks Lead Time	Extension pendant pipe 36" long. fit the SBP-302CMB (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMM (telescopic pendant mount) and the extension pipes SBP-302CM-06, SBP-302CM-12, SBP-302CM-36 and it also requires one mounting option either SBP-302CMAW or SBP-302CMBW, White color	\$ 105.00	849688016244	
Accessory	SBP-302CMSW	Swivel adapter for pendant mount (white)	4 Weeks Lead Time/ Need SBP-302CMAS or SBP-302CMB	Swivel adapter for pendant mount for SBP-302CMM, SBP-302CMM-06, SBP-302CMM-12, SBP-302CMM-36 and it also requires one mounting option either SBP-302CMAW or SBP-302CMBW, White color	\$ 120.00	849688016251	
Accessory	SBP-302CMASW	Swivel joint + Telescopic pendant mount (white)	4 Weeks Lead Time	Telescopic joint mount accessory with 90 degrees swivel joint, 4.5" to 8" adjustable, includes SBP-302CMAW for ceiling mount, White color	\$ 400.00	849688016288	
Monitor							
Monitor	SMT-4033	1080p 40" LED Monitor	Limited Stock	40" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)	\$ 2,490.00	8801089108104	
Monitor	SMT-3233	1080p 32" LED Monitor	Limited Stock	32" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)	\$ 1,690.00	8801089108159	
Monitor	SMT-3211PVM-PIP	32" PVM with PIP	Special order	32" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x 2W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, PIP, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.87H), 150dB WDR, H.265/H.264/MP/EG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode. Power supply NOT included.	\$ 3,899.00	8801089011089	
Monitor	SMT-3211PVM	32" Without PIP	Special order	32" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x 2W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.87H), 150dB WDR, H.265/H.264/MP/EG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode. Power supply NOT included.	\$ 3,499.00	849688011072	
Monitor	SMT-2701PVM	27" IP PVM Monitor (Black)		27" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x 2W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.87H), 150dB WDR, H.265/H.264/MP/EG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode. Power supply NOT included.	\$ 2,699.00	849688009291	
Monitor	SMT-2233	1080p 22" LED monitor		22" LED Monitor, 1080p (1920x1080), 2 BNC loop through, HDMI, 16:9 aspect ratio, Built-in Speaker (2W), Tempered Glass, VESA DPM Compatible	\$ 990.00	6995027318405 6995027324213	
Monitor	SMT-1935	4.3 19" LED Monitor		19" LED Monitor, 600TVL (1280 x 1024), 2 BNC Loop Through, HDMI, VGA, 4:3 aspect ratio, Built-in Speaker (2X1W), VESA DPM Compatible	\$ 690.00	6995027350903	
Monitor Stand	SBM-3232	32" desktop stand	For SMT-3233	Single monitor desktop stand, compatible with SMT-3233 monitor, black color, 100x100 VESA mountable	\$ 100.00	8801089167361	
Monitor Stand	SBM-4040	40" desktop stand	For SMT-4033	Single monitor desktop stand, compatible with SMT-4033 monitor, black color, 100x100 VESA mountable	\$ 100.00	8801089167378	
Controllers							
Analogue - Controller	SPC-7000	Controller		Controller, IP system keyboard with touch screen TFT LCD, Interchangeable 3D joystick & jog shuttle for left or right handed users, RS-485, DVR/NVR, Matrix & PTZ control, ICH video input/output, SSN using USB interface only.	\$ 1,300.00	6995027350528	
Analogue - Controller	SPC-2010	Controller		Controller, 3D joystick, 2 line text LCD display, built-in jog shuttle, up to 255 PTZ/zoom cameras, RS-485, DVR, supports Multi-protocol	\$ 898.00	8801089019493	
Analogue - Controller	SPC-1010	Controller		Controller, PTZ joystick controller, 2 line text LCD display, up to 255 PTZ/zoom cameras, RS-485	\$ 499.00	8801089048790	
Network - Controller	SPC-2000	Controller		Controller, USB 3D joystick	\$ 798.00	8801089046536	
Power Supplies							
Power Supply	PWR-P-POE15	15W PoE Injector		PoE injector, 15W, 10/100/1000Mbps Base-T, AC100-240V Input, 50/60Hz, 54VDC/0.3Amp Output, CE/FCC Compliant, LED Indicator for Power and Network, Operational Temperature 32°F ~ 104°F (0 ~ 40°C)	\$ 75.00	8801089043221	
Power Supply	PWR-P-POE30	30W PoE Injector		PoE+ injector, 30W, 10/100/1000Mbps Base-T, AC100-240V Input, 50/60Hz, 54VDC/0.6Amp Output, CE/FCC Compliant, LED Indicator for Power and Network, Operational Temperature 32°F ~ 104°F (0 ~ 40°C)	\$ 99.00	8801089043238	
Power Supply	PWR-DR12033	DIN Rail Mounting 33W Hardened Power Supply	Limited Stock	12VDC 33Watt (2.75A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up)	\$ 190.00	849688012277	
Power Supply	PWR-24AC-16-BUL	Indoor 24 VAC	Limited Stock	Power supply, 24 VAC, 16 Output, 8 Amps, Small Enclosure, UL LISTED, 110V only.	\$ 215.00	8496880020485	
Power Supply	PWR-12DC-1-2UL	Indoor 12 VDC	Limited Stock	Power supply, 12 VDC, 1 Output, 2.5 Amps, Small Enclosure, UL LISTED, 110V only.	\$ 120.00	8496880040494	
Power Supply	PWR-12DC-4-5	Indoor 12 VDC	Limited Stock	Power supply, 12 VDC, 4 Output, 5 Amps, Small Enclosure, 110V only.	\$ 195.00	8496880040410	
Power Supply	PWR-24AC-3-3-ULW	Outdoor 24 VAC		Power supply, 24 VAC, 3 Output, 3 Amps, Nema 4X Enclosure, UL Listed, 110V only.	\$ 205.00	8496880040441	
Power Supply	PWR-24AC-50VA-UL	Outdoor 24 VAC		Power supply, 24VAC 50VA, UL Listed, 110V only.	\$ 27.00	8496880040489	
Open Platform Application License							
Open Platform Application License	OP-A2FMD-01	Single Camera License		One Camera License for Face Mask Detection Open Platform Application from a2 technology. To be installed on Compatible X-Series Cameras (XNB-6000, XNB-6080R, XNB-610R, XNB-6080R, XNB-6120R, XNV-6080R, XNV-6010, XNV-6020R, XNV-6120R, XNV-6120, XNV-6011, XND-6080, XND-6080R, XND-6080V, XND-6080RV, XND-6010, XND-6020R, XND-6011F)	\$ 500.00	849688015025	
Services							
Service	DIN-SSDA08/CO	On-site engineering service	Service perDay	This is an on site engineering service that will be provided by one of Hanwha Technw B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. This SKU is for one day, if multiple days are needed please reflect that by increasing the QTY of this SKU.	\$ 3,000.00	N/A	
Service	DIN-SSDA03/CO	Professional Firmware Customization	Service perDay	This is a professional firmware customization service that will be provided by Hanwha Technw B2B security R&D Division to provide valuable functions on our nbn-recorder. This SKU is for one day engineering cost. For more details please contact us by emailing projectw@hanwha.com.	\$ 500.00	N/A	
Service	DIN-SSDA08/CO	Remote engineering service	Service perDay	This is a remote engineering service that will be provided by a Hanwha Technw B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. A reliable phone connection and internet connection (for a connection to the surveillance system via a remote desktop software) is required to be provided by the STEP partner. This SKU is for one day, if multiple days are needed please reflect that by increasing the QTY of the SKU.	\$ 2,000.00	N/A	

We put our best effort and knowledge to maintain the accuracy of specifications and price. Should there be any discrepancies we reserve the right to follow our specifications and price set. Thanks for your understanding.