2.0 22 07 0020		
Item 54 - 2021 Ford F350 Super Cab 4x2 Dual rear wheel 168"wheelbase 60" chassis	OPTION CODE	NCSA PRICING
STANDARD ITEMS: 14,000lb GVWR, Exterior Color: Oxford White, XL Trim Package, 6.2L V8 gasoline engine, 10-speed automatic transmission, 3.73 regular rear axle, LT245/75 17" BSW tires, Air conditioning, AM/FM/MP3 radio with SYNC Bluetooth, Tilt steering wheel, (2) keys, 40/20/40 Vinyl		
seats-Gray, Vinyl flooring	X3G-640A	\$28,965.00
CAB CONFIGURATION		
XLT Package - includes upgraded interior, exterior, 40/40/40 cloth seats XLT Value Package - Includes:	633A	\$3,860.00
- Autolock/Auto Unlock		
- 8-Way Power Driver's Seat - SecuriCode Driver's Side Keyless Entry Keypad	17V	\$1,259.60
- Securicode Driver's State Regress Littly Regpad	1/V	\$1,239.00
POWERTRAIN 7.31 AV DELVET NA RELVE COM	001	ć4 co2 70
7.3L 2V DEVCT NA PFI V8 Gas 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 - Includes manual push-button engine-exhaust braking	99N	\$1,602.70
and intelligent oil-life monitor	99T	\$9,635.00
Electronic-Locking w/4.10 Axle Ratio	X4N	\$338.40
Electronic-Locking w/4.30 Axle Ratio	X4L	\$329.00
CNG/Propane Gaseous Engine Prep Package - Includes hardened engine intake valves, valve seats and bi fuel manifold. Note: This package does not include CNG/propane fuel tanks, lines, etc. Vehicle will be	-	
equipped with the standard factory gasoline fuel system. Additional equipment combined with certified		
calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/propane fueled		
vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide. Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use		
CNG or propane fuel. Ford does not represent that a vehicle converted to use CNG or propane will		
comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage		
manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or propane complies with U.S. Federal, California or Canadian exhaust and		
evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety		
standards, labeling and any other requirements	98F	\$296.10
WHEELS/TIRES		
Tires: LT245/75Rx17E BSW A/T	TBM	\$155.10
Wheels: 17" Forged Polished Aluminum	64J	\$564.00
Spare Tire, Wheel & Jack	512	\$329.00
SEATS & SEAT TRIM		
Cloth 40/20/40 Split Bench Seat - XL only, standard with XLT	1S LS	\$94.00 \$333.70
Vinyl 40/Mini-Console/40 Front Seat - XL only Cloth 40/Mini-Console/40 Front Seat - XL only	4S	\$484.10
OTHER OPTIONS		
OTHER OPTIONS 2-Ton Mechanical Jack	61J	\$51.70
		7
Trailer Tow Package - Includes aftermarket trailer brake wiring kit. Trailer brake controller not included. Note: Salespersons source book or Ford RV trailer towing guide should be consulted for specific trailer		
towing or camper limits and corresponding required		
equipment, axle ratios and model availability	531	\$42.30
XL Value Package - Includes:		
Bright Chrome Hub Covers & Center Ornaments Chrome Front Bumper		
- Steering Wheel-Mounted Cruise Control	96V	\$371.30

Power Equipment Group - Deletes passenger-side lock cylinder. Includes upgraded door trim panel. Includes:

- Accessory Delay
- Trailer Tow Mirrors w/Power Heated Glass

Includes manual folding, manually telescoping and heated convex spotter mirror.

- Advanced Security Pack

Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors.

- Power Locks
- Power Tailgate Lock
- Power Front Seat Windows

Includes 1-touch up/down driver/passenger window.

- Remote Keyless Entry	90L	\$813.10
Heavy-Service Front Suspension Package - Includes heavy-service front springs (1 up upgrade above the	ne	
spring computer selected as a consequence of options		
chosen. Not included if maximum springs have been computer selected as standard equipment).		
Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-		
duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle		
Weight Rating (GAWR). Note 1: Vehicle ride height		

will increase with the addition of this package. Note 2: May result in deterioration of ride quality when vehicle is not equipped with front end utility attachment 67H \$117.50 Extra Heavy-Service Suspension Package - Includes pre-selected extra heavy-service front springs (see

Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-

Recommended only on vehicles which will permanently utilize aftermarket equipment s	•	
duty winches, brush guards or other apparatus which loads the front axle to the specifie	ed Gross Axle	
Weight Rating (GAWR). NOTE 1: May result in a deterioration of ride quality. NOTE 2: Ve	ehicle ride height	
will increase with the		
addition of this package	67X	\$117.50
Engine Block Heater	41H	\$94.00
Transmission Power Take-Off- Includes mobile and stationary PTO modes	62R	\$263.20
Engine Idle Shut Down - 5 Minutes	86A	\$235.00
Engine Idle Shut Down - 10 Minutes	86B	\$235.00
Engine Idle Shut Down - 15 Minutes	86C	\$235.00
Engine Idle Shut Down - 20 Minutes	86D	\$235.00
Operator Commanded Regeneration (OCR) - requires Diesel engine (99T)	98R	\$235.00
Dual 78 AH Battery	86M	\$197.40
Power-Adjustable Pedals - XLT Package only	62M	\$112.80
240 Amp Alternator	67E	\$79.90
397 Amp Alternator	67B	\$108.10
26.5 Gallon Mid Ship Fuel Tank - Removes 40 gallon fuel tank	65M	\$0.00
Dual Diesel Fuel Tanks	65C	\$587.50
Utility Lighting System - Includes LED side-mirror spotlights	63A	\$150.40
Trailer Brake Controller - Verified to be compatible with select electric over hydraulic bra	akes. Includes	
smart trailer tow connector.	52B	\$253.80
Platform Running Boards	18B	\$418.30
Audible Lane Departure Warning	60C	\$108.10
Pre-Collision Assist - Includes Automatic Emergency Braking (AEB), automatic high beam	n and forward	
collision warning	94P	\$108.10
Rear View Camera & Prep Kit	872	\$390.10
Fixed Rear-Window w/Defrost	43B	\$56.40
All-Weather Floor Mats - XLT Package only	16T	\$122.20
Carpet Delete - Replaced with black flooring - XLT Package only	166	-\$35.00
Privacy Glass	924	\$28.20
110V/400W Outlet - Includes 1 in-dash mounted outlet	43C	\$164.50
Color-Coordinated Full Carpet w/Floor Mats	16F	\$56.40
Rapid-Heat Supplemental Cab Heater - Includes:		
- 397 Amp Alternator	41A	\$235.00
Remote Start System	76S	\$235.00

SYNC 3 Communications & Entertainment System - Includes enhanced voice recognition, 8" LCD		
capacitive touch screen, 4.2" productivity screen in IP cluster, AppLink, 911 Assist, Apple CarPlay an	nd	
Android Auto capability and 2 smart charging USB-C ports.	913	\$423.00
Voice-Activated Navigation - XLT Package only	21N	\$535.80
Amber LED Warning Strobes - Includes center high-mounted stop light bar and 2 hood mounted lig	hts 91S	\$634.50
Amber-White LED Warning Strobes - Includes center high-mounted stop light bar and 2 hood mour	nted	
lights	91G	\$681.50
Black Molded Hood Deflector	87H	\$122.20
Front Wheel Well Liners	61L	\$169.20

Ambulance Prep Package - Includes 7,000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further

manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances only if equipped with the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Prep Package to produce an ambulance voids the Ford warranty. Note: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

- 397 Amp Alternator

- Operator Commanded Regeneration 47A \$1,132.70

Ambulance Prep Pkg w/Special Emissions (LPO) - Includes EPA Special Emergency Vehicle Emissions and 7000 lbs. max front springs/GAWR rating for configuration

selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an emergency vehicle, an ambulance or fire truck per 40 CFR 86.1803.01 in the federal register. NOTE 5: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.

Includes:

- 397 Amp Alternator

- Operator Commanded Regeneration 47L \$1,132.70

Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO) - Includes 7,000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an emergency vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the federal register. NOTE 5: California Code of Regulations allows for the sale of federally certified emergency vehicles in California. Includes:

- 397 Amp Alternator

- Operator Commanded Regeneration	47J	\$1,132.70
Front/Rear Splash Guards/Mud Flaps	61S	\$70.50
Exterior Backup Alarm	76C	\$131.60

XL Decor Grou	ıp - Includes:	Dia 21-07-0313		
- Bright Chrom	ne Hub Covers & Center Ornaments			
- Chrome Fron	nt Bumper		17F	\$206.80
Bright chrome	grille		63G	\$0.00
Steering Whee	el-Mounted Cruise Control		525	\$220.90
Daytime Runn	ing Lamps		942	\$42.30
Speed Limitati	ion - 65-MPH Governed Top Speed		926	\$75.20
Speed Limitati	ion - 75-MPH Governed Top Speed		927	\$75.20
Upfitter Interf	ace Module		18A	\$277.30
Fog Lamps			595	\$122.20
SPARE KEY- fo	b programmed		SKF	\$280.00
Delivered full	of fuel		DFF	\$225.00
EXTERIOR (COLOR OPTIONS - No Charge			
Agate Black	_		UM	
Antimatter Blu	ue .		HX	
Carbonized Gr	ray		M7	
Iconic Silver			JS	
Race Red			PQ	
Stone Gray			D1	
Velocity Blue-	requires STX Appearance package or XLT packag	e	E7	
Lithium Gray -	XLT package only		ТВ	
Rapid Red Me	tallic Tinted Clearcoat - XLT package only		D4	
EXTERIOR (COLOR OPTIONS - Additional charge			
Green	_		GR	\$620.40
Green Gem			W6	\$620.40
Orange			MB	\$620.40
School Bus Yel	llow		ВҮ	\$620.40
Vermillion Red	1		E4	\$620.40
Yellow			AT	\$620.40