Item 65 - 2021 Ford F450 Super Cab 4x2 Dual rear wheel 168"wheelbase 60" chassis STANDARD ITEMS: 16,500lb GVWR, Exterior Color: Oxford White, XL Trim Package, 7.3L V8 gasoline engine, 10-speed automatic transmission, 4.88 regular rear axle, 225/70Rx 19.5" BSW All Purpose tires,	OPTION CODE	NCSA PRICING
Air conditioning, AM/FM/MP3 radio with SYNC Bluetooth, Tilt steering wheel, (2) keys, 40/20/40 Vinyl seats-Gray, Vinyl flooring	X4G-650A	\$33,725.00
CAB CONFIGURATION XLT Package - includes upgraded interior, exterior, 40/40/40 cloth seats XLT Value Package - Includes: - Autolock/Auto Unlock - 8-Way Power Driver's Seat	663A	\$3,855.00
- SecuriCode Driver's Side Keyless Entry Keypad	17V	\$1,391.20
POWERTRAIN 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 - Includes manual push-button engine-exhaust braking and intelligent oil-life monitor Limited Slip w/4.10 Axle Ratio Limited Slip w/4.30 Axle Ratio Limited Slip w/4.88 Axle Ratio	99T X4N X4L X8L	\$8,765.50 \$338.40 \$338.40 \$338.40
CNG/Propane Gaseous Engine Prep Package - Includes hardened engine intake valves, valve seats and bifuel manifold. Note: This package does not include CNG/propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide. Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or propane fuel. Ford does not represent that a vehicle converted to use CNG or propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements	98G	\$296.10
WHEELS/TIRES		
225/70Rx19.5G BSW Traction - Includes 4 traction tires on the rear and 2 A/P tires on the front Stainless Steel Wheel Covers-front & rear 19.5"x6" Forged Polished Aluminum-includes bright hub covers/center ornaments Spare Tire, Wheel & Jack	TGM 945 64D 512	\$178.60 \$385.40 \$1,029.30 \$329.00
SEATS & SEAT TRIM Cloth 40/20/40 Split Bench Seat - XL only, standard with XLT Vinyl 40/Mini-Console/40 Front Seat - XL only Cloth 40/Mini-Console/40 Front Seat - XL only	1S LS 4S	\$94.00 \$333.70 \$484.10
Cloth 40/Console/40 front seats-includes 2-way adjustable driver/passenger headrests & driver's side manual lumbar, Flow-through console, 110V/400W outlet in rear - XLT only Heated front driver seat with variable temperature - XLT only	2S 90A	\$888.30 \$108.10
OTHER OPTIONS		
Trailer Tow Package - Includes aftermarket trailer brake wiring kit. Trailer brake controller not included.		
Note: Salespersons source book or Ford RV trailer towing guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability	531	\$42.30

XL Value Package - Includes:

- Bright Chrome Hub Covers & Center Ornaments
- Chrome Front Bumper

- Steering Wheel-Mounted Cruise Control 96V \$371.30

Power Equipment Group - Deletes passenger-side lock cylinder. Includes upgraded door trim panel. Includes:

- Accessory Delay
- Trailer Tow Mirrors w/Power Heated Glass

Includes manual folding, manually telescoping and heated convex spotter mirror.

- Advanced Security Pack

Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors.

- Power Locks
- Power Tailgate Lock
- Power Front Seat Windows

Includes 1-touch up/down driver/passenger window.

- Remote Keyless Entry 90L \$813.10

Heavy-Service Front Suspension Package - Includes heavy-service front springs (1 up upgrade above the spring computer selected as a consequence of options chosen. Not included if maximum springs have been computer selected as standard equipment).

Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavyduty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). Note 1: Vehicle ride height

will increase with the addition of this package. Note 2: May result in deterioration of ride quality when vehicle is not equipped with front end utility attachment 67H \$117.50

Extra Heavy-Service Suspension Package - Includes pre-selected extra heavy-service front springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavyduty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). NOTE 1: May result in a deterioration of ride quality. NOTE 2: Vehicle ride height will increase with the

addition of this package 67X \$117.50 Extra Heavy-Duty Front End Suspension - 7,500 GAWR - Includes upgraded front axle and max 7,500 lbs. Front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further 67P manufacture and certification by a final stage manufacturer \$267.90 Snow Plow Prep Package - Includes pre-selected springs (see Order Guide Supplemental Reference for 473 \$235.00 springs/FGAWR of specific vehicle configurations High Capacity Trailer Tow Package - requires Diesel engine 535 \$545.20 Low Deflection Package - Includes 2-inch spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications \$103.40 86S **Engine Block Heater** 41H \$94.00 Transfer case skid plates 41P \$94.00 2-Ton Mechanical Jack 61J \$51.70 Transmission Power Take-Off- Includes mobile and stationary PTO modes 62R \$263.20 \$235.00 Engine Idle Shut Down - 5 Minutes 86A \$235.00 Engine Idle Shut Down - 10 Minutes 86B Engine Idle Shut Down - 15 Minutes 86C \$235.00 Engine Idle Shut Down - 20 Minutes 86D \$235.00 Operator Commanded Regeneration (OCR) - requires Diesel engine (99T) 98R \$235.00 **Dual 78 AH Battery** 86M \$197.40 Power-Adjustable Pedals - XLT Package only 62M \$112.80 397 Amp Alternator 67B \$108.10 26.5 Gallon Mid Ship Fuel Tank - Removes 40 gallon fuel tank 65M \$117.50 Dual diesel fuel tanks - combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank 65C \$587.50

mirror and integrated clearance lamps/turn signals - req. Utility Lighting System (63A) and Power Equipment Group (90L) on XL

Folding Trailer Tow Mirrors w/Power Heated Glass-Includes manual telescoping, heated convex spotter

54K \$0.00

Tolice Nated, Administrator, Orling Vehicles, 114		
Bid 21-07-0915 Folding Trailer Tow Mirrors-102" width, includes manual telescoping power/heated glass, heated conven	(
spotter mirror & integrated clearance lamps/turns signals, includes-Utility Lighting system, LED side-		
mirror spotlights	54L	\$606.30
Powerscope Trailer Tow Mirrors with Heat - includes power-folding with Autofold, telescoping, Power	J.1	ψοσο.σσ
Glass, turn signal & High-intensity LED security approach lamps - includes Utility lighting system, LED		
side-mirror spotlights - XLT only	54F	\$263.20
Utility Lighting System - Includes LED side-mirror spotlights	63A	\$150.40
Trailer Brake Controller - Verified to be compatible with select electric over hydraulic brakes. Includes	03A	Ş130. 4 0
smart trailer tow connector.	52B	\$253.80
Platform Running Boards	18B	\$418.30
Audible Lane Departure Warning	60C	\$108.10
Pre-Collision Assist - Includes Automatic Emergency Braking (AEB), automatic high beam and forward	000	Ç100.10
collision warning	94P	\$108.10
Rear View Camera & Prep Kit	872	\$390.10
Fixed Rear-Window w/Defrost	43B	\$56.40
Power sliding Rear window with Defrost	435	\$380.70
All-Weather Floor Mats - XLT Package only	16T	\$122.20
Carpet Delete - Replaced with black flooring - XLT Package only	166	-\$35.00
Privacy Glass	924	-\$33.00 \$28.20
110V/400W Outlet - Includes 1 in-dash mounted outlet	43C	\$28.20 \$164.50
Color-Coordinated Full Carpet w/Floor Mats	16F	\$164.50
·	101	\$50.40
Rapid-Heat Supplemental Cab Heater - Includes:	44.4	¢225.00
- 397 Amp Alternator	41A	\$235.00
Remote Start System-requires Power Equipment Group	76S	\$235.00
Voice-Activated Navigation - XLT Package only	21N	\$535.80
Auchor LED Warring Charles - Individue controllish and made the light have and 2 hand are madellished	016	¢624.50
Amber LED Warning Strobes - Includes center high-mounted stop light bar and 2 hood mounted lights	91\$	\$634.50
Amber-White LED Warning Strobes - Includes center high-mounted stop light bar and 2 hood mounted	04.6	¢604 50
lights	91G	\$681.50
Black Molded Hood Deflector	87H	\$122.20
Front Wheel Well Liners	61L	\$169.20
Aerial Lift/Severe Duty Prep Package - Includes additional frame reinforcements. Recommended on		
vehicles which will permanently utilize aftermarket equipment such as aerial bucket lifts and heavy lift		
cranes. Also recommended for applications used in extreme off-road environments such as oil, gas and		4
mining operations	76X	\$413.60
Ambulance Prep Package - Includes 7,000 lbs. max front springs/GAWR rating for configuration selected		
Incomplete vehicle package - requires further		
manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing		
ambulances only if equipped with the Ford Ambulance Prep Package. In addition, Ford urges ambulance		
manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford		
Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford		
Ambulance Prep Package to produce an ambulance voids the Ford warranty. Note: Stationary Elevated		
Idle Control (SEIC) has been integrated into the engine control module.		
Includes:		
- 397 Amp Alternator		

- Operator Commanded Regeneration

47A

\$1,132.70

Ambulance Prep Pkg w/Special Emissions (LPO) - Includes EPA Special Emergency Vehicle Emissions and 7000 lbs. max front springs/GAWR rating for configuration

selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an emergency vehicle, an ambulance or fire truck per 40 CFR 86.1803.01 in the federal register. NOTE 5: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.

Includes:

- 397 Amp Alternator

- Operator Commanded Regeneration 47L \$1,132.70

Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO) - Includes 7,000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an emergency vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the federal register. NOTE 5: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.

Includes:

-	397	Amp	Alternato	r
---	-----	-----	-----------	---

337 Tamp Tate Traces		
- Operator Commanded Regeneration	47J	\$1,132.70
Exterior Backup Alarm	76C	\$131.60
XL Decor Group - Includes:		
- Bright Chrome Hub Covers & Center Ornaments		
- Chrome Front Bumper	17F	\$206.80
Fog Lamps - requires XL Décor (17F)	595	\$122.20
Bright chrome grille	63G	\$0.00
Steering Wheel-Mounted Cruise Control	525	\$220.90
Daytime Running Lamps	942	\$42.30
Speed Limitation - 65-MPH Governed Top Speed	926	\$75.20
Speed Limitation - 75-MPH Governed Top Speed	927	\$75.20
Upfitter Interface Module	18A	\$277.30
SPARE KEY - Standard Non Fob programmed	SKR	\$190.00
SPARE KEY- fob programmed	SKF	\$280.00
Ford Heavy Duty Tray style rubber All weather mats-front & rear	FFM	\$300.00
Delivered full of fuel	DFF	\$225.00

EXTERIOR COLOR OPTIONS - No Charge

Agate Black	UM
Antimatter Blue	HX
Carbonized Gray	M7
Iconic Silver	JS
Race Red	PQ
Stone Gray	D1
Velocity Blue-requires STX Appearance package or XLT package	E7
Lithium Gray - XLT package only	ТВ
Rapid Red Metallic Tinted Clearcoat - XLT package only	D4

EXTERIOR COLOR OPTIONS - Additional charge

Green	GR	\$620.40
Green Gem	W6	\$620.40
Orange	MB	\$620.40
School Bus Yellow	BY	\$620.40
Vermillion Red	E4	\$620.40
Yellow	AT	\$620.40